

Information technology — Universal Multiple-Octet Coded Character Set (UCS) —

AMENDMENT 1: Glagolitic, Coptic, Georgian and other characters

Page 1, Clause 1 Scope

In the note, update the Unicode Standard version from 4.0 to 4.1.

Page 2, Clause 3 Normative references

Update the reference to the Unicode Bidirectional Algorithm and the Unicode Normalization Forms as follows:

Unicode Standard Annex, UAX#9, The Unicode Bidirectional Algorithm, Version 4.1.0, [date TBD].

Unicode Standard Annex, UAX#15, Unicode Normalization Forms, Version 4.1.0, [date TBD].

Page 2, Clause Terms and definitions

Insert the following text as sub-clause 4.1 and Note; update all following sub-clause numbers accordingly.

4.1 Base character

A graphic character that does not graphically combine with preceding characters.

NOTE – Most graphic characters are base characters. This sense of graphic combination does not preclude the presentation of base characters from adopting different contextual forms or from participating in ligatures.

Page 3, Clause Terms and definitions

Insert the following text as sub-clause 4.21 and update all following sub-clause numbers accordingly.

4.21 Format character

A character whose primary function is to affect the layout or processing of characters around them. It generally does not have a visible representation of its own.

In the definition of Graphic character (formerly sub-clause 4.20, now 4.22), insert “or a format character” after “control function”.

Page 14, Clause 19 Characters in bidirectional context

Add ‘Mirrored’ before ‘Character’ in clause title and replace the text of the clause by the following:

A class of character has special significance in the context of bidirectional text. The interpretation and rendering of any of these characters depend on the state related to the symmetric swapping characters (see clause F.2.2) and on the direction of the character being rendered that are in effect at the point in the CC-data-element where the coded representation of the character appears. The list of these characters is provided in Annex E.1.

NOTE – That list also represents all characters which have the ‘Bidi Mirrored’ property in the Unicode Standard Version 4.1.

For example, if the character ACTIVATE SYMMETRIC SWAPPING occurs and if the direction of the character is from right to left, the character shall be interpreted as if the term LEFT or RIGHT in its name had been replaced by the term RIGHT or LEFT, respectively.

This character mirroring is not limited to paired characters and shall be applied to all characters belonging to that class.

Page 14, Sub-clause 20.1 Space characters

Insert the following entries to the character list:

1680	OGHAM SPACE MARK
180E	MONGOLIAN VOWEL SEPARATOR
202F	NARROW NO-BREAK SPACE
205F	MEDIUM MATHEMATICAL SPACE

Page 14, Sub-clause 20.3 Alternate Format Characters

Rename the sub-clause from “Alternate Format Characters” to “Format characters”.

Replace first paragraph by:

The following characters are format characters.

Add the following entries to the character list:

0603 ARABIC SIGN SAFHA
10A3F KHAROSHITHI VIRAMA
1D159 MUSICAL SYMBOL NULL NOTEHEAD
1D173 MUSICAL SYMBOL BEGIN BEAM
1D174 MUSICAL SYMBOL END BEAM
1D175 MUSICAL SYMBOL BEGIN TIE
1D176 MUSICAL SYMBOL END TIE
1D177 MUSICAL SYMBOL BEGIN SLUR
1D178 MUSICAL SYMBOL END SLUR
1D179 MUSICAL SYMBOL BEGIN PHRASE
1D17A MUSICAL SYMBOL END PHRASE

Remove sub-clause 20.5 and renumber 20.6 accordingly.

Page 15, Sub-clause 20.4 Variation selectors

Replace the paragraph after the first note by the following text:

Variation selectors following other base characters and any non-base characters have no effect on the selection of the graphic symbol for that character.

Page 20, Clause 26 Special features of individual scripts

Rename the clause to “Special features of individual scripts and symbol repertoires”.

Add a sub-clause “26.2 Byzantine musical symbols” identical to sub-clause U.1 which is therefore deleted.

Page 21, Sub-clause 27.1 Source references for CJK Unified Ideographs

In the enumeration of the Hanzi G sources insert the following after the G8 source:

G9 GB18030-2000

In the enumeration of the Kanji J sources insert the following after the J3 source:

J3A JIS X 0213:2004 level-3

After the enumeration of the ChuNom V sources add the following text and note:

The Unicode U source is:

U0 The Unicode Standard 4.0-2003

NOTE 2 – Even if source references get updated, the source reference information is not be updated. The updated source references may only identify characters not previously covered by the older version.

In the following paragraph, change “11-lines header” by “12-lines header”.

In the file description, add a (G9-hhhh) value to the Hanzi G sources syntax and add a (J3A-hhhh) value to the Kanji J sources syntax..

In the file description, add a 9th field as following:

- 9th field: Unicode U source (U0-hhhh).

After the paragraph describing the format “The format definition uses ... appear as shown.”, add a new note:

NOTE 3 – The original source references in the Hanja K4 source (PKS 5700-3:1998) are described using a single decimal index. For better consistency with the other sources, those indexes are converted into hexadecimal values in the source reference file. Unlike the other hexadecimal values, they do not decompose in row, column values.

Provide a new source reference file including the U source information, with changes according to resolutions WG2 M44.7, M44.8, M44.9, M45.8, M45.9 and M45.17 (the following text is identical to the first edition of ISO/IEC 10646:2003, but is linked to the new file):

[Click on this highlighted text to access the reference file.](#)

NOTE 2 – The content is also available as a separate viewable file in the same file directory as this document. The file is named: “CJKU_SR.txt”.

Page 22, Sub-clause 27.2 Source reference presentation for BMP Unified Ideographs.

In last paragraph, replace the following sentence:

The second line shows the coded representation in decimal notation which comprises two digits for section number followed by two digits for position number.

by:

When non empty, the second line shows the coded representation in decimal notation which comprises two digits for section number followed by two digits for position number except for the K4 source where it shows the original decimal source as a single 4 digit value. Hanzi H source characters are identified in the G column using a ‘H-’ prefix.

Page 22, Sub-clause 27.3 Source references for CJK Compatibility Ideographs

Provide a new source reference file with changes according to the resolution WG2 M44.8, M45.17 and M45.18, (the following text is identical to the first edition of ISO/IEC 10646:2003, but is linked to the new file):

[Click on this highlighted text to access the reference file.](#)

NOTE – The content is also available as a separate viewable file in the same file directory as this document. The file is named: “CJKC_SR.txt”.

Page 26, Clause 29 Structure of the Basic Multilingual Plane

At the bottom of Figure 4, add a new note before the existing note which is renamed NOTE 2:

NOTE 1 – New Tai Lue is also known as Xishuang Banna Dai.

Page 30-1348 Clause 33, Code Tables and list of character names**1. Corrigenda and modifications to existing tables**

Insert the additional character glyphs and names at the indicated positions in the tables given below, the character names replacing the existing entries which read “(This position shall not be used)”. The table numbers are affected by the insertion of new tables (see below) preceding these modified tables. (The table numbers corresponding to the 1st edition of ISO/IEC 10646:2003 are mentioned in parenthesis.)

Plane 00

Table 6 - Row 01-2: Latin Extended B (6)
 Table 9 - Row 03: Combining Diacritical Marks (9)
 Table 10 - Row 03: Greek and Coptic (10)
 Table 12 - Row 04: Cyrillic (12)
 Table 15 - Row 05: Hebrew (15)
 Table 16 - Row 06: Arabic (16)
 Table 21 - Row 09: Devanagari (20)
 Table 22 - Row 09: Bengali (21)
 Table 26 - Row 0B: Tamil (25)
 Table 34 - Row 0F: Tibetan (32)
 Table 36 - Row 10: Georgian (35)
 Table 39 - Row 12: Ethiopic (38)
 Table 40 - Row 12: Ethiopic (39)
 Table 41 - Row 13: Ethiopic (40)
 Table 61 - Row 1D: Phonetic Extensions (57)
 Table 68 - Row 20: General Punctuation (62)
 Table 69 - Row 20: Superscripts and Subscripts (63)
 Table 70 - Row 20: Currency Symbols (64)
 Table 71 - Row 20: Combining Diacritical Marks for Symbols (65)
 Table 72 - Row 21: Letterlike Symbols (66)
 Table 78 - Row 23: Miscellaneous Technical (72)
 Table 85 - Row 26: Miscellaneous Symbols (79)
 Table 86 - Row 26: Miscellaneous Symbols (80)
 Table 89 - Row 27: Miscellaneous Mathematical Symbols-A (83)
 Table 97 - Row 2B: Miscellaneous Symbols and Arrows (91)
 Table 117 - Row 32: Enclosed CJK Letters and Months (104)
 Table 120 - Row 33: CJK Compatibility (107)
 Table 166 - Row FA: CJK Compatibility Ideographs (151)

Add a ‘*’ (denoting an entry in Annex P) after 05B8 HEBREW POINT QAMATS in Table 15. The same notation is added in Annex G.

Plane 01

Table 199 - Row D3: Tai Xuan Jing Symbols (179)

Table 203 - Row D6: Mathematical Alphanumeric Symbols (183)

Table 256 - Row 1E: CJK Unified Ideographs Extension B

These tables contained new characters and names at the following code positions:

0237-0241, 0358-035C, 03FC-03FF, 04F6-04F7, 05A2, 05BA, 05C5-05C6, 060B, 061E, 0659-065E, 097D, 09CE, 0BB6, 0BE6, 0FD0-0FD1, 10F9-10FA, 10FC, 1207, 1247, 1287, 12AF, 12CF, 12EF, 130F, 131F, 1347, 135F-1360, 1D6C-1D7F, 2055-2056, 2058-205E, 2090-2094, 20B2-20B5, 20EB, 213C, 214C, 23D1-23DB, 2618, 267E-267F, 2692-269C, 26A2-26B1, 27C0-27C6, 2B0E-2B13, 327E, FA70-FAD9, 1D6A4-1D6A5

and updated graphic symbols at the following code positions:

031A, 05AA, 03E2-03EF, 3396, 1D301-1D303, 21E45

EDITORS's NOTE – At page 38, character glyphs for 1250-125D and 1260-1261 are missing but are not new to this amendment. Furthermore, at page 87 the names for 2E1C and 2E1D contain ‘PARAPHRASIS’ instead of ‘PARAPHRASE’. These minor issues will be corrected in the final amendment and this note will be removed.

In the CJK Unified Ideographs code table, insert the following new characters at 9FA6-9FBB:

Row/Cell	C	J	K	V	
Hex code	G- Hanzi	-T	Kanji	Hanja	ChuNom
159/166	熇				
9FA6	H-8C43				

Row/Cell	C	J	K	V	
Hex code	G- Hanzi	-T	Kanji	Hanja	ChuNom
159/167	曙				
9FA7	H-8C6D				

Row/Cell Hex code	C G- Hanzi	-T	J Kanji	K Hanja	V ChuNom
159/168	隄				
9FA8	H-8C74				


Row/Cell	C	J	K	V	
Hex code	G- Hanzi	-T	Kanji	Hanja	ChuNom
159/169	斡				
9FA9	H-8CB7				

Row/Cell	C	J	K	V	
Hex code	G- Hanzi	-T	Kanji	Hanja	ChuNom
159/175	鉞				
9FAF	H-8CDA				

Row/Cell	C	J	K	V	
Hex code	G- Hanzi	-T	Kanji	Hanja	ChuNom
159/170	赴				
9FAA	H-8CB9				

Row/Cell	C	J	K	V	
Hex code	G- Hanzi	-T	Kanji	Hanja	ChuNom
159/176	𠂔				
9FB0	H-C8A1				

Row/Cell	C	J	K	V	
Hex code	G- Hanzi	-T	Kanji	Hanja	ChuNom
159/1171	幹				
9FAB	H-8CBB				

Row/Cell	C	J	K	V	
Hex code	G- Hanzi	-T	Kanji	Hanja	ChuNom
159/177					
9FB1	H-C8A3				

Row/Cell	C	J	K	V	
Hex code	G- Hanzi	-T	Kanji	Hanja	ChuNom
159/172	鋼				
9FAC	H-8CC0				

Row/Cell	C	J	K	V	
Hex code	G- Hanzi	-T	Kanji	Hanja	ChuNom
159/178	鎗				
9FB2	H-8CED				

Row/Cell	C	J	K	V	
Hex code	G- Hanzi	-T	Kanji	Hanja	ChuNom
159/173	騏				
9FAD	H-8CD7				

Row/Cell	C	J	K	V	
Hex code	G- Hanzi	-T	Kanji	Hanja	ChuNom
159/179	𠂔𠂔 𠂔𠂔				
9FB3	H-8D48				

Row/Cell	C	J	K	V	
Hex code	G- Hanzi	-T	Kanji	Hanja	ChuNom
159/174	騏翼				
9FAE	H-8CD8				

Row/Cell	C	J	K	V	
Hex code	G- Hanzi	-T	Kanji	Hanja	ChuNom
159/180					
9FB4	9-FE59				

Row/Cell	C		J	K	V
Hex code	G- Hanzi	-T	Kanji	Hanja	ChuNom
159/181	𠂇				
9FB5	9-FE61				

Row/Cell	C		J	K	V
Hex code	G- Hanzi	-T	Kanji	Hanja	ChuNom
159/182	𠂈				
9FB6	9-FE66				

Row/Cell	C		J	K	V
Hex code	G- Hanzi	-T	Kanji	Hanja	ChuNom
159/183	𠂉				
9FB7	9-FE67				

Row/Cell	C		J	K	V
Hex code	G- Hanzi	-T	Kanji	Hanja	ChuNom
159/184	𠂊				
9FB8	9-FE6D				

Row/Cell	C		J	K	V
Hex code	G- Hanzi	-T	Kanji	Hanja	ChuNom
159/185	𠂋				
9FB9	9-FE7E				

Row/Cell	C		J	K	V
Hex code	G- Hanzi	-T	Kanji	Hanja	ChuNom
159/186	𠂌				
9FBA	9-FE90				

Row/Cell	C		J	K	V
Hex code	G- Hanzi	-T	Kanji	Hanja	ChuNom
159/187	𠂍				
9FBB	9-FEA0				

In the CJK Unified Ideographs code table, insert H Hanzi content for the following entry:

Row/Cell	C		J	K	V
Hex code	G- Hanzi	-T	Kanji	Hanja	ChuNom
068/145	𠂎		𠂎		
4491	H-C87E		A-262F		
			A-0615		

In the CJK Unified Ideographs code table, insert J3A Kanji content for the following entries:

Row/Cell	C		J	K	V
Hex code	G- Hanzi	-T	Kanji	Hanja	ChuNom
079/241	俱	俱	俱	俱	俱
4FF1	0-3E63	1-5434	3A-2E21	0-4E7C	1-4B52
	0-3067	1-5220	3A-1401	0-4692	1-4350

Row/Cell	C		J	K	V
Hex code	G- Hanzi	-T	Kanji	Hanja	ChuNom
082/093	剥	剥	剥	剥	剥
525D	E-233B	1-544C	3A-2F7E	0-5A4E	1-4D2A
	E-0327	1-5244	3A-1594	0-5846	1-4510

Row/Cell	C		J	K	V
Hex code	G- Hanzi	-T	Kanji	Hanja	ChuNom
084/030	吞	吞	吞		
541E	0-4D4C	1-493F	3A-4F7E		
	0-4544	1-4131	3A-4794		

Row/Cell	C	J	K	V	
Hex code	G- Hanzi	-T	Kanji	Hanja	ChuNom
086/083	噓	噓	噓	噓	噓
5653	E-247B E-0491	1-6C38 1-7624	3A-7427 3A-8407	0-7A46 0-9038	0-3273 0-1883

Row/Cell	C	J	K	V	
Hex code	G- Hanzi	-T	Kanji	Hanja	ChuNom
085/121	𪛗			𪛗	
5579	1-7C2E 0-9214			4-001F 4-0031	

Row/Cell	C	J	K	V	
Hex code	G- Hanzi	-T	Kanji	Hanja	ChuNom
089/248	妍	妍	妍	妍	
59F8	E-2667 E-0671	3-2C2B 3-1211	3A-7E7A 3A-9490	0-6641 0-7033	

Row/Cell	C	J	K	V	
Hex code	G- Hanzi	-T	Kanji	Hanja	ChuNom
092/033	焜	焜		焜	
5C21	E-277C E-0792	3-6525 3-6905		4-004F 4-0079	

Row/Cell	C	J	K	V	
Hex code	G- Hanzi	-T	Kanji	Hanja	ChuNom
092/091	屏	屏	屏	屏	
5C5B	E-282A E-0810	3-3543 3-2135	3A-7E7B 3A-9491	0-5C33 0-6019	

Row/Cell	C	J	K	V	
Hex code	G- Hanzi	-T	Kanji	Hanja	ChuNom
103/037	勝	勝		勝	
6725	E-2D3E E-1329	3-6633 3-7019		4-00B5 4-0181	

Row/Cell	C	J	K	V	
Hex code	G- Hanzi	-T	Kanji	Hanja	ChuNom
094/119	并	并	并	并	
5E77	E-2928 E-0908	3-2863 3-0867	3A-7E7C 3A-9492	0-5C34 0-6020	

Row/Cell	C	J	K	V	
Hex code	G- Hanzi	-T	Kanji	Hanja	ChuNom
109/164	洌			洌	
6DA4	0-3553 0-2151			4-0062 4-0098	

In the CJK Unified Ideographs code table, insert K Hanja content for the following entries:

Row/Cell	C	J	K	V	
Hex code	G- Hanzi	-T	Kanji	Hanja	ChuNom
054/020		嘸		嘸	
3614		3-5C35 3-6021		4-0028 4-0040	

Row/Cell	C	J	K	V	
Hex code	G- Hanzi	-T	Kanji	Hanja	ChuNom
059/032	瞞	瞞		瞞	
3B20	5-4A32 5-4218	3-5473 3-5283		4-006A 0-0106	

2. New tables.

Insert the following additional tables and adjust the numbering of the existing tables that follow. When correctly applied, all tables will be arranged by ascending code position.

Plane 00

Table 19 - Row 07: Arabic Supplement

Table 42 - Row 13: Ethiopic Supplement

Table 58 - Row 19: New Tai Lue

Table 60 - Row 1A: Buginese

Table 62 - Row 1D: Phonetic Extensions Supplement

Table 63 - Row 1D: Combining Diacritical Marks Supplement

Table 98 - Row 2C: Glagolitic

Table 99 - Row 2C: Coptic

Table 100 - Row 2D: Georgian Supplement

Table 101 - Row 2D: Tifinagh

Table 102 - Row 2D: Ethiopic Extended

Table 103 - Row 2E: Supplemental Punctuation

Table 115 - Row 31: CJK Basic Strokes

Table 130 - Row A7: Modifier Tone Letters

Table 131 - Row A8: Syloti Nagri

Table 173 - Row FE: Vertical Forms

Plane 01

Table 184 - Row 01: Ancient Greek Numbers

Table 188 - Row 03: Old Persian

Table 193 - Row 0A: Kharoshthi

Table 198 - Row D2: Ancient Greek Musical Notation

These tables add new characters and names at the following code positions:

0750-076D, 1380-1399, 1980-19A9, 19B0-19C9, 19D0-19D9, 19DE-19DF, 1A00-1A1B, 1A1E-1A1F, 1D80-1DBF, 1DC0-1DC3, 2C00-2C2E, 2C30-2C5E, 2C80-2CEA, 2CF9-2CFF, 2D00-2D25, 2D30-2D65, 2D6F, 2D80-2D96, 2DA0-2DA6, 2DA8-2DAE, 2DB0-2DB6, 2DB8-2DBE, 2DC0-2DC6, 2DC8-2DCE, 2DD0-2DD6, 2DD8-2DDE, 2E00-2E17, 2E1C-2E1D, 31C0-31CF, A700-A716, A800-A82B, FE10-FE19, 10140-1018A, 103A0-103C3, 103C8-103D5, 10A00-10A03, 10A05-10A06, 10A0C-10A13, 10A15-10A17, 10A19-10A33, 10A38-10A3A, 10A3F-10A47, 10A50-10A58, 1D200-1D245

Page 1349, Annex A.1 Collections of coded graphic characters

Add a '*' (for fixed collections) to the following collections:

7 COMBINING DIACRITICAL MARKS
109 PHONETIC EXTENSIONS

In the list of collection numbers and names, after

111 YIJING HEXAGRAM SYMBOLS

insert new entries as follows:

112 ARABIC SUPPLEMENT	0750-077F
113 ETHIOPIC SUPPLEMENT	1380-139F
114 NEW TAI LUE	1980-19DF
115 BUGINESE	1A00-1A1F
116 PHONETIC EXTENSIONS SUPPLEMENT	1D80-1DBF *
117 COMBINING DIACRITICAL MARKS SUPPLEMENT	1DC0-1DFF
118 GLAGOLITIC	2C00-2C5F
119 COPTIC	03E2-03EF
	2C80-2CFF
120 GEORGIAN SUPPLEMENT	2D00-2D2F
121 TIFINAGH	2D30-2D7F
122 ETHIOPIC EXTENDED	2D80-2DDF
123 SUPPLEMENTAL PUNCTUATION	2E00-2E7F
124 CJK BASIC STROKES	31C0-31EF
125 MODIFIER TONE LETTERS	A700-A71F
126 SYLOTI NAGRI	A800-A82F
127 VERTICAL FORMS	FE10-FE1F

after

1014 TAI XUAN JING SYMBOLS

insert new entries as follows:

1015 ANCIENT GREEK NUMBERS	10140-1018F
1016 OLD PERSIAN	103A0-103DF
1017 KHAROSHTHI	10A00-10A5F
1018 ANCIENT GREEK MUSICAL NOTATION	1D200-1D24F

Page 1351, annex A.1

In the description of collection 1900 (SMP COMBINING CHARACTERS) add "SMP" in front of "characters specified".

Page 1351, annex A.1

In the list of collections numbers and names, after

305 UNICODE 4.0 See A6.3 *

insert the new entry:

306 UNICODE 4.1 See A6.4 *

Move the description of collection 340 (COMBINED FIRST EDITION) before 380 and add the new entry:

370 IICORE See A.5.2 *

Under Note 2, after "72", add ",73". After "104", add ",114, 115, 117, 126,.". Replace "and 1005" by "1005, 1017 and 1018".

In the alphabetical list of keywords in Note 4, add collection "112" to the entry "Arabic";

Add collection "124" to the entry "CJK";

Add collection "117" to the entries "Combining" and "Diacritical Marks";

Add collection "119" to the entry "Coptic";

Add collections "113" and "122" to the entry "Ethiopic";

Add collection "120" to the entry "Georgian";

Add collection "116" to the entry "Phonetic extensions";

Add collection "123" to the entry "Punctuation";

Add collection "1004" to the entry "Musical symbols";

Add collections "1009" and "1015" to the entry "Number";

Add collection "125" to the entry "Spacing modifier";

Add collection "306" to the entry "Unicode".

In the alphabetical list of keywords, insert the following entries:

Ancient Greek	1015 1018
Buginese	115
Glagolitic	118
Kharoshthi	1017
Musical notation	1018
New Tai Lue	114
Old Persian	1016
Syloti Nagri	126
Strokes	124
Tifinagh	121

Vertical form 127

Page 1352, Annex A.2.1 Blocks in the BMP

In the list of blocks in the BMP, insert the following new entries:

ARABIC SUPPLEMENT	0750-077F
ETHIOPIA SUPPLEMENT	1380-139F
NEW TAI LUE	1980-19DF
BUGINESE	1A00-1A1F
PHONETIC EXTENSIONS	
SUPPLEMENT	1D80-1DBF
COMBINING DIACRITICAL MARKS	
SUPPLEMENT	1DC0-1DFF
GLAGOLITIC	2C00-2C5F
COPTIC	2C80-2CFF
GEORGIAN SUPPLEMENT	2D00-2D2F
TIFINAGH	2D30-2D7F
SUPPLEMENTAL PUNCTUATION	2E00-2E7F
CJK BASIC STROKES	31C0-31EF
MODIFIER TONE LETTERS	A700-A71F
SYLOTI NAGRI	A800-A82F
VERTICAL FORMS	FE10-FE1F

Page 1353, Annex A.2.2 Blocks in the SMP

In the list of blocks in the SMP, insert the following new entries:

ANCIENT GREEK NUMBERS	10140-1018F
OLD PERSIAN	103A0-103DF
KHAROSHTHI	10A00-10A5F
ANCIENT GREEK MUSICAL NOTATION	
	1D200-1D24F

Page 1356, Annex A.5.1 340 COMBINED FIRST EDITION

In the list of code positions in the BMP arranged by Row/Positions, add the following new entry:

FD FC-FD

and modify the following entry from :

FE 45-46 73

to:

FE 45-48 73

Page 1356, Annex A.5 Fixed collections encompassing several planes

Add new sub-clause A.5.2 as follows:

A.5.2 370 IICORE

370 The fixed collection IICORE is the International Core subset of the CJK UNIFIED IDEOGRAPHS-2001 collection.

Given its large size (9811 characters) and the large number of sparse ranges it is not specified by Rows/positions but instead by a linked content.

The content linked to is a plain text file, using ISO/IEC 646-IRV characters with LINE FEED as end of line mark, that specifies, after a 11-lines header, as many lines as IICORE characters; each containing the following information in fixed length field:

- 1st field: BMP or SIP code position (0hhhh), (2hhhh), normative.
- 2nd field: Hanzi G source identifier (G0a), (G1a), (G3a), (G5a), (G7a), (G8a) or (GEa), informative.
- 3rd field: Hanzi T source identifier (T1a), (T2a), (T3a), (T4a), (T5a) or (TFa), informative.
- 4th field: Kanji J source identifier (J1a), informative.
- 5th field: Hanzi H source identifier (H1a), informative.
- 6th field: Hanja K source identifier (K0a), (K1a), (K2a) or (K3a), informative.
- 7th field: Hanzi M (for Macao SAR) source identifier (M1a), informative.
- 8th field: Hanja KP source identifier (P0a), informative.
- 9th field: General category, informative (A, B or C in decreasing order of priority).

The format definition uses 'h' as a hexadecimal unit and 'a' as an enumerated unit for letters from 'A' to 'G'. Uppercase characters and digits between parentheses appear as shown.

[Click on this highlighted text to access the reference file.](#)

NOTE – The content is also available as a separate viewable file in the same file directory as this document. The file is named: "IICORE.txt".

Page 1357, annex A.6.2 304 UNICODE 3.2

Change the text of the first paragraph as follows:

304 The fixed collection UNICODE 3.2 consists of fixed collections from clauses A.1 and A.6 and several ranges of code positions arranged by plane as follows.

Page 1357, annex A.6 Unicode Collections

At the end of Annex A.6 add new clause A.6.4 as follows.

A.6.4 306 UNICODE 4.1

306 The fixed collection UNICODE 4.1 consists of a fixed collection from A.6 and several ranges of

code positions. The collection list is arranged by planes as follows.

Plane 00-10

Collection number and name

305 UNICODE 4.0

Plane 00

Row Positions (cells)

02	37-41
03	58-5C FC-FF
04	F6-F7
05	A2 BA C5-C6
06	0B 1E 59-5E
07	50-6D
09	7D CE
0B	B6 E6
0F	D0-D1
10	F9-FA FC
12	07 47 87 AF CF EF
13	0F 1F 47 5F-60 80-99
19	80-A9 B0-C9 D0-D9 DE-DF
1A	00-1B 1E-1F
1D	6C-C3
20	55-56 58-5E 90-94 B2-B5 EB
21	3C 4C
23	D1-DB
26	18 7E-7F 92-9C A2-B1
27	C0-C6
2B	0E-13
2C	00-2E 30-5E 80-EA F9-FF
2D	00-25 30-65 6F 80-96 A0-A6 A8-AE B0-B6 B8-BE C0-C6 C8-CE D0-D6 D8-DE
2E	00-17 1C-1D
31	C0-CF
32	7E
9F	A6-BB
A7	00-16
A8	00-2B
FA	70-D9
FE	10-19

Plane 01

Row Positions (cells)

01	40-8A
03	A0-C3 C8-D5
0A	00-03 05-06 0C-13 15-17 19-33 38-3A 3F-47 50-58
D2	00-45
D6	A4-A5

Page 1358, Annex B.1 List of all combining characters

In the first paragraph, after “(0300 to 036F),” add “COMBINING DIACRITICAL MARKS SUPPLEMENT (1DC0 to 1DFF),”.

In B.1, List of all combining characters, insert the following new entries:

05A2	HEBREW ACCENT ATNAH HAFUKH
05BA	HEBREW POINT QAMATS QATAN
05C5	HEBREW MARK LOWER DOT

0659	ARABIC ZWARAKAY
065A	ARABIC VOWEL SIGN SMALL V ABOVE
065B	ARABIC VOWEL SIGN INVERTED SMALL V ABOVE
065C	ARABIC VOWEL SIGN DOT BELOW
065D	ARABIC REVERSED DAMMA
065E	ARABIC FATHA WITH TWO DOTS
135F	ETHIOPIC COMBINING GEMINATION MARK
19B0	NEW TAI LUE VOWEL SIGN VOWEL SHORTENER
19B1	NEW TAI LUE VOWEL SIGN AA
19B2	NEW TAI LUE VOWEL SIGN II
19B3	NEW TAI LUE VOWEL SIGN U
19B4	NEW TAI LUE VOWEL SIGN UU
19B5	NEW TAI LUE VOWEL SIGN EE
19B6	NEW TAI LUE VOWEL SIGN AE
19B7	NEW TAI LUE VOWEL SIGN O
19B8	NEW TAI LUE VOWEL SIGN OA
19B9	NEW TAI LUE VOWEL SIGN UE
19BA	NEW TAI LUE VOWEL SIGN AY
19BB	NEW TAI LUE VOWEL SIGN AAY
19BC	NEW TAI LUE VOWEL SIGN UY
19BD	NEW TAI LUE VOWEL SIGN OY
19BE	NEW TAI LUE VOWEL SIGN OAY
19BF	NEW TAI LUE VOWEL SIGN UEY
19C0	NEW TAI LUE VOWEL SIGN IY
19C8	NEW TAI LUE TONE MARK-1
19C9	NEW TAI LUE TONE MARK-2
1A17	BUGINESE VOWEL SIGN I
1A18	BUGINESE VOWEL SIGN U
1A19	BUGINESE VOWEL SIGN E
1A1A	BUGINESE VOWEL SIGN O
1A1B	BUGINESE VOWEL SIGN AE
A802	SYLOTI NAGRI SIGN DVISVARA
A806	SYLOTI NAGRI SIGN HASANTA
A80B	SYLOTI NAGRI SIGN ANUSVARA
A823	SYLOTI NAGRI VOWEL SIGN A
A824	SYLOTI NAGRI VOWEL SIGN I
A825	SYLOTI NAGRI VOWEL SIGN U
A826	SYLOTI NAGRI VOWEL SIGN E
A827	SYLOTI NAGRI VOWEL SIGN OO
10A01	KHAROSHTHI VOWEL SIGN I
10A02	KHAROSHTHI VOWEL SIGN U
10A03	KHAROSHTHI VOWEL SIGN VOCALIC R
10A05	KHAROSHTHI VOWEL SIGN E
10A06	KHAROSHTHI VOWEL SIGN O
10A0C	KHAROSHTHI VOWEL LENGTH MARK
10A0D	KHAROSHTHI SIGN DOUBLE RING BELOW
10A0E	KHAROSHTHI SIGN ANUSVARA
10A0F	KHAROSHTHI SIGN VISARGA
10A38	KHAROSHTHI SIGN BAR ABOVE
10A39	KHAROSHTHI SIGN CAUDA
10A3A	KHAROSHTHI SIGN DOT BELOW
1D242	COMBINING GREEK MUSICAL TRISEME
1D243	COMBINING GREEK MUSICAL TETRASEME
1D244	COMBINING GREEK MUSICAL PENTASEME

Page 1371, Annex E Mirrored characters in bidirectional context

Make the Annex Normative

Page 1371, Annex E.1 Mathematical symbols

Change the clause title to say “Mathematical symbols and paired characters”

In the list of characters, insert the following new entries:

2140 DOUBLE-STRUCK N-ARY SUMMATION
 22F2 ELEMENT OF WITH LONG HORIZONTAL STROKE
 22F3 ELEMENT OF WITH VERTICAL BAR AT END OF HORIZONTAL STROKE
 22F4 SMALL ELEMENT OF WITH VERTICAL BAR AT END OF HORIZONTAL STROKE
 22F5 ELEMENT OF WITH DOT ABOVE
 22F6 ELEMENT OF WITH OVERBAR
 22F7 SMALL ELEMENT OF WITH OVERBAR
 22F8 ELEMENT OF WITH UNDERBAR
 22F9 ELEMENT OF WITH TWO HORIZONTAL STROKES
 22FA CONTAINS WITH LONG HORIZONTAL STROKE
 22FB CONTAINS WITH VERTICAL BAR AT END OF HORIZONTAL STROKE
 22FC SMALL CONTAINS WITH VERTICAL BAR AT END OF HORIZONTAL STROKE
 22FD CONTAINS WITH OVERBAR
 22FE SMALL CONTAINS WITH OVERBAR
 22FF Z NOTATION BAG MEMBERSHIP
 2768 MEDIUM LEFT PARENTHESIS ORNAMENT
 2769 MEDIUM RIGHT PARENTHESIS ORNAMENT
 276A MEDIUM FLATTENED LEFT PARENTHESIS ORNAMENT
 276B MEDIUM FLATTENED RIGHT PARENTHESIS ORNAMENT
 276C MEDIUM LEFT-POINTING ANGLE BRACKET ORNAMENT
 276D MEDIUM RIGHT-POINTING ANGLE BRACKET ORNAMENT
 276E HEAVY LEFT-POINTING ANGLE QUOTATION MARK ORNAMENT
 276F HEAVY RIGHT-POINTING ANGLE QUOTATION MARK ORNAMENT
 2770 HEAVY LEFT-POINTING ANGLE BRACKET ORNAMENT
 2771 HEAVY RIGHT-POINTING ANGLE BRACKET ORNAMENT
 2772 LIGHT LEFT TORTOISE SHELL BRACKET ORNAMENT
 2773 LIGHT RIGHT TORTOISE SHELL BRACKET ORNAMENT
 2774 MEDIUM LEFT CURLY BRACKET ORNAMENT
 2775 MEDIUM RIGHT CURLY BRACKET ORNAMENT
 27C0 THREE DIMENSION ANGLE
 27C3 OPEN SUBSET
 27C4 OPEN SUPERSET
 27C5 LEFT S-SHAPED BAG DELIMITER
 27C6 RIGHT S-SHAPED BAG DELIMITER
 27D3 LOWER RIGHT CORNER WITH DOT
 27D4 UPPER LEFT CORNER WITH DOT
 27D5 LEFT OUTER JOIN
 27D6 RIGHT OUTER JOIN
 27DC LEFT MULTIMAP
 27DD LONG RIGHT TACK
 27DE LONG LEFT TACK
 27E2 WHITE CONCAVE-SIDED DIAMOND WITH LEFTWARDS TICK

27E3 WHITE CONCAVE-SIDED DIAMOND WITH RIGHTWARDS TICK
 27E4 WHITE SQUARE WITH LEFTWARDS TICK
 27E5 WHITE SQUARE WITH RIGHTWARDS TICK
 27E6 MATHEMATICAL LEFT WHITE SQUARE BRACKET
 27E7 MATHEMATICAL RIGHT WHITE SQUARE BRACKET
 27E8 MATHEMATICAL LEFT ANGLE BRACKET
 27E9 MATHEMATICAL RIGHT ANGLE BRACKET
 27EA MATHEMATICAL LEFT DOUBLE ANGLE BRACKET
 27EB MATHEMATICAL RIGHT DOUBLE ANGLE BRACKET
 2983 LEFT WHITE CURLY BRACKET
 2984 RIGHT WHITE CURLY BRACKET
 2985 LEFT WHITE PARENTHESIS
 2986 RIGHT WHITE PARENTHESIS
 2987 Z NOTATION LEFT IMAGE BRACKET
 2988 Z NOTATION RIGHT IMAGE BRACKET
 2989 Z NOTATION LEFT BINDING BRACKET
 298A Z NOTATION RIGHT BINDING BRACKET
 298B LEFT SQUARE BRACKET WITH UNDERBAR
 298C RIGHT SQUARE BRACKET WITH UNDERBAR
 298D LEFT SQUARE BRACKET WITH TICK IN TOP CORNER
 298E RIGHT SQUARE BRACKET WITH TICK IN BOTTOM CORNER
 298F LEFT SQUARE BRACKET WITH TICK IN BOTTOM CORNER
 2990 RIGHT SQUARE BRACKET WITH TICK IN TOP CORNER
 2991 LEFT ANGLE BRACKET WITH DOT
 2992 RIGHT ANGLE BRACKET WITH DOT
 2993 LEFT ARC LESS-THAN BRACKET
 2994 RIGHT ARC GREATER-THAN BRACKET
 2995 DOUBLE LEFT ARC GREATER-THAN BRACKET
 2996 DOUBLE RIGHT ARC LESS-THAN BRACKET
 2997 LEFT BLACK TORTOISE SHELL BRACKET
 2998 RIGHT BLACK TORTOISE SHELL BRACKET
 299B MEASURED ANGLE OPENING LEFT
 299C RIGHT ANGLE VARIANT WITH SQUARE
 299D MEASURED RIGHT ANGLE WITH DOT
 299E ANGLE WITH S INSIDE
 299F ACUTE ANGLE
 29A0 SPHERICAL ANGLE OPENING LEFT
 29A1 SPHERICAL ANGLE OPENING UP
 29A2 TURNED ANGLE
 29A3 REVERSED ANGLE
 29A4 ANGLE WITH UNDERBAR
 29A5 REVERSED ANGLE WITH UNDERBAR
 29A6 OBLIQUE ANGLE OPENING UP
 29A7 OBLIQUE ANGLE OPENING DOWN
 29A8 MEASURED ANGLE WITH OPEN ARM ENDING IN ARROW POINTING UP AND RIGHT
 29A9 MEASURED ANGLE WITH OPEN ARM ENDING IN ARROW POINTING UP AND LEFT
 29AA MEASURED ANGLE WITH OPEN ARM ENDING IN ARROW POINTING DOWN AND RIGHT
 29AB MEASURED ANGLE WITH OPEN ARM ENDING IN ARROW POINTING DOWN AND LEFT
 29AC MEASURED ANGLE WITH OPEN ARM ENDING IN ARROW POINTING RIGHT AND UP

29AD	MEASURED ANGLE WITH OPEN ARM ENDING IN ARROW POINTING LEFT AND UP	2A1A	INTEGRAL WITH UNION
29AE	MEASURED ANGLE WITH OPEN ARM ENDING IN ARROW POINTING RIGHT AND DOWN	2A1B	INTEGRAL WITH OVERBAR
29AF	MEASURED ANGLE WITH OPEN ARM ENDING IN ARROW POINTING LEFT AND DOWN	2A1C	INTEGRAL WITH UNDERBAR
29B8	CIRCLED REVERSE SOLIDUS	2A1E	LARGE LEFT TRIANGLE OPERATOR
29C0	CIRCLED LESS-THAN	2A1F	Z NOTATION SCHEMA COMPOSITION
29C1	CIRCLED GREATER-THAN	2A20	Z NOTATION SCHEMA PIPING
29C2	CIRCLE WITH SMALL CIRCLE TO THE RIGHT	2A21	Z NOTATION SCHEMA PROJECTION
29C3	CIRCLE WITH TWO HORIZONTAL STROKES TO THE RIGHT	2A24	PLUS SIGN WITH TILDE ABOVE
29C4	SQUARED RISING DIAGONAL SLASH	2A26	PLUS SIGN WITH TILDE BELOW
29C5	SQUARED FALLING DIAGONAL SLASH	2A29	MINUS SIGN WITH COMMA ABOVE
29C9	TWO JOINED SQUARES	2A2B	MINUS SIGN WITH FALLING DOTS
29CE	RIGHT TRIANGLE ABOVE LEFT TRIANGLE	2A2C	MINUS SIGN WITH RISING DOTS
29CF	LEFT TRIANGLE BESIDE VERTICAL BAR	2A2D	PLUS SIGN IN LEFT HALF CIRCLE
29D0	VERTICAL BAR BESIDE RIGHT TRIANGLE	2A2E	PLUS SIGN IN RIGHT HALF CIRCLE
29D1	BOWTIE WITH LEFT HALF BLACK	2A34	MULTIPLICATION SIGN IN LEFT HALF CIRCLE
29D2	BOWTIE WITH RIGHT HALF BLACK	2A35	MULTIPLICATION SIGN IN RIGHT HALF CIRCLE
29D4	TIMES WITH LEFT HALF BLACK	2A3C	INTERIOR PRODUCT
29D5	TIMES WITH RIGHT HALF BLACK	2A3D	RIGHTHAND INTERIOR PRODUCT
29D8	LEFT WIGGLY FENCE	2A3E	Z NOTATION RELATIONAL COMPOSITION
29D9	RIGHT WIGGLY FENCE	2A57	SLOPING LARGE OR
29DA	LEFT DOUBLE WIGGLY FENCE	2A58	SLOPING LARGE AND
29DB	RIGHT DOUBLE WIGGLY FENCE	2A64	Z NOTATION DOMAIN ANTIRESTRICTION
29DC	INCOMPLETE INFINITY	2A65	Z NOTATION RANGE ANTIRESTRICTION
29E1	INCREASES AS	2A6A	TILDE OPERATOR WITH DOT ABOVE
29E3	EQUALS SIGN AND SLANTED PARALLEL	2A6B	TILDE OPERATOR WITH RISING DOTS
29E4	EQUALS SIGN AND SLANTED PARALLEL WITH TILDE ABOVE	2A6C	SIMILAR MINUS SIMILAR
29E5	IDENTICAL TO AND SLANTED PARALLEL	2A6D	CONGRUENT WITH DOT ABOVE
29E8	DOWN-POINTING TRIANGLE WITH LEFT HALF BLACK	2A6F	ALMOST EQUAL TO WITH CIRCUMFLEX ACCENT
29E9	DOWN-POINTING TRIANGLE WITH RIGHT HALF BLACK	2A70	APPROXIMATELY EQUAL OR EQUAL TO
29F4	RULE-DELAYED	2A73	EQUALS SIGN ABOVE TILDE OPERATOR
29F5	REVERSE SOLIDUS OPERATOR	2A74	DOUBLE COLON EQUAL
29F6	SOLIDUS WITH OVERBAR	2A79	LESS-THAN WITH CIRCLE INSIDE
29F7	REVERSE SOLIDUS WITH HORIZONTAL STROKE	2A7A	GREATER-THAN WITH CIRCLE INSIDE
29F8	BIG SOLIDUS	2A7B	LESS-THAN WITH QUESTION MARK ABOVE
29F9	BIG REVERSE SOLIDUS	2A7C	GREATER-THAN WITH QUESTION MARK ABOVE
29FC	LEFT-POINTING CURVED ANGLE BRACKET	2A7D	LESS-THAN OR SLANTED EQUAL TO
29FD	RIGHT-POINTING CURVED ANGLE BRACKET	2A7E	GREATER-THAN OR SLANTED EQUAL TO
2A0A	MODULO TWO SUM	2A7F	LESS-THAN OR SLANTED EQUAL TO WITH DOT INSIDE
2A0B	SUMMATION WITH INTEGRAL	2A80	GREATER-THAN OR SLANTED EQUAL TO WITH DOT INSIDE
2A0C	QUADRUPLE INTEGRAL OPERATOR	2A81	LESS-THAN OR SLANTED EQUAL TO WITH DOT ABOVE
2A0D	FINITE PART INTEGRAL	2A82	GREATER-THAN OR SLANTED EQUAL TO WITH DOT ABOVE
2A0E	INTEGRAL WITH DOUBLE STROKE	2A83	LESS-THAN OR SLANTED EQUAL TO WITH DOT ABOVE RIGHT
2A0F	INTEGRAL AVERAGE WITH SLASH	2A84	GREATER-THAN OR SLANTED EQUAL TO WITH DOT ABOVE LEFT
2A10	CIRCULATION FUNCTION	2A85	LESS-THAN OR APPROXIMATE
2A11	ANTICLOCKWISE INTEGRATION	2A86	GREATER-THAN OR APPROXIMATE
2A12	LINE INTEGRATION WITH RECTANGULAR PATH AROUND POLE	2A87	LESS-THAN AND SINGLE-LINE NOT EQUAL TO
2A13	LINE INTEGRATION WITH SEMICIRCULAR PATH AROUND POLE	2A88	GREATER-THAN AND SINGLE-LINE NOT EQUAL TO
2A14	LINE INTEGRATION NOT INCLUDING THE POLE	2A89	LESS-THAN AND NOT APPROXIMATE
2A15	INTEGRAL AROUND A POINT OPERATOR	2A8A	GREATER-THAN AND NOT APPROXIMATE
2A16	QUATERNION INTEGRAL OPERATOR	2A8B	LESS-THAN ABOVE DOUBLE-LINE EQUAL ABOVE GREATER-THAN
2A17	INTEGRAL WITH LEFTWARDS ARROW WITH HOOK	2A8C	GREATER-THAN ABOVE DOUBLE-LINE EQUAL ABOVE LESS-THAN
2A18	INTEGRAL WITH TIMES SIGN	2A8D	LESS-THAN ABOVE SIMILAR OR EQUAL
2A19	INTEGRAL WITH INTERSECTION	2A8E	GREATER-THAN ABOVE SIMILAR OR EQUAL

2A8F	LESS-THAN ABOVE SIMILAR ABOVE GREATER-THAN	2AC1	SUBSET WITH MULTIPLICATION SIGN BELOW
2A90	GREATER-THAN ABOVE SIMILAR ABOVE LESS-THAN	2AC2	SUPERSET WITH MULTIPLICATION SIGN BELOW
2A91	LESS-THAN ABOVE GREATER-THAN ABOVE DOUBLE-LINE EQUAL	2AC3	SUBSET OF OR EQUAL TO WITH DOT ABOVE
2A92	GREATER-THAN ABOVE LESS-THAN ABOVE DOUBLE-LINE EQUAL	2AC4	SUPERSET OF OR EQUAL TO WITH DOT ABOVE
2A93	LESS-THAN ABOVE SLANTED EQUAL ABOVE GREATER-THAN ABOVE SLANTED EQUAL	2AC5	SUBSET OF ABOVE EQUALS SIGN
2A94	GREATER-THAN ABOVE SLANTED EQUAL ABOVE LESS-THAN ABOVE SLANTED EQUAL	2AC6	SUPERSET OF ABOVE EQUALS SIGN
2A95	SLANTED EQUAL TO OR LESS-THAN	2AC7	SUBSET OF ABOVE TILDE OPERATOR
2A96	SLANTED EQUAL TO OR GREATER-THAN	2AC8	SUPERSET OF ABOVE TILDE OPERATOR
2A97	SLANTED EQUAL TO OR LESS-THAN WITH DOT INSIDE	2AC9	SUBSET OF ABOVE ALMOST EQUAL TO
2A98	SLANTED EQUAL TO OR GREATER-THAN WITH DOT INSIDE	2ACA	SUPERSET OF ABOVE ALMOST EQUAL TO
2A99	DOUBLE-LINE EQUAL TO OR LESS-THAN	2ACB	SUBSET OF ABOVE NOT EQUAL TO
2A9A	DOUBLE-LINE EQUAL TO OR GREATER-THAN	2ACC	SUPERSET OF ABOVE NOT EQUAL TO
2A9B	DOUBLE-LINE SLANTED EQUAL TO OR LESS-THAN	2ACD	SQUARE LEFT OPEN BOX OPERATOR
2A9C	DOUBLE-LINE SLANTED EQUAL TO OR GREATER-THAN	2ACE	SQUARE RIGHT OPEN BOX OPERATOR
2A9D	SIMILAR OR LESS-THAN	2ACF	CLOSED SUBSET
2A9E	SIMILAR OR GREATER-THAN	2AD0	CLOSED SUPERSET
2A9F	SIMILAR ABOVE LESS-THAN ABOVE EQUALS SIGN	2AD1	CLOSED SUBSET OR EQUAL TO
2AA0	SIMILAR ABOVE GREATER-THAN ABOVE EQUALS SIGN	2AD2	CLOSED SUPERSET OR EQUAL TO
2AA1	DOUBLE NESTED LESS-THAN	2AD3	SUBSET ABOVE SUPERSET
2AA2	DOUBLE NESTED GREATER-THAN	2AD4	SUPERSET ABOVE SUBSET
2AA3	DOUBLE NESTED LESS-THAN WITH UNDERBAR	2AD5	SUBSET ABOVE SUBSET
2AA6	LESS-THAN CLOSED BY CURVE	2AD6	SUPERSET ABOVE SUPERSET
2AA7	GREATER-THAN CLOSED BY CURVE	2ADC	FORKING
2AA8	LESS-THAN CLOSED BY CURVE ABOVE SLANTED EQUAL	2ADE	SHORT LEFT TACK
2AA9	GREATER-THAN CLOSED BY CURVE ABOVE SLANTED EQUAL	2AE2	VERTICAL BAR TRIPLE RIGHT TURNSTILE
2AAA	SMALLER THAN	2AE3	DOUBLE VERTICAL BAR LEFT TURNSTILE
2AAB	LARGER THAN	2AE4	VERTICAL BAR DOUBLE LEFT TURNSTILE
2AAC	SMALLER THAN OR EQUAL TO	2AE5	DOUBLE VERTICAL BAR DOUBLE LEFT TURNSTILE
2AAD	LARGER THAN OR EQUAL TO	2AE6	LONG DASH FROM LEFT MEMBER OF DOUBLE VERTICAL
2AAF	PRECEDES ABOVE SINGLE-LINE EQUALS SIGN	2AEC	DOUBLE STROKE NOT SIGN
2AB0	SUCCEEDS ABOVE SINGLE-LINE EQUALS SIGN	2AED	REVERSED DOUBLE STROKE NOT SIGN
2AB1	PRECEDES ABOVE SINGLE-LINE NOT EQUAL TO	2AEE	DOES NOT DIVIDE WITH REVERSED NEGATION SLASH
2AB2	SUCCEEDS ABOVE SINGLE-LINE NOT EQUAL TO	2AF3	PARALLEL WITH TILDE OPERATOR
2AB3	PRECEDES ABOVE EQUALS SIGN	2AF7	TRIPLE NESTED LESS-THAN
2AB4	SUCCEEDS ABOVE EQUALS SIGN	2AF8	TRIPLE NESTED GREATER-THAN
2AB5	PRECEDES ABOVE NOT EQUAL TO	2AF9	DOUBLE-LINE SLANTED LESS-THAN OR EQUAL TO
2AB6	SUCCEEDS ABOVE NOT EQUAL TO	2AFA	DOUBLE-LINE SLANTED GREATER-THAN OR EQUAL TO
2AB7	PRECEDES ABOVE ALMOST EQUAL TO	2AFB	TRIPLE SOLIDUS BINARY RELATION
2AB8	SUCCEEDS ABOVE ALMOST EQUAL TO	2AFD	DOUBLE SOLIDUS OPERATOR
2AB9	PRECEDES ABOVE NOT ALMOST EQUAL TO	2E02	LEFT SUBSTITUTION BRACKET
2ABA	SUCCEEDS ABOVE NOT ALMOST EQUAL TO	2E03	RIGHT SUBSTITUTION BRACKET
2ABB	DOUBLE PRECEDES	2E04	LEFT DOTTED SUBSTITUTION BRACKET
2ABC	DOUBLE SUCCEEDS	2E05	RIGHT DOTTED SUBSTITUTION BRACKET
2ABD	SUBSET WITH DOT	2E09	LEFT TRANSPOSITION BRACKET
2ABE	SUPERSET WITH DOT	2E0A	RIGHT TRANSPOSITION BRACKET
2ABF	SUBSET WITH PLUS SIGN BELOW	2E0C	LEFT RAISED OMISSION BRACKET
2AC0	SUPERSET WITH PLUS SIGN BELOW	2E0D	RIGHT RAISED OMISSION BRACKET
		2E1C	LEFT LOW PARAPHRASE BRACKET
		2E1D	RIGHT LOW PARAPHRASE BRACKET
		FF08	FULLWIDTH LEFT PARENTHESIS
		FF09	FULLWIDTH RIGHT PARENTHESIS
		FF1C	FULLWIDTH LESS-THAN SIGN
		FF1E	FULLWIDTH GREATER-THAN SIGN
		FF3B	FULLWIDTH LEFT SQUARE BRACKET
		FF3D	FULLWIDTH RIGHT SQUARE BRACKET
		FF5B	FULLWIDTH LEFT CURLY BRACKET
		FF5D	FULLWIDTH RIGHT CURLY BRACKET

FF5F FULLWIDTH LEFT WHITE PARENTHESIS
 FF60 FULLWIDTH RIGHT WHITE PARENTHESIS
 FF62 HALFWIDTH LEFT CORNER BRACKET
 FF63 HALFWIDTH RIGHT CORNER BRACKET

Of the above characters, only 27C0, 27C3-27C6, 2E02-2E05, 2E09-2E0A, 2E0C-2E0D and 2E1C-2E1D are new characters introduced by this amendment.

In the list of characters, modify

22AA TRIPLE VERTICAL BAR TURNSTILE

22CD REVERSE TILDE EQUALS

by

22AA TRIPLE VERTICAL BAR RIGHT TURNSTILE

22CD REVERSED TILDE EQUALS

Page 1374, Annex F Alternate format characters

Rename the clause to “Format characters”.

Change first paragraph as follows:

There is a special class of characters called Format characters the primary purpose of which is to affect the layout or processing of characters around them. With few exceptions, these characters do not have printable graphic symbols, and are thus represented, like the space characters, in the character code tables by dotted boxes.

Add a sub-clause F.6 identical to sub-clause U.2 Western musical symbols.

Page 1374, Annex F.1.1 Zero-width boundary indicators

Replace the description of the COMBINING GRAPHEME JOINER by the following text:

COMBINING GRAPHEME JOINER (034F): The Combining Grapheme Joiner is used to indicate that adjacent characters are to be treated as a unit for the purpose of language-sensitive collation and searching. In language-sensitive collation and searching, the combining grapheme joiner should be ignored unless it specifically occurs with a tailored collation element mapping. For rendering, the combining grapheme joiner is invisible.

NOTE – The combining grapheme joiner may be used to differentiate two usages of a combining character by using it for one of the two cases. For example, where a distinction is needed between the German umlaut and the tréma, the COMBINING GRAPHEME JOINER (034F) followed by the COMBINING DIARESIS (0308) should be used to represent the tréma while the COMBINING DIARESIS (0308) alone should represent the German umlaut..

Page 1376, Annex F.2 Script-specific format characters

Add a new sub-clause F.2.6

F.2.6 Kharoshthi virama

KHAROSHTHI VIRAMA (10A3F): This character suppresses the inherent vowel of the Kharoshthi consonant to which it is applied.

Page 1377, Annex F.5 Subtending format characters

Insert the following entry in the list of characters:

0603 ARABIC SIGN SAFHA

Page 1379, Annex G

Insert each of the new character name entries at the appropriate position, ordered alphabetically by the character name, in the list of character names in Annex G. These new names are provided in a machine-readable format that is accessible as a link to this document.

[Click on this highlighted text to access the file containing the new names.](#)

NOTE – The content is also available as a separate viewable file in the same file directory as this document. The file is named: “Am1names.txt”.

Page 1383, Annex L, Rule 4

In the first paragraph, insert “medial” before “HYPHEN-MINUS”.

In paragraph starting with “The following six characters”, replace “six” by “two”.

In the following list of 6 characters, remove the first 4 entries, preserving the two Hangul entries.

Page 1393, Annex P, Additional information on characters

Insert the following new entry for 05B8 after the 05AA entry.

05B8 HEBREW POINTS QAMATS

This character may be used generically or as qamats gadol in orthography which distinguishes it from 05BA HEBREW POINTS QAMATS QATAN.

Page 11418 Annex U, Usage of musical symbols

Remove the annex.

Table 6 - Rows 01-02: Latin Extended-B

	01F	020	021	022	023	024
0	ĵ 01F0	À 0200	Ř 0210	ŋ 0220	Ō 0230	Ƶ 0240
1	DZ 01F1	à 0201	ř 0211	ɖ 0221	ō 0231	ƶ 0241
2	Dz 01F2	Â 0202	Ŕ 0212	8 0222	Ȳ 0232	
3	dz 01F3	â 0203	ŕ 0213	8 0223	ȳ 0233	
4	Ć 01F4	È 0204	Û 0214	Z 0224	ł 0234	
5	ć 01F5	è 0205	ù 0215	z 0225	ŀ 0235	
6	Hu 01F6	Ê 0206	Û 0216	À 0226	ţ 0236	
7	Ɔ 01F7	ê 0207	û 0217	à 0227	Ĳ 0237	
8	Ñ 01F8	Ï 0208	Ş 0218	Ț 0228	ɔ̣ 0238	
9	ñ 01F9	ï 0209	ş 0219	ț 0229	ɸ 0239	
A	Á 01FA	Î 020A	Ț 021A	Ö 022A	Ȧ 023A	
B	á 01FB	î 020B	ț 021B	ö 022B	Ȣ 023B	
C	Æ 01FC	Ò 020C	Ʒ 021C	Õ 022C	ç 023C	
D	æ 01FD	ò 020D	Ʒ 021D	õ 022D	Ł 023D	
E	Ø 01FE	Ô 020E	Ĥ 021E	Ò 022E	Ƨ 023E	
F	ø 01FF	ô 020F	ĥ 021F	ó 022F	ș 023F	

G = 00

P = 00

Table 6 - Rows 01-02: Latin Extended-B

















































































































HEX	NAME	HEX	NAME
01F0	LATIN SMALL LETTER J WITH CARON	024D	(This position shall not be used)
01F1	LATIN CAPITAL LETTER DZ	024E	(This position shall not be used)
01F2	LATIN CAPITAL LETTER D WITH SMALL LETTER Z	024F	(This position shall not be used)
01F3	LATIN SMALL LETTER DZ		
01F4	LATIN CAPITAL LETTER G WITH ACUTE		
01F5	LATIN SMALL LETTER G WITH ACUTE		
01F6	LATIN CAPITAL LETTER HWAIR		
01F7	LATIN CAPITAL LETTER WYNN		
01F8	LATIN CAPITAL LETTER N WITH GRAVE		
01F9	LATIN SMALL LETTER N WITH GRAVE		
01FA	LATIN CAPITAL LETTER A WITH RING ABOVE AND ACUTE		
01FB	LATIN SMALL LETTER A WITH RING ABOVE AND ACUTE		
01FC	LATIN CAPITAL LETTER AE WITH ACUTE (ash) *		
01FD	LATIN SMALL LETTER AE WITH ACUTE (ash) *		
01FE	LATIN CAPITAL LETTER O WITH STROKE AND ACUTE		
01FF	LATIN SMALL LETTER O WITH STROKE AND ACUTE		
0200	LATIN CAPITAL LETTER A WITH DOUBLE GRAVE		
0201	LATIN SMALL LETTER A WITH DOUBLE GRAVE		
0202	LATIN CAPITAL LETTER A WITH INVERTED BREVE		
0203	LATIN SMALL LETTER A WITH INVERTED BREVE		
0204	LATIN CAPITAL LETTER E WITH DOUBLE GRAVE		
0205	LATIN SMALL LETTER E WITH DOUBLE GRAVE		
0206	LATIN CAPITAL LETTER E WITH INVERTED BREVE		
0207	LATIN SMALL LETTER E WITH INVERTED BREVE		
0208	LATIN CAPITAL LETTER I WITH DOUBLE GRAVE		
0209	LATIN SMALL LETTER I WITH DOUBLE GRAVE		
020A	LATIN CAPITAL LETTER I WITH INVERTED BREVE		
020B	LATIN SMALL LETTER I WITH INVERTED BREVE		
020C	LATIN CAPITAL LETTER O WITH DOUBLE GRAVE		
020D	LATIN SMALL LETTER O WITH DOUBLE GRAVE		
020E	LATIN CAPITAL LETTER O WITH INVERTED BREVE		
020F	LATIN SMALL LETTER O WITH INVERTED BREVE		
0210	LATIN CAPITAL LETTER R WITH DOUBLE GRAVE		
0211	LATIN SMALL LETTER R WITH DOUBLE GRAVE		
0212	LATIN CAPITAL LETTER R WITH INVERTED BREVE		
0213	LATIN SMALL LETTER R WITH INVERTED BREVE		
0214	LATIN CAPITAL LETTER U WITH DOUBLE GRAVE		
0215	LATIN SMALL LETTER U WITH DOUBLE GRAVE		
0216	LATIN CAPITAL LETTER U WITH INVERTED BREVE		
0217	LATIN SMALL LETTER U WITH INVERTED BREVE		
0218	LATIN CAPITAL LETTER S WITH COMMA BELOW *		
0219	LATIN SMALL LETTER S WITH COMMA BELOW *		
021A	LATIN CAPITAL LETTER T WITH COMMA BELOW *		
021B	LATIN SMALL LETTER T WITH COMMA BELOW *		
021C	LATIN CAPITAL LETTER YOGH		
021D	LATIN SMALL LETTER YOGH		
021E	LATIN CAPITAL LETTER H WITH CARON		
021F	LATIN SMALL LETTER H WITH CARON		
0220	LATIN CAPITAL LETTER N WITH LONG RIGHT LEG		
0221	LATIN SMALL LETTER D WITH CURL		
0222	LATIN CAPITAL LETTER OU		
0223	LATIN SMALL LETTER OU		
0224	LATIN CAPITAL LETTER Z WITH HOOK		
0225	LATIN SMALL LETTER Z WITH HOOK		
0226	LATIN CAPITAL LETTER A WITH DOT ABOVE		
0227	LATIN SMALL LETTER A WITH DOT ABOVE		
0228	LATIN CAPITAL LETTER E WITH CEDILLA		
0229	LATIN SMALL LETTER E WITH CEDILLA		
022A	LATIN CAPITAL LETTER O WITH DIAERESIS AND MACRON		
022B	LATIN SMALL LETTER O WITH DIAERESIS AND MACRON		
022C	LATIN CAPITAL LETTER O WITH TILDE AND MACRON		
022D	LATIN SMALL LETTER O WITH TILDE AND MACRON		
022E	LATIN CAPITAL LETTER O WITH DOT ABOVE		
022F	LATIN SMALL LETTER O WITH DOT ABOVE		
0230	LATIN CAPITAL LETTER O WITH DOT ABOVE AND MACRON		
0231	LATIN SMALL LETTER O WITH DOT ABOVE AND MACRON		
0232	LATIN CAPITAL LETTER Y WITH MACRON		
0233	LATIN SMALL LETTER Y WITH MACRON		
0234	LATIN SMALL LETTER L WITH CURL		
0235	LATIN SMALL LETTER N WITH CURL		
0236	LATIN SMALL LETTER T WITH CURL		
0237	LATIN SMALL LETTER DOTLESS J		
0238	LATIN SMALL LETTER DB DIGRAPH		
0239	LATIN SMALL LETTER QP DIGRAPH		
023A	LATIN CAPITAL LETTER A WITH STROKE		
023B	LATIN CAPITAL LETTER C WITH STROKE		
023C	LATIN SMALL LETTER C WITH STROKE		
023D	LATIN CAPITAL LETTER L WITH BAR		
023E	LATIN CAPITAL LETTER T WITH DIAGONAL STROKE		
023F	LATIN SMALL LETTER S WITH SWASH TAIL		
0240	LATIN SMALL LETTER Z WITH SWASH TAIL		
0241	LATIN CAPITAL LETTER GLOTTAL STOP		
0242	(This position shall not be used)		
0243	(This position shall not be used)		
0244	(This position shall not be used)		
0245	(This position shall not be used)		
0246	(This position shall not be used)		
0247	(This position shall not be used)		
0248	(This position shall not be used)		
0249	(This position shall not be used)		
024A	(This position shall not be used)		
024B	(This position shall not be used)		
024C	(This position shall not be used)		

Group 00

Plane 00

Row 01

Table 9 - Row 03: Combining Diacritical Marks

	030	031	032	033	034	035	036
0	 0300	 0310	 0320	 0330	 0340	 0350	 0360
1	 0301	 0311	 0321	 0331	 0341	 0351	 0361
2	 0302	 0312	 0322	 0332	 0342	 0352	 0362
3	 0303	 0313	 0323	 0333	 0343	 0353	 0363
4	 0304	 0314	 0324	 0334	 0344	 0354	 0364
5	 0305	 0315	 0325	 0335	 0345	 0355	 0365
6	 0306	 0316	 0326	 0336	 0346	 0356	 0366
7	 0307	 0317	 0327	 0337	 0347	 0357	 0367
8	 0308	 0318	 0328	 0338	 0348	 0358	 0368
9	 0309	 0319	 0329	 0339	 0349	 0359	 0369
A	 030A	 031A	 032A	 033A	 034A	 035A	 036A
B	 030B	 031B	 032B	 033B	 034B	 035B	 036B
C	 030C	 031C	 032C	 033C	 034C	 035C	 036C
D	 030D	 031D	 032D	 033D	 034D	 035D	 036D
E	 030E	 031E	 032E	 033E	 034E	 035E	 036E
F	 030F	 031F	 032F	 033F	 034F	 035F	 036F

G = 00

P = 00

Table 9 - Row 03: Combining Diacritical Marks

HEX	NAME	HEX	NAME
0300	COMBINING GRAVE ACCENT (Varia)	035D	COMBINING DOUBLE BREVE
0301	COMBINING ACUTE ACCENT (Oxia, Tonos)	035E	COMBINING DOUBLE MACRON
0302	COMBINING CIRCUMFLEX ACCENT	035F	COMBINING DOUBLE MACRON BELOW
0303	COMBINING TILDE	0360	COMBINING DOUBLE TILDE
0304	COMBINING MACRON	0361	COMBINING DOUBLE INVERTED BREVE
0305	COMBINING OVERLINE	0362	COMBINING DOUBLE RIGHTWARDS ARROW BELOW
0306	COMBINING BREVE (Vrachy)	0363	COMBINING LATIN SMALL LETTER A
0307	COMBINING DOT ABOVE	0364	COMBINING LATIN SMALL LETTER E
0308	COMBINING DIAERESIS (Dialytika)	0365	COMBINING LATIN SMALL LETTER I
0309	COMBINING HOOK ABOVE	0366	COMBINING LATIN SMALL LETTER O
030A	COMBINING RING ABOVE	0367	COMBINING LATIN SMALL LETTER U
030B	COMBINING DOUBLE ACUTE ACCENT	0368	COMBINING LATIN SMALL LETTER C
030C	COMBINING CARON	0369	COMBINING LATIN SMALL LETTER D
030D	COMBINING VERTICAL LINE ABOVE	036A	COMBINING LATIN SMALL LETTER H
030E	COMBINING DOUBLE VERTICAL LINE ABOVE	036B	COMBINING LATIN SMALL LETTER M
030F	COMBINING DOUBLE GRAVE ACCENT	036C	COMBINING LATIN SMALL LETTER R
0310	COMBINING CANDRABINDU	036D	COMBINING LATIN SMALL LETTER T
0311	COMBINING INVERTED BREVE	036E	COMBINING LATIN SMALL LETTER V
0312	COMBINING TURNED COMMA ABOVE	036F	COMBINING LATIN SMALL LETTER X
0313	COMBINING COMMA ABOVE (Psiil)		
0314	COMBINING REVERSED COMMA ABOVE (Dasia)		
0315	COMBINING COMMA ABOVE RIGHT		
0316	COMBINING GRAVE ACCENT BELOW		
0317	COMBINING ACUTE ACCENT BELOW		
0318	COMBINING LEFT TACK BELOW		
0319	COMBINING RIGHT TACK BELOW		
031A	COMBINING LEFT ANGLE ABOVE		
031B	COMBINING HORN		
031C	COMBINING LEFT HALF RING BELOW		
031D	COMBINING UP TACK BELOW		
031E	COMBINING DOWN TACK BELOW		
031F	COMBINING PLUS SIGN BELOW		
0320	COMBINING MINUS SIGN BELOW		
0321	COMBINING PALATALIZED HOOK BELOW		
0322	COMBINING RETROFLEX HOOK BELOW		
0323	COMBINING DOT BELOW		
0324	COMBINING DIAERESIS BELOW		
0325	COMBINING RING BELOW		
0326	COMBINING COMMA BELOW		
0327	COMBINING CEDILLA		
0328	COMBINING OGONEK		
0329	COMBINING VERTICAL LINE BELOW		
032A	COMBINING BRIDGE BELOW		
032B	COMBINING INVERTED DOUBLE ARCH BELOW		
032C	COMBINING CARON BELOW		
032D	COMBINING CIRCUMFLEX ACCENT BELOW		
032E	COMBINING BREVE BELOW		
032F	COMBINING INVERTED BREVE BELOW		
0330	COMBINING TILDE BELOW		
0331	COMBINING MACRON BELOW		
0332	COMBINING LOW LINE		
0333	COMBINING DOUBLE LOW LINE		
0334	COMBINING TILDE OVERLAY		
0335	COMBINING SHORT STROKE OVERLAY		
0336	COMBINING LONG STROKE OVERLAY		
0337	COMBINING SHORT SOLIDUS OVERLAY		
0338	COMBINING LONG SOLIDUS OVERLAY		
0339	COMBINING RIGHT HALF RING BELOW		
033A	COMBINING INVERTED BRIDGE BELOW		
033B	COMBINING SQUARE BELOW		
033C	COMBINING SEAGULL BELOW		
033D	COMBINING X ABOVE		
033E	COMBINING VERTICAL TILDE		
033F	COMBINING DOUBLE OVERLINE		
0340	COMBINING GRAVE TONE MARK (Vietnamese)		
0341	COMBINING ACUTE TONE MARK (Vietnamese)		
0342	COMBINING GREEK PERISPOMENI		
0343	COMBINING GREEK KORONIS		
0344	COMBINING GREEK DIALYTIKA TONOS		
0345	COMBINING GREEK YPOGEGRAMMENI		
0346	COMBINING BRIDGE ABOVE		
0347	COMBINING EQUALS SIGN BELOW		
0348	COMBINING DOUBLE VERTICAL LINE BELOW		
0349	COMBINING LEFT ANGLE BELOW		
034A	COMBINING NOT TILDE ABOVE		
034B	COMBINING HOMOTHETIC ABOVE		
034C	COMBINING ALMOST EQUAL TO ABOVE		
034D	COMBINING LEFT RIGHT ARROW BELOW		
034E	COMBINING UPWARDS ARROW BELOW		
034F	COMBINING GRAPHEME JOINER		
0350	COMBINING RIGHT ARROWHEAD ABOVE		
0351	COMBINING LEFT HALF RING ABOVE		
0352	COMBINING FERMATA		
0353	COMBINING X BELOW		
0354	COMBINING LEFT ARROWHEAD BELOW		
0355	COMBINING RIGHT ARROWHEAD BELOW		
0356	COMBINING RIGHT ARROWHEAD AND UP ARROWHEAD BELOW		
0357	COMBINING RIGHT HALF RING ABOVE		
0358	COMBINING DOT ABOVE RIGHT		
0359	COMBINING ASTERISK BELOW		
035A	COMBINING DOUBLE RING BELOW		
035B	COMBINING ZIGZAG ABOVE		
035C	COMBINING DOUBLE BREVE BELOW		

Table 10 - Row 03: Greek and Coptic

	037	038	039	03A	03B	03C	03D	03E	03F
0			ἰ 0390	Π 03A0	ὀ 03B0	π 03C0	β 03D0	ϣ 03E0	κ 03F0
1			Α 0391	Ρ 03A1	α 03B1	ρ 03C1	ϑ 03D1	ϣ 03E1	ρ 03F1
2			Β 0392		β 03B2	ς 03C2	Υ 03D2	Ω 03E2	Ϸ 03F2
3			Γ 0393	Σ 03A3	γ 03B3	σ 03C3	Υ 03D3	ω 03E3	Ϸ 03F3
4	΄ 0374	΄ 0384	Δ 0394	Τ 03A4	δ 03B4	τ 03C4	Ͽ 03D4	Ϸ 03E4	Θ 03F4
5	΄ 0375	΄ 0385	Ε 0395	Υ 03A5	ε 03B5	υ 03C5	φ 03D5	Ϸ 03E5	Ε 03F5
6		Α 0386	Ζ 0396	Φ 03A6	ζ 03B6	φ 03C6	ϣ 03D6	Ϸ 03E6	Ε 03F6
7		· 0387	Η 0397	Χ 03A7	η 03B7	χ 03C7	ϣ 03D7	Ϸ 03E7	Ρ 03F7
8		Ε 0388	Θ 0398	Ψ 03A8	θ 03B8	ψ 03C8	Ο 03D8	Ϸ 03E8	β 03F8
9		Η 0389	Ι 0399	Ω 03A9	ι 03B9	ω 03C9	Ο 03D9	Ϸ 03E9	Ϸ 03F9
A	ι 037A	Ι 038A	Κ 039A	Ϊ 03AA	κ 03BA	ϊ 03CA	Σ 03DA	Ϸ 03EA	Μ 03FA
B			Λ 039B	Ϊ 03AB	λ 03BB	Ͽ 03CB	ς 03DB	Ϸ 03EB	Ϸ 03FB
C		Ο 038C	Μ 039C	ά 03AC	μ 03BC	ό 03CC	Ϸ 03DC	Ϸ 03EC	ρ 03FC
D			Ν 039D	έ 03AD	ν 03BD	ύ 03CD	Ϸ 03DD	Ϸ 03ED	Ϸ 03FD
E	;	Υ 038E	Ξ 039E	ή 03AE	ξ 03BE	ώ 03CE	Ϸ 03DE	† 03EE	Ϸ 03FE
F		Ω 038F	Ο 039F	ί 03AF	ο 03BF		Ϸ 03DF	† 03EF	Ϸ 03FF

G = 00
P = 00

Table 10 - Row 03: Greek and Coptic

HEX	NAME	HEX	NAME
0370	(This position shall not be used)	03CD	GREEK SMALL LETTER UPSILON WITH TONOS
0371	(This position shall not be used)	03CE	GREEK SMALL LETTER OMEGA WITH TONOS
0372	(This position shall not be used)	03CF	(This position shall not be used)
0373	(This position shall not be used)	03D0	GREEK BETA SYMBOL
0374	GREEK NUMERAL SIGN (Dexia keraia)	03D1	GREEK THETA SYMBOL
0375	GREEK LOWER NUMERAL SIGN (Aristeri keraia)	03D2	GREEK UPSILON WITH HOOK SYMBOL
0376	(This position shall not be used)	03D3	GREEK UPSILON WITH ACUTE AND HOOK SYMBOL
0377	(This position shall not be used)	03D4	GREEK UPSILON WITH DIAERESIS AND HOOK SYMBOL
0378	(This position shall not be used)	03D5	GREEK PHI SYMBOL
0379	(This position shall not be used)	03D6	GREEK PI SYMBOL
037A	GREEK YPOGEGRAMMENI	03D7	GREEK KAI SYMBOL
037B	(This position shall not be used)	03D8	GREEK LETTER ARCHAIC KOPPA *
037C	(This position shall not be used)	03D9	GREEK SMALL LETTER ARCHAIC KOPPA *
037D	(This position shall not be used)	03DA	GREEK LETTER STIGMA
037E	GREEK QUESTION MARK (Erotimatiko)	03DB	GREEK SMALL LETTER STIGMA
037F	(This position shall not be used)	03DC	GREEK LETTER DIGAMMA
0380	(This position shall not be used)	03DD	GREEK SMALL LETTER DIGAMMA
0381	(This position shall not be used)	03DE	GREEK LETTER KOPPA
0382	(This position shall not be used)	03DF	GREEK SMALL LETTER KOPPA
0383	(This position shall not be used)	03E0	GREEK LETTER SAMPI
0384	GREEK TONOS	03E1	GREEK SMALL LETTER SAMPI
0385	GREEK DIALYTIKA TONOS	03E2	COPTIC CAPITAL LETTER SHEI
0386	GREEK CAPITAL LETTER ALPHA WITH TONOS	03E3	COPTIC SMALL LETTER SHEI
0387	GREEK ANO TELEIA	03E4	COPTIC CAPITAL LETTER FEI
0388	GREEK CAPITAL LETTER EPSILON WITH TONOS	03E5	COPTIC SMALL LETTER FEI
0389	GREEK CAPITAL LETTER ETA WITH TONOS	03E6	COPTIC CAPITAL LETTER KHEI
038A	GREEK CAPITAL LETTER IOTA WITH TONOS	03E7	COPTIC SMALL LETTER KHEI
038B	(This position shall not be used)	03E8	COPTIC CAPITAL LETTER HORI
038C	GREEK CAPITAL LETTER OMICRON WITH TONOS	03E9	COPTIC SMALL LETTER HORI
038D	(This position shall not be used)	03EA	COPTIC CAPITAL LETTER GANGIA
038E	GREEK CAPITAL LETTER UPSILON WITH TONOS	03EB	COPTIC SMALL LETTER GANGIA
038F	GREEK CAPITAL LETTER OMEGA WITH TONOS	03EC	COPTIC CAPITAL LETTER SHIMA
0390	GREEK SMALL LETTER IOTA WITH DIALYTIKA AND TONOS	03ED	COPTIC SMALL LETTER SHIMA
0391	GREEK CAPITAL LETTER ALPHA	03EE	COPTIC CAPITAL LETTER DEI
0392	GREEK CAPITAL LETTER BETA	03EF	COPTIC SMALL LETTER DEI
0393	GREEK CAPITAL LETTER GAMMA	03F0	GREEK KAPPA SYMBOL
0394	GREEK CAPITAL LETTER DELTA	03F1	GREEK RHO SYMBOL
0395	GREEK CAPITAL LETTER EPSILON	03F2	GREEK LUNATE SIGMA SYMBOL
0396	GREEK CAPITAL LETTER ZETA	03F3	GREEK LETTER YOT
0397	GREEK CAPITAL LETTER ETA	03F4	GREEK CAPITAL THETA SYMBOL
0398	GREEK CAPITAL LETTER THETA	03F5	GREEK LUNATE EPSILON SYMBOL
0399	GREEK CAPITAL LETTER IOTA	03F6	GREEK REVERSED LUNATE EPSILON SYMBOL
039A	GREEK CAPITAL LETTER KAPPA	03F7	GREEK CAPITAL LETTER SHO
039B	GREEK CAPITAL LETTER LAMDA	03F8	GREEK SMALL LETTER SHO
039C	GREEK CAPITAL LETTER MU	03F9	GREEK CAPITAL LUNATE SIGMA SYMBOL
039D	GREEK CAPITAL LETTER NU	03FA	GREEK CAPITAL LETTER SAN
039E	GREEK CAPITAL LETTER XI	03FB	GREEK SMALL LETTER SAN
039F	GREEK CAPITAL LETTER OMICRON	03FC	GREEK RHO WITH STROKE SYMBOL
03A0	GREEK CAPITAL LETTER PI	03FD	GREEK CAPITAL REVERSED LUNATE SIGMA SYMBOL
03A1	GREEK CAPITAL LETTER RHO	03FE	GREEK CAPITAL DOTTED LUNATE SIGMA SYMBOL
03A2	(This position shall not be used)	03FF	GREEK CAPITAL REVERSED DOTTED LUNATE SIGMA SYMBOL
03A3	GREEK CAPITAL LETTER SIGMA		
03A4	GREEK CAPITAL LETTER TAU		
03A5	GREEK CAPITAL LETTER UPSILON		
03A6	GREEK CAPITAL LETTER PHI		
03A7	GREEK CAPITAL LETTER CHI		
03A8	GREEK CAPITAL LETTER PSI		
03A9	GREEK CAPITAL LETTER OMEGA		
03AA	GREEK CAPITAL LETTER IOTA WITH DIALYTIKA		
03AB	GREEK CAPITAL LETTER UPSILON WITH DIALYTIKA		
03AC	GREEK SMALL LETTER ALPHA WITH TONOS		
03AD	GREEK SMALL LETTER EPSILON WITH TONOS		
03AE	GREEK SMALL LETTER ETA WITH TONOS		
03AF	GREEK SMALL LETTER IOTA WITH TONOS		
03B0	GREEK SMALL LETTER UPSILON WITH DIALYTIKA AND TONOS		
03B1	GREEK SMALL LETTER ALPHA		
03B2	GREEK SMALL LETTER BETA		
03B3	GREEK SMALL LETTER GAMMA		
03B4	GREEK SMALL LETTER DELTA		
03B5	GREEK SMALL LETTER EPSILON		
03B6	GREEK SMALL LETTER ZETA		
03B7	GREEK SMALL LETTER ETA		
03B8	GREEK SMALL LETTER THETA		
03B9	GREEK SMALL LETTER IOTA		
03BA	GREEK SMALL LETTER KAPPA		
03BB	GREEK SMALL LETTER LAMDA		
03BC	GREEK SMALL LETTER MU		
03BD	GREEK SMALL LETTER NU		
03BE	GREEK SMALL LETTER XI		
03BF	GREEK SMALL LETTER OMICRON		
03C0	GREEK SMALL LETTER PI		
03C1	GREEK SMALL LETTER RHO		
03C2	GREEK SMALL LETTER FINAL SIGMA		
03C3	GREEK SMALL LETTER SIGMA		
03C4	GREEK SMALL LETTER TAU		
03C5	GREEK SMALL LETTER UPSILON		
03C6	GREEK SMALL LETTER PHI		
03C7	GREEK SMALL LETTER CHI		
03C8	GREEK SMALL LETTER PSI		
03C9	GREEK SMALL LETTER OMEGA		
03CA	GREEK SMALL LETTER IOTA WITH DIALYTIKA		
03CB	GREEK SMALL LETTER UPSILON WITH DIALYTIKA		
03CC	GREEK SMALL LETTER OMICRON WITH TONOS		

Table 12 - Row 04: Cyrillic

	048	049	04A	04B	04C	04D	04E	04F
0	Ѕ 0480	Г 0490	К 04A0	У 04B0	І 04C0	Ѓ 04D0	З 04E0	Ў 04F0
1	Ѕ 0481	Г 0491	к 04A1	у 04B1	Ж 04C1	ă 04D1	з 04E1	ў 04F1
2	Ѕ 0482	Г 0492	Ѓ 04A2	Х 04B2	ж 04C2	Ă 04D2	Й 04E2	Ў 04F2
3	Ѕ 0483	Г 0493	Ѓ 04A3	х 04B3	Ђ 04C3	ă 04D3	й 04E3	ў 04F3
4	Ѕ 0484	Ђ 0494	Н 04A4	Ц 04B4	Ѓ 04C4	Æ 04D4	Й 04E4	Ї 04F4
5	Ѕ 0485	Ђ 0495	н 04A5	ц 04B5	Л 04C5	æ 04D5	й 04E5	ї 04F5
6	Ѕ 0486	Ж 0496	Ѓ 04A6	Ч 04B6	л 04C6	Ё 04D6	Ö 04E6	Г 04F6
7		Ж 0497	Ѓ 04A7	ч 04B7	Ѓ 04C7	ё 04D7	ö 04E7	г 04F7
8		З 0498	Q 04A8	Ч 04B8	Ѓ 04C8	Э 04D8	Ө 04E8	Ї 04F8
9		з 0499	Q 04A9	ч 04B9	Ѓ 04C9	э 04D9	ө 04E9	ї 04F9
A	Й 048A	Қ 049A	Ѕ 04AA	Һ 04BA	Һ 04CA	Э 04DA	Ө 04EA	
B	й 048B	қ 049B	ѕ 04AB	һ 04BB	Ч 04CB	э 04DB	ө 04EB	
C	Ѓ 048C	К 049C	Т 04AC	Є 04BC	ч 04CC	Ж 04DC	Э 04EC	
D	Ѓ 048D	к 049D	т 04AD	є 04BD	М 04CD	ж 04DD	э 04ED	
E	Р 048E	К 049E	У 04AE	Є 04BE	М 04CE	З 04DE	Ў 04EE	
F	р 048F	к 049F	у 04AF	є 04BF		з 04DF	ў 04EF	



















































































G = 00

P = 00

Table 12 - Row 04: Cyrillic

HEX	NAME	HEX	NAME
0480	CYRILLIC CAPITAL LETTER KOPPA	04DD	CYRILLIC SMALL LETTER ZHE WITH DIAERESIS
0481	CYRILLIC SMALL LETTER KOPPA	04DE	CYRILLIC CAPITAL LETTER ZE WITH DIAERESIS
0482	CYRILLIC THOUSANDS SIGN	04DF	CYRILLIC SMALL LETTER ZE WITH DIAERESIS
0483	COMBINING CYRILLIC TITLO	04E0	CYRILLIC CAPITAL LETTER ABKHASIAN DZE
0484	COMBINING CYRILLIC PALATALIZATION	04E1	CYRILLIC SMALL LETTER ABKHASIAN DZE
0485	COMBINING CYRILLIC DASIA PNEUMATA	04E2	CYRILLIC CAPITAL LETTER I WITH MACRON
0486	COMBINING CYRILLIC PSILI PNEUMATA	04E3	CYRILLIC SMALL LETTER I WITH MACRON
0487	(This position shall not be used)	04E4	CYRILLIC CAPITAL LETTER I WITH DIAERESIS
0488	COMBINING CYRILLIC HUNDRED THOUSANDS SIGN	04E5	CYRILLIC SMALL LETTER I WITH DIAERESIS
0489	COMBINING CYRILLIC MILLIONS SIGN	04E6	CYRILLIC CAPITAL LETTER O WITH DIAERESIS
048A	CYRILLIC CAPITAL LETTER SHORT I WITH TAIL	04E7	CYRILLIC SMALL LETTER O WITH DIAERESIS
048B	CYRILLIC SMALL LETTER SHORT I WITH TAIL	04E8	CYRILLIC CAPITAL LETTER BARRED O
048C	CYRILLIC CAPITAL LETTER SEMISOFT SIGN	04E9	CYRILLIC SMALL LETTER BARRED O
048D	CYRILLIC SMALL LETTER SEMISOFT SIGN	04EA	CYRILLIC CAPITAL LETTER BARRED O WITH DIAERESIS
048E	CYRILLIC CAPITAL LETTER ER WITH TICK	04EB	CYRILLIC SMALL LETTER BARRED O WITH DIAERESIS
048F	CYRILLIC SMALL LETTER ER WITH TICK	04EC	CYRILLIC CAPITAL LETTER E WITH DIAERESIS
0490	CYRILLIC CAPITAL LETTER GHE WITH UPTURN	04ED	CYRILLIC SMALL LETTER E WITH DIAERESIS
0491	CYRILLIC SMALL LETTER GHE WITH UPTURN	04EE	CYRILLIC CAPITAL LETTER U WITH MACRON
0492	CYRILLIC CAPITAL LETTER GHE WITH STROKE	04EF	CYRILLIC SMALL LETTER U WITH MACRON
0493	CYRILLIC SMALL LETTER GHE WITH STROKE	04F0	CYRILLIC CAPITAL LETTER U WITH DIAERESIS
0494	CYRILLIC CAPITAL LETTER GHE WITH MIDDLE HOOK	04F1	CYRILLIC SMALL LETTER U WITH DIAERESIS
0495	CYRILLIC SMALL LETTER GHE WITH MIDDLE HOOK	04F2	CYRILLIC CAPITAL LETTER U WITH DOUBLE ACUTE
0496	CYRILLIC CAPITAL LETTER ZHE WITH DESCENDER	04F3	CYRILLIC SMALL LETTER U WITH DOUBLE ACUTE
0497	CYRILLIC SMALL LETTER ZHE WITH DESCENDER	04F4	CYRILLIC CAPITAL LETTER CHE WITH DIAERESIS
0498	CYRILLIC CAPITAL LETTER ZE WITH DESCENDER	04F5	CYRILLIC SMALL LETTER CHE WITH DIAERESIS
0499	CYRILLIC SMALL LETTER ZE WITH DESCENDER	04F6	CYRILLIC CAPITAL LETTER GHE WITH DESCENDER
049A	CYRILLIC CAPITAL LETTER KA WITH DESCENDER	04F7	CYRILLIC SMALL LETTER GHE WITH DESCENDER
049B	CYRILLIC SMALL LETTER KA WITH DESCENDER	04F8	CYRILLIC CAPITAL LETTER YERU WITH DIAERESIS
049C	CYRILLIC CAPITAL LETTER KA WITH VERTICAL STROKE	04F9	CYRILLIC SMALL LETTER YERU WITH DIAERESIS
049D	CYRILLIC SMALL LETTER KA WITH VERTICAL STROKE	04FA	(This position shall not be used)
049E	CYRILLIC CAPITAL LETTER KA WITH STROKE	04FB	(This position shall not be used)
049F	CYRILLIC SMALL LETTER KA WITH STROKE	04FC	(This position shall not be used)
04A0	CYRILLIC CAPITAL LETTER BASHKIR KA	04FD	(This position shall not be used)
04A1	CYRILLIC SMALL LETTER BASHKIR KA	04FE	(This position shall not be used)
04A2	CYRILLIC CAPITAL LETTER EN WITH DESCENDER	04FF	(This position shall not be used)
04A3	CYRILLIC SMALL LETTER EN WITH DESCENDER		
04A4	CYRILLIC CAPITAL LIGATURE EN GHE		
04A5	CYRILLIC SMALL LIGATURE EN GHE		
04A6	CYRILLIC CAPITAL LETTER PE WITH MIDDLE HOOK (Abkhasian)		
04A7	CYRILLIC SMALL LETTER PE WITH MIDDLE HOOK (Abkhasian)		
04A8	CYRILLIC CAPITAL LETTER ABKHASIAN HA		
04A9	CYRILLIC SMALL LETTER ABKHASIAN HA		
04AA	CYRILLIC CAPITAL LETTER ES WITH DESCENDER		
04AB	CYRILLIC SMALL LETTER ES WITH DESCENDER		
04AC	CYRILLIC CAPITAL LETTER TE WITH DESCENDER		
04AD	CYRILLIC SMALL LETTER TE WITH DESCENDER		
04AE	CYRILLIC CAPITAL LETTER STRAIGHT U		
04AF	CYRILLIC SMALL LETTER STRAIGHT U		
04B0	CYRILLIC CAPITAL LETTER STRAIGHT U WITH STROKE		
04B1	CYRILLIC SMALL LETTER STRAIGHT U WITH STROKE		
04B2	CYRILLIC CAPITAL LETTER HA WITH DESCENDER		
04B3	CYRILLIC SMALL LETTER HA WITH DESCENDER		
04B4	CYRILLIC CAPITAL LIGATURE TE TSE (Abkhasian)		
04B5	CYRILLIC SMALL LIGATURE TE TSE (Abkhasian)		
04B6	CYRILLIC CAPITAL LETTER CHE WITH DESCENDER		
04B7	CYRILLIC SMALL LETTER CHE WITH DESCENDER		
04B8	CYRILLIC CAPITAL LETTER CHE WITH VERTICAL STROKE		
04B9	CYRILLIC SMALL LETTER CHE WITH VERTICAL STROKE		
04BA	CYRILLIC CAPITAL LETTER SHHA		
04BB	CYRILLIC SMALL LETTER SHHA		
04BC	CYRILLIC CAPITAL LETTER ABKHASIAN CHE		
04BD	CYRILLIC SMALL LETTER ABKHASIAN CHE		
04BE	CYRILLIC CAPITAL LETTER ABKHASIAN CHE WITH DESCENDER		
04BF	CYRILLIC SMALL LETTER ABKHASIAN CHE WITH DESCENDER		
04C0	CYRILLIC LETTER PALOCHKA		
04C1	CYRILLIC CAPITAL LETTER ZHE WITH BREVE		
04C2	CYRILLIC SMALL LETTER ZHE WITH BREVE		
04C3	CYRILLIC CAPITAL LETTER KA WITH HOOK		
04C4	CYRILLIC SMALL LETTER KA WITH HOOK		
04C5	CYRILLIC CAPITAL LETTER EL WITH TAIL		
04C6	CYRILLIC SMALL LETTER EL WITH TAIL		
04C7	CYRILLIC CAPITAL LETTER EN WITH HOOK		
04C8	CYRILLIC SMALL LETTER EN WITH HOOK		
04C9	CYRILLIC CAPITAL LETTER EN WITH TAIL		
04CA	CYRILLIC SMALL LETTER EN WITH TAIL		
04CB	CYRILLIC CAPITAL LETTER KHAKASSIAN CHE		
04CC	CYRILLIC SMALL LETTER KHAKASSIAN CHE		
04CD	CYRILLIC CAPITAL LETTER EM WITH TAIL		
04CE	CYRILLIC SMALL LETTER EM WITH TAIL		
04CF	(This position shall not be used)		
04D0	CYRILLIC CAPITAL LETTER A WITH BREVE		
04D1	CYRILLIC SMALL LETTER A WITH BREVE		
04D2	CYRILLIC CAPITAL LETTER A WITH DIAERESIS		
04D3	CYRILLIC SMALL LETTER A WITH DIAERESIS		
04D4	CYRILLIC CAPITAL LIGATURE A IE		
04D5	CYRILLIC SMALL LIGATURE A IE		
04D6	CYRILLIC CAPITAL LETTER IE WITH BREVE		
04D7	CYRILLIC SMALL LETTER IE WITH BREVE		
04D8	CYRILLIC CAPITAL LETTER SCHWA		
04D9	CYRILLIC SMALL LETTER SCHWA		
04DA	CYRILLIC CAPITAL LETTER SCHWA WITH DIAERESIS		
04DB	CYRILLIC SMALL LETTER SCHWA WITH DIAERESIS		
04DC	CYRILLIC CAPITAL LETTER ZHE WITH DIAERESIS		

Table 15 - Row 05: Hebrew

	059	05A	05B	05C	05D	05E	05F
0							
1							
2							
3							
4							
5							
6							
7							
8							
9							
A							
B							
C							
D							
E							
F							

G = 00

P = 00

Table 15 - Row 05: Hebrew

HEX	NAME	HEX	NAME
0590	(This position shall not be used)	05ED	(This position shall not be used)
0591	HEBREW ACCENT ETNAHTA	05EE	(This position shall not be used)
0592	HEBREW ACCENT SEGOL	05EF	(This position shall not be used)
0593	HEBREW ACCENT SHALSHLET	05F0	HEBREW LIGATURE YIDDISH DOUBLE VAV
0594	HEBREW ACCENT ZAQEF QATAN	05F1	HEBREW LIGATURE YIDDISH VAV YOD
0595	HEBREW ACCENT ZAQEF GADOL	05F2	HEBREW LIGATURE YIDDISH DOUBLE YOD
0596	HEBREW ACCENT TIPEHA *	05F3	HEBREW PUNCTUATION GERESH
0597	HEBREW ACCENT REVIA	05F4	HEBREW PUNCTUATION GERSHAYIM
0598	HEBREW ACCENT ZARQA *	05F5	(This position shall not be used)
0599	HEBREW ACCENT PASHTA	05F6	(This position shall not be used)
059A	HEBREW ACCENT YETIV	05F7	(This position shall not be used)
059B	HEBREW ACCENT TEVIR	05F8	(This position shall not be used)
059C	HEBREW ACCENT GERESH	05F9	(This position shall not be used)
059D	HEBREW ACCENT GERESH MUQDAM	05FA	(This position shall not be used)
059E	HEBREW ACCENT GERSHAYIM	05FB	(This position shall not be used)
059F	HEBREW ACCENT QARNEY PARA	05FC	(This position shall not be used)
05A0	HEBREW ACCENT TELISHA GEDOLA	05FD	(This position shall not be used)
05A1	HEBREW ACCENT PAZER	05FE	(This position shall not be used)
05A2	HEBREW ACCENT ATNAH HAFUKH	05FF	(This position shall not be used)
05A3	HEBREW ACCENT MUNAH		
05A4	HEBREW ACCENT MAHAPAKH		
05A5	HEBREW ACCENT MERKHA *		
05A6	HEBREW ACCENT MERKHA KEFULA		
05A7	HEBREW ACCENT DARGA		
05A8	HEBREW ACCENT QADMA *		
05A9	HEBREW ACCENT TELISHA QETANA		
05AA	HEBREW ACCENT YERAH BEN YOMO *		
05AB	HEBREW ACCENT OLE		
05AC	HEBREW ACCENT ILUY		
05AD	HEBREW ACCENT DEHI		
05AE	HEBREW ACCENT ZINOR		
05AF	HEBREW MARK MASORA CIRCLE		
05B0	HEBREW POINT SHEVA		
05B1	HEBREW POINT HATAF SEGOL		
05B2	HEBREW POINT HATAF PATAH		
05B3	HEBREW POINT HATAF QAMATS		
05B4	HEBREW POINT HIRIQ		
05B5	HEBREW POINT TSERE		
05B6	HEBREW POINT SEGOL		
05B7	HEBREW POINT PATAH		
05B8	HEBREW POINT QAMATS *		
05B9	HEBREW POINT HOLAM		
05BA	HEBREW POINT QAMATS QATAN		
05BB	HEBREW POINT QUBUTS		
05BC	HEBREW POINT DAGESH OR MAPIQ (or shuruq)		
05BD	HEBREW POINT METEG *		
05BE	HEBREW PUNCTUATION MAQAF		
05BF	HEBREW POINT RAFE		
05C0	HEBREW PUNCTUATION PASEQ *		
05C1	HEBREW POINT SHIN DOT		
05C2	HEBREW POINT SIN DOT		
05C3	HEBREW PUNCTUATION SOF PASUQ *		
05C4	HEBREW MARK UPPER DOT		
05C5	HEBREW MARK LOWER DOT		
05C6	HEBREW PUNCTUATION NUN HAFUKHA		
05C7	(This position shall not be used)		
05C8	(This position shall not be used)		
05C9	(This position shall not be used)		
05CA	(This position shall not be used)		
05CB	(This position shall not be used)		
05CC	(This position shall not be used)		
05CD	(This position shall not be used)		
05CE	(This position shall not be used)		
05CF	(This position shall not be used)		
05D0	HEBREW LETTER ALEF		
05D1	HEBREW LETTER BET		
05D2	HEBREW LETTER GIMEL		
05D3	HEBREW LETTER DALET		
05D4	HEBREW LETTER HE		
05D5	HEBREW LETTER VAV		
05D6	HEBREW LETTER ZAYIN		
05D7	HEBREW LETTER HET		
05D8	HEBREW LETTER TET		
05D9	HEBREW LETTER YOD		
05DA	HEBREW LETTER FINAL KAF		
05DB	HEBREW LETTER KAF		
05DC	HEBREW LETTER LAMED		
05DD	HEBREW LETTER FINAL MEM		
05DE	HEBREW LETTER MEM		
05DF	HEBREW LETTER FINAL NUN		
05E0	HEBREW LETTER NUN		
05E1	HEBREW LETTER SAMEKH		
05E2	HEBREW LETTER AYIN		
05E3	HEBREW LETTER FINAL PE		
05E4	HEBREW LETTER PE		
05E5	HEBREW LETTER FINAL TSADI		
05E6	HEBREW LETTER TSADI		
05E7	HEBREW LETTER QOF		
05E8	HEBREW LETTER RESH		
05E9	HEBREW LETTER SHIN		
05EA	HEBREW LETTER TAV		
05EB	(This position shall not be used)		
05EC	(This position shall not be used)		

Table 16 - Row 06: Arabic

	060	061	062	063	064	065	066	067
0	 0600	 0610		 0630	 0640	 0650	 0660	 0670
1	 0601	 0611	 0621	 0631	 0641	 0651	 0661	 0671
2	 0602	 0612	 0622	 0632	 0642	 0652	 0662	 0672
3	 0603	 0613	 0623	 0633	 0643	 0653	 0663	 0673
4		 0614	 0624	 0634	 0644	 0654	 0664	 0674
5		 0615	 0625	 0635	 0645	 0655	 0665	 0675
6			 0626	 0636	 0646	 0656	 0666	 0676
7			 0627	 0637	 0647	 0657	 0667	 0677
8			 0628	 0638	 0648	 0658	 0668	 0678
9			 0629	 0639	 0649	 0659	 0669	 0679
A			 062A	 063A	 064A	 065A	 066A	 067A
B	 060B	 061B	 062B		 064B	 065B	 066B	 067B
C	 060C		 062C		 064C	 065C	 066C	 067C
D	 060D		 062D		 064D	 065D	 066D	 067D
E	 060E	 061E	 062E		 064E	 065E	 066E	 067E
F	 060F	 061F	 062F		 064F		 066F	 067F

G = 00

P = 00

Table 16 - Row 06: Arabic

HEX	NAME	HEX	NAME
0600	ARABIC NUMBER SIGN	065D	ARABIC REVERSED DAMMA
0601	ARABIC SIGN SANAH	065E	ARABIC FATHA WITH TWO DOTS
0602	ARABIC FOOTNOTE MARKER	065F	(This position shall not be used)
0603	ARABIC SIGN SAFHA	0660	ARABIC-INDIC DIGIT ZERO
0604	(This position shall not be used)	0661	ARABIC-INDIC DIGIT ONE
0605	(This position shall not be used)	0662	ARABIC-INDIC DIGIT TWO
0606	(This position shall not be used)	0663	ARABIC-INDIC DIGIT THREE
0607	(This position shall not be used)	0664	ARABIC-INDIC DIGIT FOUR
0608	(This position shall not be used)	0665	ARABIC-INDIC DIGIT FIVE
0609	(This position shall not be used)	0666	ARABIC-INDIC DIGIT SIX
060A	(This position shall not be used)	0667	ARABIC-INDIC DIGIT SEVEN
060B	AFGHANI SIGN	0668	ARABIC-INDIC DIGIT EIGHT
060C	ARABIC COMMA	0669	ARABIC-INDIC DIGIT NINE
060D	ARABIC DATE SEPARATOR	066A	ARABIC PERCENT SIGN
060E	ARABIC POETIC VERSE SIGN	066B	ARABIC DECIMAL SEPARATOR
060F	ARABIC SIGN MISRA	066C	ARABIC THOUSANDS SEPARATOR
0610	ARABIC SIGN SALLALLAHOU ALAYHE WASSALLAM	066D	ARABIC FIVE POINTED STAR
0611	ARABIC SIGN ALAYHE ASSALLAM	066E	ARABIC LETTER DOTLESS BEH
0612	ARABIC SIGN RAHMATULLAH ALAYHE	066F	ARABIC LETTER DOTLESS QAF
0613	ARABIC SIGN RADI ALLAHOU ANHU	0670	ARABIC LETTER SUPERScript ALEF
0614	ARABIC SIGN TAKHALLUS	0671	ARABIC LETTER ALEF WASLA
0615	ARABIC SMALL HIGH TAH	0672	ARABIC LETTER ALEF WITH WAVY HAMZA ABOVE
0616	(This position shall not be used)	0673	ARABIC LETTER ALEF WITH WAVY HAMZA BELOW
0617	(This position shall not be used)	0674	ARABIC LETTER HIGH HAMZA
0618	(This position shall not be used)	0675	ARABIC LETTER HIGH HAMZA ALEF
0619	(This position shall not be used)	0676	ARABIC LETTER HIGH HAMZA WAW
061A	(This position shall not be used)	0677	ARABIC LETTER U WITH HAMZA ABOVE
061B	ARABIC SEMICOLON	0678	ARABIC LETTER HIGH HAMZA YEH
061C	(This position shall not be used)	0679	ARABIC LETTER TTEH
061D	(This position shall not be used)	067A	ARABIC LETTER TTEHEH
061E	ARABIC TRIPLE DOT PUNCTUATION MARK	067B	ARABIC LETTER BEEH
061F	ARABIC QUESTION MARK	067C	ARABIC LETTER TEH WITH RING
0620	(This position shall not be used)	067D	ARABIC LETTER TEH WITH THREE DOTS ABOVE DOWNWARDS
0621	ARABIC LETTER HAMZA	067E	ARABIC LETTER PEH
0622	ARABIC LETTER ALEF WITH MADDA ABOVE	067F	ARABIC LETTER TEHEH
0623	ARABIC LETTER ALEF WITH HAMZA ABOVE		
0624	ARABIC LETTER WAW WITH HAMZA ABOVE		
0625	ARABIC LETTER ALEF WITH HAMZA BELOW		
0626	ARABIC LETTER YEH WITH HAMZA ABOVE		
0627	ARABIC LETTER ALEF		
0628	ARABIC LETTER BEH		
0629	ARABIC LETTER TEH MARBUTA		
062A	ARABIC LETTER TEH		
062B	ARABIC LETTER THEH		
062C	ARABIC LETTER JEEM		
062D	ARABIC LETTER HAH		
062E	ARABIC LETTER KHAH		
062F	ARABIC LETTER DAL		
0630	ARABIC LETTER THAL		
0631	ARABIC LETTER REH		
0632	ARABIC LETTER ZAIN		
0633	ARABIC LETTER SEEN		
0634	ARABIC LETTER SHEEN		
0635	ARABIC LETTER SAD		
0636	ARABIC LETTER DAD		
0637	ARABIC LETTER TAH		
0638	ARABIC LETTER ZAH		
0639	ARABIC LETTER AIN		
063A	ARABIC LETTER GHAIN		
063B	(This position shall not be used)		
063C	(This position shall not be used)		
063D	(This position shall not be used)		
063E	(This position shall not be used)		
063F	(This position shall not be used)		
0640	ARABIC TATWEEL		
0641	ARABIC LETTER FEH		
0642	ARABIC LETTER QAF		
0643	ARABIC LETTER KAF		
0644	ARABIC LETTER LAM		
0645	ARABIC LETTER MEEM		
0646	ARABIC LETTER NOON		
0647	ARABIC LETTER HEH		
0648	ARABIC LETTER WAW		
0649	ARABIC LETTER ALEF MAKSURA		
064A	ARABIC LETTER YEH		
064B	ARABIC FATHATAN		
064C	ARABIC DAMMATAN		
064D	ARABIC KASRATAN		
064E	ARABIC FATHA		
064F	ARABIC DAMMA		
0650	ARABIC KASRA		
0651	ARABIC SHADDA		
0652	ARABIC SUKUN		
0653	ARABIC MADDAH ABOVE		
0654	ARABIC HAMZA ABOVE		
0655	ARABIC HAMZA BELOW		
0656	ARABIC SUBSCRIPT ALEF		
0657	ARABIC INVERTED DAMMA		
0658	ARABIC MARK NOON GHUNNA		
0659	ARABIC ZWARAKAY		
065A	ARABIC VOWEL SIGN SMALL V ABOVE		
065B	ARABIC VOWEL SIGN INVERTED SMALL V ABOVE		
065C	ARABIC VOWEL SIGN DOT BELOW		

Table 19 - Row 07: Arabic Supplement

	075	076	077
0	ب 0750	ف 0760	
1	ث 0751	ڤ 0761	
2	پ 0752	ک 0762	
3	ت 0753	ث 0763	
4	ن 0754	ک 0764	
5	ہ 0755	م 0765	
6	ٹ 0756	م 0766	
7	ت 0757	ن 0767	
8	چ 0758	ٹ 0768	
9	ڈ 0759	ن 0769	
A	د 075A	ل 076A	
B	ر 075B	ز 076B	
C	ش 075C	ر 076C	
D	ع 075D	ش 076D	
E	غ 075E		
F	غ 075F		

G = 00

P = 00

Table 19 - Row 07: Arabic Supplement

HEX	NAME	HEX	NAME
0750	ARABIC LETTER BEH WITH THREE DOTS HORIZONTALLY BELOW		
0751	ARABIC LETTER BEH WITH DOT BELOW AND THREE DOTS ABOVE		
0752	ARABIC LETTER BEH WITH THREE DOTS POINTING UPWARDS BELOW		
0753	ARABIC LETTER BEH WITH THREE DOTS POINTING UPWARDS BELOW AND TWO DOTS ABOVE		
0754	ARABIC LETTER BEH WITH TWO DOTS BELOW AND DOT ABOVE		
0755	ARABIC LETTER BEH WITH INVERTED SMALL V BELOW		
0756	ARABIC LETTER BEH WITH SMALL V		
0757	ARABIC LETTER HAH WITH TWO DOTS ABOVE		
0758	ARABIC LETTER HAH WITH THREE DOTS POINTING UPWARDS BELOW		
0759	ARABIC LETTER DAL WITH TWO DOTS VERTICALLY BELOW AND SMALL TAH		
075A	ARABIC LETTER DAL WITH INVERTED SMALL V BELOW		
075B	ARABIC LETTER REH WITH STROKE		
075C	ARABIC LETTER SEEN WITH FOUR DOTS ABOVE		
075D	ARABIC LETTER AIN WITH TWO DOTS ABOVE		
075E	ARABIC LETTER AIN WITH THREE DOTS POINTING DOWNWARDS ABOVE		
075F	ARABIC LETTER AIN WITH TWO DOTS VERTICALLY ABOVE		
0760	ARABIC LETTER FEH WITH TWO DOTS BELOW		
0761	ARABIC LETTER FEH WITH THREE DOTS POINTING UPWARDS BELOW		
0762	ARABIC LETTER KEHEH WITH DOT ABOVE		
0763	ARABIC LETTER KEHEH WITH THREE DOTS ABOVE		
0764	ARABIC LETTER KEHEH WITH THREE DOTS POINTING UPWARDS BELOW		
0765	ARABIC LETTER MEEM WITH DOT ABOVE		
0766	ARABIC LETTER MEEM WITH DOT BELOW		
0767	ARABIC LETTER NOON WITH TWO DOTS BELOW		
0768	ARABIC LETTER NOON WITH SMALL TAH		
0769	ARABIC LETTER NOON WITH SMALL V		
076A	ARABIC LETTER LAM WITH BAR		
076B	ARABIC LETTER REH WITH TWO DOTS VERTICALLY ABOVE		
076C	ARABIC LETTER REH WITH HAMZA ABOVE		
076D	ARABIC LETTER SEEN WITH TWO DOTS VERTICALLY ABOVE		
076E	(This position shall not be used)		
076F	(This position shall not be used)		
0770	(This position shall not be used)		
0771	(This position shall not be used)		
0772	(This position shall not be used)		
0773	(This position shall not be used)		
0774	(This position shall not be used)		
0775	(This position shall not be used)		
0776	(This position shall not be used)		
0777	(This position shall not be used)		
0778	(This position shall not be used)		
0779	(This position shall not be used)		
077A	(This position shall not be used)		
077B	(This position shall not be used)		
077C	(This position shall not be used)		
077D	(This position shall not be used)		
077E	(This position shall not be used)		
077F	(This position shall not be used)		

Group 00

Plane 00

Row 07

Table 21 - Row 09: Devanagari

	090	091	092	093	094	095	096	097
0		ऐ 0910	ठ 0920	र 0930	ी 0940	ॐ 0950	ऋ 0960	० 0970
1	ँ 0901	ऑ 0911	ड 0921	ॠ 0931	ु 0941	॑ 0951	ॡ 0961	
2	ं 0902	ओ 0912	ढ 0922	ल 0932	॒ 0942	॒ 0952	॒ 0962	
3	ः 0903	ओ 0913	ण 0923	ळ 0933	ॢ 0943	े 0953	ॣ 0963	
4	ऐ 0904	औ 0914	त 0924	ळ 0934	ॣ 0944	े 0954	। 0964	
5	अ 0905	क 0915	थ 0925	व 0935	ँ 0945		॥ 0965	
6	आ 0906	ख 0916	द 0926	श 0936	े 0946		० 0966	
7	इ 0907	ग 0917	ध 0927	ष 0937	े 0947		१ 0967	
8	ई 0908	घ 0918	न 0928	स 0938	ै 0948	क्र 0958	२ 0968	
9	उ 0909	ङ 0919	न 0929	ह 0939	ॉ 0949	ख 0959	३ 0969	
A	ऊ 090A	च 091A	प 092A		ो 094A	ग 095A	४ 096A	
B	ऋ 090B	छ 091B	फ 092B		ो 094B	ज 095B	५ 096B	
C	ॠ 090C	ज 091C	ब 092C	ॢ 093C	ौ 094C	ड 095C	६ 096C	
D	ँ 090D	झ 091D	भ 092D	ॣ 093D	॑ 094D	ढ 095D	७ 096D	१ 097D
E	ऐ 090E	ज 091E	म 092E	ा 093E		फ़ 095E	८ 096E	
F	ए 090F	ट 091F	य 092F	ि 093F		य़ 095F	९ 096F	

G = 00

P = 00

Table 21 - Row 09: Devanagari

HEX	NAME	HEX	NAME
0900	(This position shall not be used)	095D	DEVANAGARI LETTER RHA
0901	DEVANAGARI SIGN CANDRABINDU	095E	DEVANAGARI LETTER FA
0902	DEVANAGARI SIGN ANUSVARA	095F	DEVANAGARI LETTER YYA
0903	DEVANAGARI SIGN VISARGA	0960	DEVANAGARI LETTER VOCALIC RR
0904	DEVANAGARI LETTER SHORT A	0961	DEVANAGARI LETTER VOCALIC LL
0905	DEVANAGARI LETTER A	0962	DEVANAGARI VOWEL SIGN VOCALIC L
0906	DEVANAGARI LETTER AA	0963	DEVANAGARI VOWEL SIGN VOCALIC LL
0907	DEVANAGARI LETTER I	0964	DEVANAGARI DANDA
0908	DEVANAGARI LETTER II	0965	DEVANAGARI DOUBLE DANDA
0909	DEVANAGARI LETTER U	0966	DEVANAGARI DIGIT ZERO
090A	DEVANAGARI LETTER UU	0967	DEVANAGARI DIGIT ONE
090B	DEVANAGARI LETTER VOCALIC R	0968	DEVANAGARI DIGIT TWO
090C	DEVANAGARI LETTER VOCALIC L	0969	DEVANAGARI DIGIT THREE
090D	DEVANAGARI LETTER CANDRA E	096A	DEVANAGARI DIGIT FOUR
090E	DEVANAGARI LETTER SHORT E	096B	DEVANAGARI DIGIT FIVE
090F	DEVANAGARI LETTER E	096C	DEVANAGARI DIGIT SIX
0910	DEVANAGARI LETTER AI	096D	DEVANAGARI DIGIT SEVEN
0911	DEVANAGARI LETTER CANDRA O	096E	DEVANAGARI DIGIT EIGHT
0912	DEVANAGARI LETTER SHORT O	096F	DEVANAGARI DIGIT NINE
0913	DEVANAGARI LETTER O	0970	DEVANAGARI ABBREVIATION SIGN
0914	DEVANAGARI LETTER AU	0971	(This position shall not be used)
0915	DEVANAGARI LETTER KA	0972	(This position shall not be used)
0916	DEVANAGARI LETTER KHA	0973	(This position shall not be used)
0917	DEVANAGARI LETTER GA	0974	(This position shall not be used)
0918	DEVANAGARI LETTER GHA	0975	(This position shall not be used)
0919	DEVANAGARI LETTER NGA	0976	(This position shall not be used)
091A	DEVANAGARI LETTER CA	0977	(This position shall not be used)
091B	DEVANAGARI LETTER CHA	0978	(This position shall not be used)
091C	DEVANAGARI LETTER JA	0979	(This position shall not be used)
091D	DEVANAGARI LETTER JHA	097A	(This position shall not be used)
091E	DEVANAGARI LETTER NYA	097B	(This position shall not be used)
091F	DEVANAGARI LETTER TTA	097C	(This position shall not be used)
0920	DEVANAGARI LETTER TTHA	097D	DEVANAGARI LETTER GLOTTAL STOP
0921	DEVANAGARI LETTER DDA	097E	(This position shall not be used)
0922	DEVANAGARI LETTER DDHA	097F	(This position shall not be used)
0923	DEVANAGARI LETTER NNA		
0924	DEVANAGARI LETTER TA		
0925	DEVANAGARI LETTER THA		
0926	DEVANAGARI LETTER DA		
0927	DEVANAGARI LETTER DHA		
0928	DEVANAGARI LETTER NA		
0929	DEVANAGARI LETTER NNNA		
092A	DEVANAGARI LETTER PA		
092B	DEVANAGARI LETTER PHA		
092C	DEVANAGARI LETTER BA		
092D	DEVANAGARI LETTER BHA		
092E	DEVANAGARI LETTER MA		
092F	DEVANAGARI LETTER YA		
0930	DEVANAGARI LETTER RA		
0931	DEVANAGARI LETTER RRA		
0932	DEVANAGARI LETTER LA		
0933	DEVANAGARI LETTER LLA		
0934	DEVANAGARI LETTER LLLA		
0935	DEVANAGARI LETTER VA		
0936	DEVANAGARI LETTER SHA		
0937	DEVANAGARI LETTER SSA		
0938	DEVANAGARI LETTER SA		
0939	DEVANAGARI LETTER HA		
093A	(This position shall not be used)		
093B	(This position shall not be used)		
093C	DEVANAGARI SIGN NUKTA		
093D	DEVANAGARI SIGN AVAGRAHA		
093E	DEVANAGARI VOWEL SIGN AA		
093F	DEVANAGARI VOWEL SIGN I		
0940	DEVANAGARI VOWEL SIGN II		
0941	DEVANAGARI VOWEL SIGN U		
0942	DEVANAGARI VOWEL SIGN UU		
0943	DEVANAGARI VOWEL SIGN VOCALIC R		
0944	DEVANAGARI VOWEL SIGN VOCALIC RR		
0945	DEVANAGARI VOWEL SIGN CANDRA E		
0946	DEVANAGARI VOWEL SIGN SHORT E		
0947	DEVANAGARI VOWEL SIGN E		
0948	DEVANAGARI VOWEL SIGN AI		
0949	DEVANAGARI VOWEL SIGN CANDRA O		
094A	DEVANAGARI VOWEL SIGN SHORT O		
094B	DEVANAGARI VOWEL SIGN O		
094C	DEVANAGARI VOWEL SIGN AU		
094D	DEVANAGARI SIGN VIRAMA		
094E	(This position shall not be used)		
094F	(This position shall not be used)		
0950	DEVANAGARI OM		
0951	DEVANAGARI STRESS SIGN UDATTA		
0952	DEVANAGARI STRESS SIGN ANUDATTA		
0953	DEVANAGARI GRAVE ACCENT		
0954	DEVANAGARI ACUTE ACCENT		
0955	(This position shall not be used)		
0956	(This position shall not be used)		
0957	(This position shall not be used)		
0958	DEVANAGARI LETTER QA		
0959	DEVANAGARI LETTER KHHA		
095A	DEVANAGARI LETTER GHHA		
095B	DEVANAGARI LETTER ZA		
095C	DEVANAGARI LETTER DDHA		

Table 22 - Row 09: Bengali

	098	099	09A	09B	09C	09D	09E	09F
0		ঐ 0990	ঔ 09A0	ৱ 09B0	ী 09C0		ঋ 09E0	৳ 09F0
1	ঁ 0981		ড 09A1		ূ 09C1		ঋ 09E1	৳ 09F1
2	ং 0982		ঢ 09A2	ল 09B2	্ 09C2		্ 09E2	৳ 09F2
3	ঃ 0983	ও 0993	ণ 09A3		্ 09C3		্ 09E3	ট 09F3
4		ঔ 0994	ত 09A4		্ 09C4			৳ 09F4
5	অ 0985	ক 0995	খ 09A5					৳ 09F5
6	আ 0986	খ 0996	দ 09A6	শ 09B6			০ 09E6	৳ 09F6
7	ই 0987	গ 0997	ঘ 09A7	ষ 09B7	ে 09C7	ো 09D7	১ 09E7	। 09F7
8	ঐ 0988	ষ 0998	ন 09A8	স 09B8	ৈ 09C8		২ 09E8	৳ 09F8
9	উ 0989	ঙ 0999		হ 09B9			৩ 09E9	০ 09F9
A	ঊ 098A	চ 099A	প 09AA				৪ 09EA	৳ 09FA
B	ঋ 098B	ছ 099B	ফ 09AB		ৌ 09CB		৫ 09EB	
C	ঋ 098C	জ 099C	ব 09AC	় 09BC	ৌ 09CC	ড় 09DC	৬ 09EC	
D		ঝ 099D	ভ 09AD	হ 09BD	্ 09CD	ঢ 09DD	৭ 09ED	
E		ঞ 099E	য 09AE	া 09BE	ৎ 09CE		৮ 09EE	
F	এ 098F	ট 099F	য 09AF	ি 09BF		য় 09DF	৯ 09EF	

G = 00

P = 00

Table 22 - Row 09: Bengali

HEX	NAME	HEX	NAME
0980	(This position shall not be used)	09DD	BENGALI LETTER RHA
0981	BENGALI SIGN CANDRABINDU	09DE	(This position shall not be used)
0982	BENGALI SIGN ANUSVARA	09DF	BENGALI LETTER YYA
0983	BENGALI SIGN VISARGA	09E0	BENGALI LETTER VOCALIC RR
0984	(This position shall not be used)	09E1	BENGALI LETTER VOCALIC LL
0985	BENGALI LETTER A	09E2	BENGALI VOWEL SIGN VOCALIC L
0986	BENGALI LETTER AA	09E3	BENGALI VOWEL SIGN VOCALIC LL
0987	BENGALI LETTER I	09E4	(This position shall not be used)
0988	BENGALI LETTER II	09E5	(This position shall not be used)
0989	BENGALI LETTER U	09E6	BENGALI DIGIT ZERO
098A	BENGALI LETTER UU	09E7	BENGALI DIGIT ONE
098B	BENGALI LETTER VOCALIC R	09E8	BENGALI DIGIT TWO
098C	BENGALI LETTER VOCALIC L	09E9	BENGALI DIGIT THREE
098D	(This position shall not be used)	09EA	BENGALI DIGIT FOUR
098E	(This position shall not be used)	09EB	BENGALI DIGIT FIVE
098F	BENGALI LETTER E	09EC	BENGALI DIGIT SIX
0990	BENGALI LETTER AI	09ED	BENGALI DIGIT SEVEN
0991	(This position shall not be used)	09EE	BENGALI DIGIT EIGHT
0992	(This position shall not be used)	09EF	BENGALI DIGIT NINE
0993	BENGALI LETTER O	09F0	BENGALI LETTER RA WITH MIDDLE DIAGONAL (Assamese)
0994	BENGALI LETTER AU	09F1	BENGALI LETTER RA WITH LOWER DIAGONAL (Assamese)
0995	BENGALI LETTER KA	09F2	BENGALI RUPEE MARK
0996	BENGALI LETTER KHA	09F3	BENGALI RUPEE SIGN
0997	BENGALI LETTER GA	09F4	BENGALI CURRENCY NUMERATOR ONE
0998	BENGALI LETTER GHA	09F5	BENGALI CURRENCY NUMERATOR TWO
0999	BENGALI LETTER NGA	09F6	BENGALI CURRENCY NUMERATOR THREE
099A	BENGALI LETTER CA	09F7	BENGALI CURRENCY NUMERATOR FOUR
099B	BENGALI LETTER CHA	09F8	BENGALI CURRENCY NUMERATOR ONE LESS THAN THE DENOMINATOR
099C	BENGALI LETTER JA	09F9	BENGALI CURRENCY DENOMINATOR SIXTEEN
099D	BENGALI LETTER JHA	09FA	BENGALI ISSHAR
099E	BENGALI LETTER NYA	09FB	(This position shall not be used)
099F	BENGALI LETTER TTA	09FC	(This position shall not be used)
09A0	BENGALI LETTER TTHA	09FD	(This position shall not be used)
09A1	BENGALI LETTER DDA	09FE	(This position shall not be used)
09A2	BENGALI LETTER DDHA	09FF	(This position shall not be used)
09A3	BENGALI LETTER NNA		
09A4	BENGALI LETTER TA		
09A5	BENGALI LETTER THA		
09A6	BENGALI LETTER DA		
09A7	BENGALI LETTER DHA		
09A8	BENGALI LETTER NA		
09A9	(This position shall not be used)		
09AA	BENGALI LETTER PA		
09AB	BENGALI LETTER PHA		
09AC	BENGALI LETTER BA		
09AD	BENGALI LETTER BHA		
09AE	BENGALI LETTER MA		
09AF	BENGALI LETTER YA		
09B0	BENGALI LETTER RA		
09B1	(This position shall not be used)		
09B2	BENGALI LETTER LA		
09B3	(This position shall not be used)		
09B4	(This position shall not be used)		
09B5	(This position shall not be used)		
09B6	BENGALI LETTER SHA		
09B7	BENGALI LETTER SSA		
09B8	BENGALI LETTER SA		
09B9	BENGALI LETTER HA		
09BA	(This position shall not be used)		
09BB	(This position shall not be used)		
09BC	BENGALI SIGN NUKTA		
09BD	BENGALI SIGN AVAGRAHA		
09BE	BENGALI VOWEL SIGN AA		
09BF	BENGALI VOWEL SIGN I		
09C0	BENGALI VOWEL SIGN II		
09C1	BENGALI VOWEL SIGN U		
09C2	BENGALI VOWEL SIGN UU		
09C3	BENGALI VOWEL SIGN VOCALIC R		
09C4	BENGALI VOWEL SIGN VOCALIC RR		
09C5	(This position shall not be used)		
09C6	(This position shall not be used)		
09C7	BENGALI VOWEL SIGN E		
09C8	BENGALI VOWEL SIGN AI		
09C9	(This position shall not be used)		
09CA	(This position shall not be used)		
09CB	BENGALI VOWEL SIGN O		
09CC	BENGALI VOWEL SIGN AU		
09CD	BENGALI SIGN VIRAMA		
09CE	BENGALI LETTER KHANDA TA		
09CF	(This position shall not be used)		
09D0	(This position shall not be used)		
09D1	(This position shall not be used)		
09D2	(This position shall not be used)		
09D3	(This position shall not be used)		
09D4	(This position shall not be used)		
09D5	(This position shall not be used)		
09D6	(This position shall not be used)		
09D7	BENGALI AU LENGTH MARK		
09D8	(This position shall not be used)		
09D9	(This position shall not be used)		
09DA	(This position shall not be used)		
09DB	(This position shall not be used)		
09DC	BENGALI LETTER RRA		

Table 26 - Row 0B: Tamil

	0B8	0B9	0BA	0BB	0BC	0BD	0BE	0BF
0		ஐ 0B90		ர 0BB0	ீ 0BC0			ய 0BF0
1				ற 0BB1	ு 0BC1			ள 0BF1
2	ஃ 0B82	ஒ 0B92		ல 0BB2	ூ 0BC2			சு 0BF2
3	ஃ 0B83	ஒ 0B93	ண 0BA3	ள 0BB3				உ 0BF3
4		ஒ 0B94	த 0BA4	ழ 0BB4				மீ 0BF4
5	அ 0B85	க 0B95		வ 0BB5				ஶ 0BF5
6	ஆ 0B86			ஸ 0BB6	ெ 0BC6		ஐ 0BE6	யு 0BF6
7	இ 0B87			ஷ 0BB7	ே 0BC7	ள 0BD7	க 0BE7	எ 0BF7
8	ஈ 0B88		ந 0BA8	ஸ 0BB8	ை 0BC8		உ 0BE8	ஷெ 0BF8
9	உ 0B89	ங 0B99	ன 0BA9	ஹ 0BB9			ந 0BE9	நீ 0BF9
A	ஊ 0B8A	ச 0B9A	ப 0BA A		ொ 0BCA		சு 0BEA	நீ 0BFA
B					ோ 0BCB		ரு 0BEB	
C		ஐ 0B9C			ெள 0BCC		சு 0BEC	
D					ஃ 0BCD		எ 0BED	
E	எ 0B8E	ஞ 0B9E	ம 0BAE	ா 0BBE			அ 0BEE	
F	ஏ 0B8F	ட 0B9F	ய 0BAF	ி 0BBF			சு 0BEF	

G = 00

P = 00

Table 26 - Row 0B: Tamil

HEX	NAME	HEX	NAME
0B80	(This position shall not be used)	0BDD	(This position shall not be used)
0B81	(This position shall not be used)	0BDE	(This position shall not be used)
0B82	TAMIL SIGN ANUSVARA	0BDF	(This position shall not be used)
0B83	TAMIL SIGN VISARGA	0BE0	(This position shall not be used)
0B84	(This position shall not be used)	0BE1	(This position shall not be used)
0B85	TAMIL LETTER A	0BE2	(This position shall not be used)
0B86	TAMIL LETTER AA	0BE3	(This position shall not be used)
0B87	TAMIL LETTER I	0BE4	(This position shall not be used)
0B88	TAMIL LETTER II	0BE5	(This position shall not be used)
0B89	TAMIL LETTER U	0BE6	TAMIL DIGIT ZERO
0B8A	TAMIL LETTER UU	0BE7	TAMIL DIGIT ONE
0B8B	(This position shall not be used)	0BE8	TAMIL DIGIT TWO
0B8C	(This position shall not be used)	0BE9	TAMIL DIGIT THREE
0B8D	(This position shall not be used)	0BEA	TAMIL DIGIT FOUR
0B8E	TAMIL LETTER E	0BEB	TAMIL DIGIT FIVE
0B8F	TAMIL LETTER EE	0BEC	TAMIL DIGIT SIX
0B90	TAMIL LETTER AI	0BED	TAMIL DIGIT SEVEN
0B91	(This position shall not be used)	0BEE	TAMIL DIGIT EIGHT
0B92	TAMIL LETTER O	0BEF	TAMIL DIGIT NINE
0B93	TAMIL LETTER OO	0BF0	TAMIL NUMBER TEN
0B94	TAMIL LETTER AU	0BF1	TAMIL NUMBER ONE HUNDRED
0B95	TAMIL LETTER KA	0BF2	TAMIL NUMBER ONE THOUSAND
0B96	(This position shall not be used)	0BF3	TAMIL DAY SIGN (Naal)
0B97	(This position shall not be used)	0BF4	TAMIL MONTH SIGN (Maatham)
0B98	(This position shall not be used)	0BF5	TAMIL YEAR SIGN (Varudam)
0B99	TAMIL LETTER NGA	0BF6	TAMIL DEBIT SIGN (Patru)
0B9A	TAMIL LETTER CA	0BF7	TAMIL CREDIT SIGN (Varavu)
0B9B	(This position shall not be used)	0BF8	TAMIL AS ABOVE SIGN (Merpadi)
0B9C	TAMIL LETTER JA	0BF9	TAMIL RUPEE SIGN (Rupai)
0B9D	(This position shall not be used)	0BFA	TAMIL NUMBER SIGN (Enn)
0B9E	TAMIL LETTER NYA	0BFB	(This position shall not be used)
0B9F	TAMIL LETTER TTA	0BFC	(This position shall not be used)
0BA0	(This position shall not be used)	0BFD	(This position shall not be used)
0BA1	(This position shall not be used)	0BFE	(This position shall not be used)
0BA2	(This position shall not be used)	0BFF	(This position shall not be used)
0BA3	TAMIL LETTER NNA		
0BA4	TAMIL LETTER TA		
0BA5	(This position shall not be used)		
0BA6	(This position shall not be used)		
0BA7	(This position shall not be used)		
0BA8	TAMIL LETTER NA		
0BA9	TAMIL LETTER NNNA		
0BAA	TAMIL LETTER PA		
0BAB	(This position shall not be used)		
0BAC	(This position shall not be used)		
0BAD	(This position shall not be used)		
0BAE	TAMIL LETTER MA		
0BAF	TAMIL LETTER YA		
0BB0	TAMIL LETTER RA		
0BB1	TAMIL LETTER RRA		
0BB2	TAMIL LETTER LA		
0BB3	TAMIL LETTER LLA		
0BB4	TAMIL LETTER LLLA		
0BB5	TAMIL LETTER VA		
0BB6	TAMIL LETTER SHA		
0BB7	TAMIL LETTER SSA		
0BB8	TAMIL LETTER SA		
0BB9	TAMIL LETTER HA		
0BBA	(This position shall not be used)		
0BBB	(This position shall not be used)		
0BBC	(This position shall not be used)		
0BBD	(This position shall not be used)		
0BBE	TAMIL VOWEL SIGN AA		
0BBF	TAMIL VOWEL SIGN I		
0BC0	TAMIL VOWEL SIGN II		
0BC1	TAMIL VOWEL SIGN U		
0BC2	TAMIL VOWEL SIGN UU		
0BC3	(This position shall not be used)		
0BC4	(This position shall not be used)		
0BC5	(This position shall not be used)		
0BC6	TAMIL VOWEL SIGN E		
0BC7	TAMIL VOWEL SIGN EE		
0BC8	TAMIL VOWEL SIGN AI		
0BC9	(This position shall not be used)		
0BCA	TAMIL VOWEL SIGN O		
0BCB	TAMIL VOWEL SIGN OO		
0BCC	TAMIL VOWEL SIGN AU		
0BCD	TAMIL SIGN VIRAMA		
0BCE	(This position shall not be used)		
0BCF	(This position shall not be used)		
0BD0	(This position shall not be used)		
0BD1	(This position shall not be used)		
0BD2	(This position shall not be used)		
0BD3	(This position shall not be used)		
0BD4	(This position shall not be used)		
0BD5	(This position shall not be used)		
0BD6	(This position shall not be used)		
0BD7	TAMIL AU LENGTH MARK		
0BD8	(This position shall not be used)		
0BD9	(This position shall not be used)		
0BDA	(This position shall not be used)		
0BDB	(This position shall not be used)		
0BDC	(This position shall not be used)		

Group 00

Plane 00

Row 0B

Table 34 - Row 0F: Tibetan

	0F8	0F9	0FA	0FB	0FC	0FD	0FE	0FF
0	 0F80	 0F90	 0FA0	 0FB0	 0FC0	 0FD0		
1	 0F81	 0F91	 0FA1	 0FB1	 0FC1	 0FD1		
2	 0F82	 0F92	 0FA2	 0FB2	 0FC2			
3	 0F83	 0F93	 0FA3	 0FB3	 0FC3			
4	 0F84	 0F94	 0FA4	 0FB4	 0FC4			
5	 0F85	 0F95	 0FA5	 0FB5	 0FC5			
6	 0F86	 0F96	 0FA6	 0FB6	 0FC6			
7	 0F87	 0F97	 0FA7	 0FB7	 0FC7			
8	 0F88		 0FA8	 0FB8	 0FC8			
9	 0F89	 0F99	 0FA9	 0FB9	 0FC9			
A	 0F8A	 0F9A	 0FAA	 0FBA	 0FCA			
B	 0F8B	 0F9B	 0FAB	 0FBB	 0FCB			
C		 0F9C	 0FAC	 0FBC	 0FCC			
D		 0F9D	 0FAD					
E		 0F9E	 0FAE	 0FBE				
F		 0F9F	 0FAF	 0FBF	 0FCF			

G = 00

P = 00

Table 34 - Row 0F: Tibetan

HEX	NAME	HEX	NAME
0F80	TIBETAN VOWEL SIGN REVERSED I	0FDD	(This position shall not be used)
0F81	TIBETAN VOWEL SIGN REVERSED II	0FDE	(This position shall not be used)
0F82	TIBETAN SIGN NYI ZLA NAA DA (nyi da na da)	0FDF	(This position shall not be used)
0F83	TIBETAN SIGN SNA LDAN (nan de)	0FE0	(This position shall not be used)
0F84	TIBETAN MARK HALANTA	0FE1	(This position shall not be used)
0F85	TIBETAN MARK PALUTA	0FE2	(This position shall not be used)
0F86	TIBETAN SIGN LCI RTAGS (ji ta)	0FE3	(This position shall not be used)
0F87	TIBETAN SIGN YANG RTAGS (yang ta)	0FE4	(This position shall not be used)
0F88	TIBETAN SIGN LCE TSA CAN (che tsa chen)	0FE5	(This position shall not be used)
0F89	TIBETAN SIGN MCHU CAN (chu chen)	0FE6	(This position shall not be used)
0F8A	TIBETAN SIGN GRU CAN RGYINGS (tru chen ging)	0FE7	(This position shall not be used)
0F8B	TIBETAN SIGN GRU MED RGYINGS (tru me ging)	0FE8	(This position shall not be used)
0F8C	(This position shall not be used)	0FE9	(This position shall not be used)
0F8D	(This position shall not be used)	0FEA	(This position shall not be used)
0F8E	(This position shall not be used)	0FEB	(This position shall not be used)
0F8F	(This position shall not be used)	0FEC	(This position shall not be used)
0F90	TIBETAN SUBJOINED LETTER KA	0FED	(This position shall not be used)
0F91	TIBETAN SUBJOINED LETTER KHA	0FEE	(This position shall not be used)
0F92	TIBETAN SUBJOINED LETTER GA	0FEF	(This position shall not be used)
0F93	TIBETAN SUBJOINED LETTER GHA	0FF0	(This position shall not be used)
0F94	TIBETAN SUBJOINED LETTER NGA	0FF1	(This position shall not be used)
0F95	TIBETAN SUBJOINED LETTER CA	0FF2	(This position shall not be used)
0F96	TIBETAN SUBJOINED LETTER CHA	0FF3	(This position shall not be used)
0F97	TIBETAN SUBJOINED LETTER JA	0FF4	(This position shall not be used)
0F98	(This position shall not be used)	0FF5	(This position shall not be used)
0F99	TIBETAN SUBJOINED LETTER NYA	0FF6	(This position shall not be used)
0F9A	TIBETAN SUBJOINED LETTER TTA	0FF7	(This position shall not be used)
0F9B	TIBETAN SUBJOINED LETTER TTHA	0FF8	(This position shall not be used)
0F9C	TIBETAN SUBJOINED LETTER DDA	0FF9	(This position shall not be used)
0F9D	TIBETAN SUBJOINED LETTER DDHA	0FFA	(This position shall not be used)
0F9E	TIBETAN SUBJOINED LETTER NNA	0FFB	(This position shall not be used)
0F9F	TIBETAN SUBJOINED LETTER TA	0FFC	(This position shall not be used)
0FA0	TIBETAN SUBJOINED LETTER THA	0FFD	(This position shall not be used)
0FA1	TIBETAN SUBJOINED LETTER DA	0FFE	(This position shall not be used)
0FA2	TIBETAN SUBJOINED LETTER DHA	0FFF	(This position shall not be used)
0FA3	TIBETAN SUBJOINED LETTER NA		
0FA4	TIBETAN SUBJOINED LETTER PA		
0FA5	TIBETAN SUBJOINED LETTER PHA		
0FA6	TIBETAN SUBJOINED LETTER BA		
0FA7	TIBETAN SUBJOINED LETTER BHA		
0FA8	TIBETAN SUBJOINED LETTER MA		
0FA9	TIBETAN SUBJOINED LETTER TSA		
0FAA	TIBETAN SUBJOINED LETTER TSHA		
0FAB	TIBETAN SUBJOINED LETTER DZA		
0FAC	TIBETAN SUBJOINED LETTER DZHA		
0FAD	TIBETAN SUBJOINED LETTER WA *		
0FAE	TIBETAN SUBJOINED LETTER ZHA		
0FAF	TIBETAN SUBJOINED LETTER ZA		
0FB0	TIBETAN SUBJOINED LETTER -A		
0FB1	TIBETAN SUBJOINED LETTER YA *		
0FB2	TIBETAN SUBJOINED LETTER RA *		
0FB3	TIBETAN SUBJOINED LETTER LA		
0FB4	TIBETAN SUBJOINED LETTER SHA		
0FB5	TIBETAN SUBJOINED LETTER SSA		
0FB6	TIBETAN SUBJOINED LETTER SA		
0FB7	TIBETAN SUBJOINED LETTER HA		
0FB8	TIBETAN SUBJOINED LETTER A		
0FB9	TIBETAN SUBJOINED LETTER KSSA		
0FBA	TIBETAN SUBJOINED LETTER FIXED-FORM WA *		
0FBB	TIBETAN SUBJOINED LETTER FIXED-FORM YA *		
0FBC	TIBETAN SUBJOINED LETTER FIXED-FORM RA *		
0FBD	(This position shall not be used)		
0FBE	TIBETAN KU RU KHA (kuruka)		
0FBF	TIBETAN KU RU KHA BZHI MIG CAN (kuruka shi mik chen)		
0FC0	TIBETAN CANTILLATION SIGN HEAVY BEAT		
0FC1	TIBETAN CANTILLATION SIGN LIGHT BEAT		
0FC2	TIBETAN CANTILLATION SIGN CANG TE-U (chang tyu)		
0FC3	TIBETAN CANTILLATION SIGN SBUB -CHAL (bub chey)		
0FC4	TIBETAN SYMBOL DRIL BU (dribu)		
0FC5	TIBETAN SYMBOL RDO RJE (dorje)		
0FC6	TIBETAN SYMBOL PADMA GDAN (pema den)		
0FC7	TIBETAN SYMBOL RDO RJE RGYA GRAM (dorje gya dram)		
0FC8	TIBETAN SYMBOL PHUR PA (phurba)		
0FC9	TIBETAN SYMBOL NOR BU (norbu)		
0FCA	TIBETAN SYMBOL NOR BU NYIS -KHYIL (norbu nyi khyi)		
0FCB	TIBETAN SYMBOL NOR BU GSUM -KHYIL (norbu sum khyi)		
0FCC	TIBETAN SYMBOL NOR BU BZHI -KHYIL (norbu shi khyi)		
0FCD	(This position shall not be used)		
0FCE	(This position shall not be used)		
0FCF	TIBETAN SIGN RDEL NAG GSUM (dena sum)		
0FD0	TIBETAN MARK BSKA- SHOG GI MGO RGYAN (ka shog gi go gyen)		
0FD1	TIBETAN MARK MNYAM YIG GI MGO RGYAN (nyam yig gi go gyen)		
0FD2	(This position shall not be used)		
0FD3	(This position shall not be used)		
0FD4	(This position shall not be used)		
0FD5	(This position shall not be used)		
0FD6	(This position shall not be used)		
0FD7	(This position shall not be used)		
0FD8	(This position shall not be used)		
0FD9	(This position shall not be used)		
0FDA	(This position shall not be used)		
0FDB	(This position shall not be used)		
0FDC	(This position shall not be used)		

Table 36 - Row 10: Georgian

	10A	10B	10C	10D	10E	10F
0	Ⴒ 10A0	Ⴓ 10B0	Ⴔ 10C0	Ⴕ 10D0	Ⴖ 10E0	Ⴗ 10F0
1	Ⴘ 10A1	Ⴙ 10B1	Ⴚ 10C1	Ⴛ 10D1	Ⴜ 10E1	Ⴝ 10F1
2	Ⴞ 10A2	Ⴟ 10B2	Ⴀ 10C2	Ⴁ 10D2	Ⴂ 10E2	Ⴃ 10F2
3	Ⴄ 10A3	Ⴅ 10B3	Ⴆ 10C3	Ⴇ 10D3	Ⴈ 10E3	Ⴉ 10F3
4	Ⴊ 10A4	Ⴋ 10B4	Ⴌ 10C4	Ⴍ 10D4	Ⴎ 10E4	Ⴏ 10F4
5	Ⴐ 10A5	Ⴑ 10B5	Ⴒ 10C5	Ⴓ 10D5	Ⴔ 10E5	Ⴕ 10F5
6	Ⴖ 10A6	Ⴗ 10B6		Ⴘ 10D6	Ⴙ 10E6	Ⴚ 10F6
7	Ⴛ 10A7	Ⴜ 10B7		Ⴝ 10D7	Ⴞ 10E7	Ⴟ 10F7
8	Ⴀ 10A8	Ⴁ 10B8		Ⴂ 10D8	Ⴃ 10E8	Ⴄ 10F8
9	Ⴅ 10A9	Ⴆ 10B9		Ⴇ 10D9	Ⴈ 10E9	Ⴉ 10F9
A	Ⴊ 10AA	Ⴋ 10BA		Ⴌ 10DA	Ⴍ 10EA	Ⴎ 10FA
B	Ⴐ 10AB	Ⴑ 10BB		Ⴓ 10DB	Ⴔ 10EB	Ⴕ 10FB
C	Ⴖ 10AC	Ⴗ 10BC		Ⴘ 10DC	Ⴙ 10EC	Ⴚ 10FC
D	Ⴛ 10AD	Ⴜ 10BD		Ⴝ 10DD	Ⴞ 10ED	
E	Ⴀ 10AE	Ⴁ 10BE		Ⴂ 10DE	Ⴃ 10EE	
F	Ⴅ 10AF	Ⴆ 10BF		Ⴇ 10DF	Ⴈ 10EF	

G = 00

P = 00

Table 36 - Row 10: Georgian

HEX	NAME	HEX	NAME
10A0	GEORGIAN CAPITAL LETTER AN (Khutsuri)	10FD	(This position shall not be used)
10A1	GEORGIAN CAPITAL LETTER BAN (Khutsuri)	10FE	(This position shall not be used)
10A2	GEORGIAN CAPITAL LETTER GAN (Khutsuri)	10FF	(This position shall not be used)
10A3	GEORGIAN CAPITAL LETTER DON (Khutsuri)		
10A4	GEORGIAN CAPITAL LETTER EN (Khutsuri)		
10A5	GEORGIAN CAPITAL LETTER VIN (Khutsuri)		
10A6	GEORGIAN CAPITAL LETTER ZEN (Khutsuri)		
10A7	GEORGIAN CAPITAL LETTER TAN (Khutsuri)		
10A8	GEORGIAN CAPITAL LETTER IN (Khutsuri)		
10A9	GEORGIAN CAPITAL LETTER KAN (Khutsuri)		
10AA	GEORGIAN CAPITAL LETTER LAS (Khutsuri)		
10AB	GEORGIAN CAPITAL LETTER MAN (Khutsuri)		
10AC	GEORGIAN CAPITAL LETTER NAR (Khutsuri)		
10AD	GEORGIAN CAPITAL LETTER ON (Khutsuri)		
10AE	GEORGIAN CAPITAL LETTER PAR (Khutsuri)		
10AF	GEORGIAN CAPITAL LETTER ZHAR (Khutsuri)		
10B0	GEORGIAN CAPITAL LETTER RAE (Khutsuri)		
10B1	GEORGIAN CAPITAL LETTER SAN (Khutsuri)		
10B2	GEORGIAN CAPITAL LETTER TAR (Khutsuri)		
10B3	GEORGIAN CAPITAL LETTER UN (Khutsuri)		
10B4	GEORGIAN CAPITAL LETTER PHAR (Khutsuri)		
10B5	GEORGIAN CAPITAL LETTER KHAR (Khutsuri)		
10B6	GEORGIAN CAPITAL LETTER GHAN (Khutsuri)		
10B7	GEORGIAN CAPITAL LETTER QAR (Khutsuri)		
10B8	GEORGIAN CAPITAL LETTER SHIN (Khutsuri)		
10B9	GEORGIAN CAPITAL LETTER CHIN (Khutsuri)		
10BA	GEORGIAN CAPITAL LETTER CAN (Khutsuri)		
10BB	GEORGIAN CAPITAL LETTER JIL (Khutsuri)		
10BC	GEORGIAN CAPITAL LETTER CIL (Khutsuri)		
10BD	GEORGIAN CAPITAL LETTER CHAR (Khutsuri)		
10BE	GEORGIAN CAPITAL LETTER XAN (Khutsuri)		
10BF	GEORGIAN CAPITAL LETTER JHAN (Khutsuri)		
10C0	GEORGIAN CAPITAL LETTER HAE (Khutsuri)		
10C1	GEORGIAN CAPITAL LETTER HE (Khutsuri)		
10C2	GEORGIAN CAPITAL LETTER HIE (Khutsuri)		
10C3	GEORGIAN CAPITAL LETTER WE (Khutsuri)		
10C4	GEORGIAN CAPITAL LETTER HAR (Khutsuri)		
10C5	GEORGIAN CAPITAL LETTER HOE (Khutsuri)		
10C6	(This position shall not be used)		
10C7	(This position shall not be used)		
10C8	(This position shall not be used)		
10C9	(This position shall not be used)		
10CA	(This position shall not be used)		
10CB	(This position shall not be used)		
10CC	(This position shall not be used)		
10CD	(This position shall not be used)		
10CE	(This position shall not be used)		
10CF	(This position shall not be used)		
10D0	GEORGIAN LETTER AN		
10D1	GEORGIAN LETTER BAN		
10D2	GEORGIAN LETTER GAN		
10D3	GEORGIAN LETTER DON		
10D4	GEORGIAN LETTER EN		
10D5	GEORGIAN LETTER VIN		
10D6	GEORGIAN LETTER ZEN		
10D7	GEORGIAN LETTER TAN		
10D8	GEORGIAN LETTER IN		
10D9	GEORGIAN LETTER KAN		
10DA	GEORGIAN LETTER LAS		
10DB	GEORGIAN LETTER MAN		
10DC	GEORGIAN LETTER NAR		
10DD	GEORGIAN LETTER ON		
10DE	GEORGIAN LETTER PAR		
10DF	GEORGIAN LETTER ZHAR		
10E0	GEORGIAN LETTER RAE		
10E1	GEORGIAN LETTER SAN		
10E2	GEORGIAN LETTER TAR		
10E3	GEORGIAN LETTER UN		
10E4	GEORGIAN LETTER PHAR		
10E5	GEORGIAN LETTER KHAR		
10E6	GEORGIAN LETTER GHAN		
10E7	GEORGIAN LETTER QAR		
10E8	GEORGIAN LETTER SHIN		
10E9	GEORGIAN LETTER CHIN		
10EA	GEORGIAN LETTER CAN		
10EB	GEORGIAN LETTER JIL		
10EC	GEORGIAN LETTER CIL		
10ED	GEORGIAN LETTER CHAR		
10EE	GEORGIAN LETTER XAN		
10EF	GEORGIAN LETTER JHAN		
10F0	GEORGIAN LETTER HAE		
10F1	GEORGIAN LETTER HE		
10F2	GEORGIAN LETTER HIE		
10F3	GEORGIAN LETTER WE		
10F4	GEORGIAN LETTER HAR		
10F5	GEORGIAN LETTER HOE		
10F6	GEORGIAN LETTER FI		
10F7	GEORGIAN LETTER YN		
10F8	GEORGIAN LETTER ELIFI		
10F9	GEORGIAN LETTER TURNED GAN		
10FA	GEORGIAN LETTER AIN		
10FB	GEORGIAN PARAGRAPH SEPARATOR		
10FC	MODIFIER LETTER GEORGIAN NAR		

Table 39 - Row 12: Ethiopic

	120	121	122	123	124	125	126	127
0	ሀ 1200	ሐ 1210	ሠ 1220	ሰ 1230	ቀ 1240	ቐ 1250		ተ 1270
1	ሁ 1201	ሑ 1211	ሠ 1221	ሱ 1231	ቁ 1241	ቑ 1251		ቱ 1271
2	ሂ 1202	ሒ 1212	ሢ 1222	ሲ 1232	ቂ 1242	ቊ 1252	ቢ 1262	ቲ 1272
3	ሃ 1203	ሓ 1213	ሣ 1223	ሳ 1233	ቃ 1243	ቍ 1253	ባ 1263	ታ 1273
4	ሄ 1204	ሔ 1214	ሣ 1224	ቆ 1234	ቄ 1244	ቆ 1254	ቤ 1264	ቲ 1274
5	ህ 1205	ሕ 1215	ሥ 1225	ሰ 1235	ቅ 1245	ቐ 1255	ብ 1265	ት 1275
6	ሆ 1206	ሐ 1216	ሦ 1226	ሶ 1236	ቆ 1246	ቐ 1256	ቦ 1266	ቶ 1276
7	ሀ 1207	ሐ 1217	ሢ 1227	ሲ 1237	ቆ 1247		ቢ 1267	ቲ 1277
8	ለ 1208	መ 1218	ረ 1228	ሸ 1238	ቈ 1248	ቐ 1258	ሸ 1268	ቸ 1278
9	ሉ 1209	ሙ 1219	ሩ 1229	ሹ 1239			ሹ 1269	ቹ 1279
A	ሊ 120A	ሚ 121A	ሪ 122A	ሺ 123A	ቀ 124A		ሺ 126A	ቺ 127A
B	ላ 120B	ማ 121B	ራ 122B	ሻ 123B	ቁ 124B		ሻ 126B	ቻ 127B
C	ሌ 120C	ሚ 121C	ሪ 122C	ሺ 123C	ቁ 124C		ሺ 126C	ቺ 127C
D	ል 120D	ም 121D	ር 122D	ሸ 123D	ቀ 124D		ሸ 126D	ቸ 127D
E	ሎ 120E	ሞ 121E	ሮ 122E	ሾ 123E			ሾ 126E	ቾ 127E
F	ሊ 120F	ሚ 121F	ሪ 122F	ሺ 123F			ሺ 126F	ቺ 127F

G = 00

P = 00

Table 39 - Row 12: Ethiopic

HEX	NAME	HEX	NAME
1200	ETHIOPIC SYLLABLE HA	125D	ETHIOPIC SYLLABLE QHWE
1201	ETHIOPIC SYLLABLE HU	125E	(This position shall not be used)
1202	ETHIOPIC SYLLABLE HI	125F	(This position shall not be used)
1203	ETHIOPIC SYLLABLE HAA	1260	ETHIOPIC SYLLABLE BA
1204	ETHIOPIC SYLLABLE HEE	1261	ETHIOPIC SYLLABLE BU
1205	ETHIOPIC SYLLABLE HE	1262	ETHIOPIC SYLLABLE BI
1206	ETHIOPIC SYLLABLE HO	1263	ETHIOPIC SYLLABLE BAA
1207	ETHIOPIC SYLLABLE HOA	1264	ETHIOPIC SYLLABLE BEE
1208	ETHIOPIC SYLLABLE LA	1265	ETHIOPIC SYLLABLE BE
1209	ETHIOPIC SYLLABLE LU	1266	ETHIOPIC SYLLABLE BO
120A	ETHIOPIC SYLLABLE LI	1267	ETHIOPIC SYLLABLE BWA
120B	ETHIOPIC SYLLABLE LAA	1268	ETHIOPIC SYLLABLE VA
120C	ETHIOPIC SYLLABLE LEE	1269	ETHIOPIC SYLLABLE VU
120D	ETHIOPIC SYLLABLE LE	126A	ETHIOPIC SYLLABLE VI
120E	ETHIOPIC SYLLABLE LO	126B	ETHIOPIC SYLLABLE VAA
120F	ETHIOPIC SYLLABLE LWA	126C	ETHIOPIC SYLLABLE VEE
1210	ETHIOPIC SYLLABLE HHA	126D	ETHIOPIC SYLLABLE VE
1211	ETHIOPIC SYLLABLE HHU	126E	ETHIOPIC SYLLABLE VO
1212	ETHIOPIC SYLLABLE HHI	126F	ETHIOPIC SYLLABLE VWA
1213	ETHIOPIC SYLLABLE HHAA	1270	ETHIOPIC SYLLABLE TA
1214	ETHIOPIC SYLLABLE HHEE	1271	ETHIOPIC SYLLABLE TU
1215	ETHIOPIC SYLLABLE HHE	1272	ETHIOPIC SYLLABLE TI
1216	ETHIOPIC SYLLABLE HHO	1273	ETHIOPIC SYLLABLE TAA
1217	ETHIOPIC SYLLABLE HHWA	1274	ETHIOPIC SYLLABLE TEE
1218	ETHIOPIC SYLLABLE MA	1275	ETHIOPIC SYLLABLE TE
1219	ETHIOPIC SYLLABLE MU	1276	ETHIOPIC SYLLABLE TO
121A	ETHIOPIC SYLLABLE MI	1277	ETHIOPIC SYLLABLE TWA
121B	ETHIOPIC SYLLABLE MAA	1278	ETHIOPIC SYLLABLE CA
121C	ETHIOPIC SYLLABLE MEE	1279	ETHIOPIC SYLLABLE CU
121D	ETHIOPIC SYLLABLE ME	127A	ETHIOPIC SYLLABLE CI
121E	ETHIOPIC SYLLABLE MO	127B	ETHIOPIC SYLLABLE CAA
121F	ETHIOPIC SYLLABLE MWA	127C	ETHIOPIC SYLLABLE CEE
1220	ETHIOPIC SYLLABLE SZA	127D	ETHIOPIC SYLLABLE CE
1221	ETHIOPIC SYLLABLE SZU	127E	ETHIOPIC SYLLABLE CO
1222	ETHIOPIC SYLLABLE SZI	127F	ETHIOPIC SYLLABLE CWA
1223	ETHIOPIC SYLLABLE SZAA		
1224	ETHIOPIC SYLLABLE SZEE		
1225	ETHIOPIC SYLLABLE SZE		
1226	ETHIOPIC SYLLABLE SZO		
1227	ETHIOPIC SYLLABLE SZWA		
1228	ETHIOPIC SYLLABLE RA		
1229	ETHIOPIC SYLLABLE RU		
122A	ETHIOPIC SYLLABLE RI		
122B	ETHIOPIC SYLLABLE RAA		
122C	ETHIOPIC SYLLABLE REE		
122D	ETHIOPIC SYLLABLE RE		
122E	ETHIOPIC SYLLABLE RO		
122F	ETHIOPIC SYLLABLE RWA		
1230	ETHIOPIC SYLLABLE SA		
1231	ETHIOPIC SYLLABLE SU		
1232	ETHIOPIC SYLLABLE SI		
1233	ETHIOPIC SYLLABLE SAA		
1234	ETHIOPIC SYLLABLE SEE		
1235	ETHIOPIC SYLLABLE SE		
1236	ETHIOPIC SYLLABLE SO		
1237	ETHIOPIC SYLLABLE SWA		
1238	ETHIOPIC SYLLABLE SHA		
1239	ETHIOPIC SYLLABLE SHU		
123A	ETHIOPIC SYLLABLE SHI		
123B	ETHIOPIC SYLLABLE SHAA		
123C	ETHIOPIC SYLLABLE SHEE		
123D	ETHIOPIC SYLLABLE SHE		
123E	ETHIOPIC SYLLABLE SHO		
123F	ETHIOPIC SYLLABLE SHWA		
1240	ETHIOPIC SYLLABLE QA		
1241	ETHIOPIC SYLLABLE QU		
1242	ETHIOPIC SYLLABLE QI		
1243	ETHIOPIC SYLLABLE QAA		
1244	ETHIOPIC SYLLABLE QEE		
1245	ETHIOPIC SYLLABLE QE		
1246	ETHIOPIC SYLLABLE QO		
1247	ETHIOPIC SYLLABLE QOA		
1248	ETHIOPIC SYLLABLE QWA		
1249	(This position shall not be used)		
124A	ETHIOPIC SYLLABLE QWI		
124B	ETHIOPIC SYLLABLE QWAA		
124C	ETHIOPIC SYLLABLE QWEE		
124D	ETHIOPIC SYLLABLE QWE		
124E	(This position shall not be used)		
124F	(This position shall not be used)		
1250	ETHIOPIC SYLLABLE QHA		
1251	ETHIOPIC SYLLABLE QHU		
1252	ETHIOPIC SYLLABLE QHI		
1253	ETHIOPIC SYLLABLE QHAA		
1254	ETHIOPIC SYLLABLE QHEE		
1255	ETHIOPIC SYLLABLE QHE		
1256	ETHIOPIC SYLLABLE QHO		
1257	(This position shall not be used)		
1258	ETHIOPIC SYLLABLE QHWA		
1259	(This position shall not be used)		
125A	ETHIOPIC SYLLABLE QHWI		
125B	ETHIOPIC SYLLABLE QHWAA		
125C	ETHIOPIC SYLLABLE QHWEE		

Table 40 - Row 12: Ethiopic

	128	129	12A	12B	12C	12D	12E	12F
0	ሀ 1280	ሁ 1290	ሐ 12A0	ከ 12B0	ኸ 12C0	ዐ 12D0	ዠ 12E0	ዡ 12F0
1	ተ 1281	ኑ 1291	ኡ 12A1			ዑ 12D1	ዡ 12E1	ዢ 12F1
2	ረ 1282	ረ 1292	ኢ 12A2	ኩ 12B2	ኸ 12C2	ዒ 12D2	ዢ 12E2	ዣ 12F2
3	ሪ 1283	ና 1293	ኣ 12A3	ኳ 12B3	ኸ 12C3	ዓ 12D3	ዣ 12E3	ዤ 12F3
4	ሪ 1284	ኔ 1294	ኤ 12A4	ኴ 12B4	ኸ 12C4	ዓ 12D4	ዣ 12E4	ዥ 12F4
5	ሪ 1285	ን 1295	ኦ 12A5	ኵ 12B5	ኸ 12C5	ዐ 12D5	ዣ 12E5	ዦ 12F5
6	ሮ 1286	ኖ 1296	አ 12A6			ዐ 12D6	ዣ 12E6	ዦ 12F6
7	ሮ 1287	ኗ 1297	ኦ 12A7				ዣ 12E7	ዦ 12F7
8	ሪ 1288	ኘ 1298	ከ 12A8	ኸ 12B8	ዐ 12C8	ዠ 12D8	ዢ 12E8	ዣ 12F8
9		ኙ 1299	ኩ 12A9	ኸ 12B9	ዐ 12C9	ዠ 12D9	ዢ 12E9	ዣ 12F9
A	ሪ 128A	ኘ 129A	ከ 12AA	ኸ 12BA	ዐ 12CA	ዠ 12DA	ዢ 12EA	ዣ 12FA
B	ሪ 128B	ኘ 129B	ከ 12AB	ኸ 12BB	ዐ 12CB	ዠ 12DB	ዢ 12EB	ዣ 12FB
C	ሪ 128C	ኘ 129C	ከ 12AC	ኸ 12BC	ዐ 12CC	ዠ 12DC	ዢ 12EC	ዣ 12FC
D	ሪ 128D	ኘ 129D	ከ 12AD	ኸ 12BD	ዐ 12CD	ዠ 12DD	ዢ 12ED	ዣ 12FD
E		ሮ 129E	ኩ 12AE	ኸ 12BE	ዐ 12CE	ዠ 12DE	ዢ 12EE	ዣ 12FE
F		ኗ 129F	ኦ 12AF		ዐ 12CF	ዠ 12DF	ዢ 12EF	ዣ 12FF

G = 00

P = 00

Table 40 - Row 12: Ethiopic

HEX	NAME	HEX	NAME
1280	ETHIOPIC SYLLABLE XA	12DD	ETHIOPIC SYLLABLE ZE
1281	ETHIOPIC SYLLABLE XU	12DE	ETHIOPIC SYLLABLE ZO
1282	ETHIOPIC SYLLABLE XI	12DF	ETHIOPIC SYLLABLE ZWA
1283	ETHIOPIC SYLLABLE XAA	12E0	ETHIOPIC SYLLABLE ZHA
1284	ETHIOPIC SYLLABLE XEE	12E1	ETHIOPIC SYLLABLE ZHU
1285	ETHIOPIC SYLLABLE XE	12E2	ETHIOPIC SYLLABLE ZHI
1286	ETHIOPIC SYLLABLE XO	12E3	ETHIOPIC SYLLABLE ZHAA
1287	ETHIOPIC SYLLABLE XOA	12E4	ETHIOPIC SYLLABLE ZHEE
1288	ETHIOPIC SYLLABLE XWA	12E5	ETHIOPIC SYLLABLE ZHE
1289	(This position shall not be used)	12E6	ETHIOPIC SYLLABLE ZHO
128A	ETHIOPIC SYLLABLE XWI	12E7	ETHIOPIC SYLLABLE ZHWA
128B	ETHIOPIC SYLLABLE XWAA	12E8	ETHIOPIC SYLLABLE YA
128C	ETHIOPIC SYLLABLE XWEE	12E9	ETHIOPIC SYLLABLE YU
128D	ETHIOPIC SYLLABLE XWE	12EA	ETHIOPIC SYLLABLE YI
128E	(This position shall not be used)	12EB	ETHIOPIC SYLLABLE YAA
128F	(This position shall not be used)	12EC	ETHIOPIC SYLLABLE YEE
1290	ETHIOPIC SYLLABLE NA	12ED	ETHIOPIC SYLLABLE YE
1291	ETHIOPIC SYLLABLE NU	12EE	ETHIOPIC SYLLABLE YO
1292	ETHIOPIC SYLLABLE NI	12EF	ETHIOPIC SYLLABLE YOA
1293	ETHIOPIC SYLLABLE NAA	12F0	ETHIOPIC SYLLABLE DA
1294	ETHIOPIC SYLLABLE NEE	12F1	ETHIOPIC SYLLABLE DU
1295	ETHIOPIC SYLLABLE NE	12F2	ETHIOPIC SYLLABLE DI
1296	ETHIOPIC SYLLABLE NO	12F3	ETHIOPIC SYLLABLE DAA
1297	ETHIOPIC SYLLABLE NWA	12F4	ETHIOPIC SYLLABLE DEE
1298	ETHIOPIC SYLLABLE NYA	12F5	ETHIOPIC SYLLABLE DE
1299	ETHIOPIC SYLLABLE NYU	12F6	ETHIOPIC SYLLABLE DO
129A	ETHIOPIC SYLLABLE NYI	12F7	ETHIOPIC SYLLABLE DWA
129B	ETHIOPIC SYLLABLE NYAA	12F8	ETHIOPIC SYLLABLE DDA
129C	ETHIOPIC SYLLABLE NYEE	12F9	ETHIOPIC SYLLABLE DDU
129D	ETHIOPIC SYLLABLE NYE	12FA	ETHIOPIC SYLLABLE DDI
129E	ETHIOPIC SYLLABLE NYO	12FB	ETHIOPIC SYLLABLE DDAA
129F	ETHIOPIC SYLLABLE NYWA	12FC	ETHIOPIC SYLLABLE DDEE
12A0	ETHIOPIC SYLLABLE GLOTTAL A	12FD	ETHIOPIC SYLLABLE DDE
12A1	ETHIOPIC SYLLABLE GLOTTAL U	12FE	ETHIOPIC SYLLABLE DDO
12A2	ETHIOPIC SYLLABLE GLOTTAL I	12FF	ETHIOPIC SYLLABLE DDWA
12A3	ETHIOPIC SYLLABLE GLOTTAL AA		
12A4	ETHIOPIC SYLLABLE GLOTTAL EE		
12A5	ETHIOPIC SYLLABLE GLOTTAL E		
12A6	ETHIOPIC SYLLABLE GLOTTAL O		
12A7	ETHIOPIC SYLLABLE GLOTTAL WA		
12A8	ETHIOPIC SYLLABLE KA		
12A9	ETHIOPIC SYLLABLE KU		
12AA	ETHIOPIC SYLLABLE KI		
12AB	ETHIOPIC SYLLABLE KAA		
12AC	ETHIOPIC SYLLABLE KEE		
12AD	ETHIOPIC SYLLABLE KE		
12AE	ETHIOPIC SYLLABLE KO		
12AF	ETHIOPIC SYLLABLE KOA		
12B0	ETHIOPIC SYLLABLE KWA		
12B1	(This position shall not be used)		
12B2	ETHIOPIC SYLLABLE KWI		
12B3	ETHIOPIC SYLLABLE KWAA		
12B4	ETHIOPIC SYLLABLE KWEE		
12B5	ETHIOPIC SYLLABLE KWE		
12B6	(This position shall not be used)		
12B7	(This position shall not be used)		
12B8	ETHIOPIC SYLLABLE KXA		
12B9	ETHIOPIC SYLLABLE KXU		
12BA	ETHIOPIC SYLLABLE KXI		
12BB	ETHIOPIC SYLLABLE KXAA		
12BC	ETHIOPIC SYLLABLE KXEE		
12BD	ETHIOPIC SYLLABLE KXE		
12BE	ETHIOPIC SYLLABLE KXO		
12BF	(This position shall not be used)		
12C0	ETHIOPIC SYLLABLE KXWA		
12C1	(This position shall not be used)		
12C2	ETHIOPIC SYLLABLE KXWI		
12C3	ETHIOPIC SYLLABLE KXWAA		
12C4	ETHIOPIC SYLLABLE KXWEE		
12C5	ETHIOPIC SYLLABLE KXWE		
12C6	(This position shall not be used)		
12C7	(This position shall not be used)		
12C8	ETHIOPIC SYLLABLE WA		
12C9	ETHIOPIC SYLLABLE WU		
12CA	ETHIOPIC SYLLABLE WI		
12CB	ETHIOPIC SYLLABLE WAA		
12CC	ETHIOPIC SYLLABLE WEE		
12CD	ETHIOPIC SYLLABLE WE		
12CE	ETHIOPIC SYLLABLE WO		
12CF	ETHIOPIC SYLLABLE WOA		
12D0	ETHIOPIC SYLLABLE PHARYNGEAL A		
12D1	ETHIOPIC SYLLABLE PHARYNGEAL U		
12D2	ETHIOPIC SYLLABLE PHARYNGEAL I		
12D3	ETHIOPIC SYLLABLE PHARYNGEAL AA		
12D4	ETHIOPIC SYLLABLE PHARYNGEAL EE		
12D5	ETHIOPIC SYLLABLE PHARYNGEAL E		
12D6	ETHIOPIC SYLLABLE PHARYNGEAL O		
12D7	(This position shall not be used)		
12D8	ETHIOPIC SYLLABLE ZA		
12D9	ETHIOPIC SYLLABLE ZU		
12DA	ETHIOPIC SYLLABLE ZI		
12DB	ETHIOPIC SYLLABLE ZAA		
12DC	ETHIOPIC SYLLABLE ZEE		

Table 41 - Row 13: Ethiopic

	130	131	132	133	134	135	136	137
0	ጀ 1300	ጐ 1310	ጠ 1320	ጰ 1330	ፀ 1340	ፐ 1350	※ 1360	ፑ 1370
1	ጁ 1301		ጡ 1321	ጱ 1331	ፁ 1341	ፒ 1351	፣ 1361	ፒ 1371
2	ጂ 1302	ጒ 1312	ጢ 1322	ጲ 1332	፺ 1342	ፓ 1352	፥ 1362	ፓ 1372
3	ጃ 1303	ጓ 1313	ጣ 1323	ጳ 1333	፻ 1343	ፔ 1353	፤ 1363	ፔ 1373
4	ጄ 1304	ጔ 1314	ጤ 1324	ጴ 1334	፼ 1344	ፕ 1354	፪ 1364	ፕ 1374
5	ጅ 1305	ጕ 1315	ጥ 1325	ጵ 1335	፽ 1345	ፕ 1355	፫ 1365	ፕ 1375
6	ጆ 1306		ጦ 1326	ጶ 1336	፿ 1346	ፖ 1356	፬ 1366	ፖ 1376
7	ጇ 1307		ጧ 1327	ጷ 1337	፷ 1347	ፑ 1357	፭ 1367	ፑ 1377
8	ገ 1308	጖ 1318	ጮ 1328	ጸ 1338	፬ 1348	ፑ 1358	፮ 1368	ፑ 1378
9	ገ 1309	጖ 1319	ጮ 1329	ጸ 1339	፬ 1349	ፑ 1359	፮ 1369	ፑ 1379
A	ገ 130A	጖ 131A	ጮ 132A	ጸ 133A	፬ 134A	ፑ 135A	፮ 136A	ፑ 137A
B	ገ 130B	጖ 131B	ጮ 132B	ጸ 133B	፬ 134B		፮ 136B	ፑ 137B
C	ገ 130C	጖ 131C	ጮ 132C	ጸ 133C	፬ 134C		፮ 136C	ፑ 137C
D	ገ 130D	጖ 131D	ጮ 132D	ጸ 133D	፬ 134D		፮ 136D	
E	ገ 130E	጖ 131E	ጮ 132E	ጸ 133E	፬ 134E		፮ 136E	
F	ገ 130F	጖ 131F	ጮ 132F	ጸ 133F	፬ 134F	፬ 135F	፮ 136F	

G = 00

P = 00

Table 41 - Row 13: Ethiopic

HEX	NAME	HEX	NAME
1300	ETHIOPIC SYLLABLE JA	135D	(This position shall not be used)
1301	ETHIOPIC SYLLABLE JU	135E	(This position shall not be used)
1302	ETHIOPIC SYLLABLE JI	135F	ETHIOPIC COMBINING GEMINATION MARK
1303	ETHIOPIC SYLLABLE JAA	1360	ETHIOPIC SECTION MARK
1304	ETHIOPIC SYLLABLE JEE	1361	ETHIOPIC WORDSPACE
1305	ETHIOPIC SYLLABLE JE	1362	ETHIOPIC FULL STOP
1306	ETHIOPIC SYLLABLE JO	1363	ETHIOPIC COMMA
1307	ETHIOPIC SYLLABLE JWA	1364	ETHIOPIC SEMICOLON
1308	ETHIOPIC SYLLABLE GA	1365	ETHIOPIC COLON
1309	ETHIOPIC SYLLABLE GU	1366	ETHIOPIC PREFACE COLON
130A	ETHIOPIC SYLLABLE GI	1367	ETHIOPIC QUESTION MARK
130B	ETHIOPIC SYLLABLE GAA	1368	ETHIOPIC PARAGRAPH SEPARATOR
130C	ETHIOPIC SYLLABLE GEE	1369	ETHIOPIC DIGIT ONE
130D	ETHIOPIC SYLLABLE GE	136A	ETHIOPIC DIGIT TWO
130E	ETHIOPIC SYLLABLE GO	136B	ETHIOPIC DIGIT THREE
130F	ETHIOPIC SYLLABLE GOA	136C	ETHIOPIC DIGIT FOUR
1310	ETHIOPIC SYLLABLE GWA	136D	ETHIOPIC DIGIT FIVE
1311	(This position shall not be used)	136E	ETHIOPIC DIGIT SIX
1312	ETHIOPIC SYLLABLE GWI	136F	ETHIOPIC DIGIT SEVEN
1313	ETHIOPIC SYLLABLE GWAA	1370	ETHIOPIC DIGIT EIGHT
1314	ETHIOPIC SYLLABLE GWEE	1371	ETHIOPIC DIGIT NINE
1315	ETHIOPIC SYLLABLE GWE	1372	ETHIOPIC NUMBER TEN
1316	(This position shall not be used)	1373	ETHIOPIC NUMBER TWENTY
1317	(This position shall not be used)	1374	ETHIOPIC NUMBER THIRTY
1318	ETHIOPIC SYLLABLE GGA	1375	ETHIOPIC NUMBER FORTY
1319	ETHIOPIC SYLLABLE GGU	1376	ETHIOPIC NUMBER FIFTY
131A	ETHIOPIC SYLLABLE GGI	1377	ETHIOPIC NUMBER SIXTY
131B	ETHIOPIC SYLLABLE GGAA	1378	ETHIOPIC NUMBER SEVENTY
131C	ETHIOPIC SYLLABLE GGEE	1379	ETHIOPIC NUMBER EIGHTY
131D	ETHIOPIC SYLLABLE GGE	137A	ETHIOPIC NUMBER NINETY
131E	ETHIOPIC SYLLABLE GGO	137B	ETHIOPIC NUMBER HUNDRED
131F	ETHIOPIC SYLLABLE GGWAA	137C	ETHIOPIC NUMBER TEN THOUSAND
1320	ETHIOPIC SYLLABLE THA	137D	(This position shall not be used)
1321	ETHIOPIC SYLLABLE THU	137E	(This position shall not be used)
1322	ETHIOPIC SYLLABLE THI	137F	(This position shall not be used)
1323	ETHIOPIC SYLLABLE THAA		
1324	ETHIOPIC SYLLABLE THEE		
1325	ETHIOPIC SYLLABLE THE		
1326	ETHIOPIC SYLLABLE THO		
1327	ETHIOPIC SYLLABLE THWA		
1328	ETHIOPIC SYLLABLE CHA		
1329	ETHIOPIC SYLLABLE CHU		
132A	ETHIOPIC SYLLABLE CHI		
132B	ETHIOPIC SYLLABLE CHAA		
132C	ETHIOPIC SYLLABLE CHEE		
132D	ETHIOPIC SYLLABLE CHE		
132E	ETHIOPIC SYLLABLE CHO		
132F	ETHIOPIC SYLLABLE CHWA		
1330	ETHIOPIC SYLLABLE PHA		
1331	ETHIOPIC SYLLABLE PHU		
1332	ETHIOPIC SYLLABLE PHI		
1333	ETHIOPIC SYLLABLE PHAA		
1334	ETHIOPIC SYLLABLE PHEE		
1335	ETHIOPIC SYLLABLE PHE		
1336	ETHIOPIC SYLLABLE PHO		
1337	ETHIOPIC SYLLABLE PHWA		
1338	ETHIOPIC SYLLABLE TSA		
1339	ETHIOPIC SYLLABLE TSU		
133A	ETHIOPIC SYLLABLE TSI		
133B	ETHIOPIC SYLLABLE TSAA		
133C	ETHIOPIC SYLLABLE TSEE		
133D	ETHIOPIC SYLLABLE TSE		
133E	ETHIOPIC SYLLABLE TSO		
133F	ETHIOPIC SYLLABLE TSWA		
1340	ETHIOPIC SYLLABLE TZA		
1341	ETHIOPIC SYLLABLE TZU		
1342	ETHIOPIC SYLLABLE TZI		
1343	ETHIOPIC SYLLABLE TZAA		
1344	ETHIOPIC SYLLABLE TZEE		
1345	ETHIOPIC SYLLABLE TZE		
1346	ETHIOPIC SYLLABLE TZO		
1347	ETHIOPIC SYLLABLE TZOAA		
1348	ETHIOPIC SYLLABLE FA		
1349	ETHIOPIC SYLLABLE FU		
134A	ETHIOPIC SYLLABLE FI		
134B	ETHIOPIC SYLLABLE FAA		
134C	ETHIOPIC SYLLABLE FEE		
134D	ETHIOPIC SYLLABLE FE		
134E	ETHIOPIC SYLLABLE FO		
134F	ETHIOPIC SYLLABLE FWA		
1350	ETHIOPIC SYLLABLE PA		
1351	ETHIOPIC SYLLABLE PU		
1352	ETHIOPIC SYLLABLE PI		
1353	ETHIOPIC SYLLABLE PAA		
1354	ETHIOPIC SYLLABLE PEE		
1355	ETHIOPIC SYLLABLE PE		
1356	ETHIOPIC SYLLABLE PO		
1357	ETHIOPIC SYLLABLE PWA		
1358	ETHIOPIC SYLLABLE RYA		
1359	ETHIOPIC SYLLABLE MYA		
135A	ETHIOPIC SYLLABLE FYA		
135B	(This position shall not be used)		
135C	(This position shall not be used)		

Table 42 - Row 13: Ethiopic Supplement

	138	139
0	ሙ 1380	ሥ 1390
1	ሚ 1381	ሪ 1391
2	ሜ 1382	ሪ 1392
3	ሞ 1383	ሪ 1393
4	ሰ 1384	ሪ 1394
5	ሰ 1385	ሪ 1395
6	ሰ 1386	ሪ 1396
7	ሰ 1387	ሪ 1397
8	ሰ 1388	ሪ 1398
9	ሰ 1389	ሪ 1399
A	ሰ 138A	
B	ሰ 138B	
C	ሰ 138C	
D	ሰ 138D	
E	ሰ 138E	
F	ሰ 138F	

G = 00

P = 00

Table 42 - Row 13: Ethiopic Supplement

HEX	NAME	HEX	NAME
1380	ETHIOPIC SYLLABLE SEBATBEIT MWA		
1381	ETHIOPIC SYLLABLE MWI		
1382	ETHIOPIC SYLLABLE MWEE		
1383	ETHIOPIC SYLLABLE MWE		
1384	ETHIOPIC SYLLABLE SEBATBEIT BWA		
1385	ETHIOPIC SYLLABLE BWI		
1386	ETHIOPIC SYLLABLE BWEE		
1387	ETHIOPIC SYLLABLE BWE		
1388	ETHIOPIC SYLLABLE SEBATBEIT FWA		
1389	ETHIOPIC SYLLABLE FWI		
138A	ETHIOPIC SYLLABLE FWEE		
138B	ETHIOPIC SYLLABLE FWE		
138C	ETHIOPIC SYLLABLE SEBATBEIT PWA		
138D	ETHIOPIC SYLLABLE PWI		
138E	ETHIOPIC SYLLABLE PWEE		
138F	ETHIOPIC SYLLABLE PWE		
1390	ETHIOPIC TONAL MARK YIZET		
1391	ETHIOPIC TONAL MARK DERET		
1392	ETHIOPIC TONAL MARK RIKRIK		
1393	ETHIOPIC TONAL MARK SHORT RIKRIK		
1394	ETHIOPIC TONAL MARK DIFAT		
1395	ETHIOPIC TONAL MARK KENAT		
1396	ETHIOPIC TONAL MARK CHIRET		
1397	ETHIOPIC TONAL MARK HIDET		
1398	ETHIOPIC TONAL MARK DERET-HIDET		
1399	ETHIOPIC TONAL MARK KURT		
139A	(This position shall not be used)		
139B	(This position shall not be used)		
139C	(This position shall not be used)		
139D	(This position shall not be used)		
139E	(This position shall not be used)		
139F	(This position shall not be used)		

Group 00

Plane 00

Row 13

Table 58 - Row 19: New Tai Lue

	198	199	19A	19B	19C	19D
0	ꪀ 1980	ꪁ 1990	ꪂ 19A0	ꪃ 19B0	ꪄ 19C0	ꪅ 19D0
1	ꪆ 1981	ꪇ 1991	ꪈ 19A1	ꪉ 19B1	ꪊ 19C1	ꪋ 19D1
2	ꪌ 1982	ꪍ 1992	ꪎ 19A2	ꪏ 19B2	ꪐ 19C2	ꪑ 19D2
3	ꪒ 1983	ꪓ 1993	ꪔ 19A3	ꪕ 19B3	ꪖ 19C3	ꪗ 19D3
4	ꪘ 1984	ꪙ 1994	ꪚ 19A4	ꪛ 19B4	ꪜ 19C4	ꪝ 19D4
5	ꪞ 1985	ꪟ 1995	ꪠ 19A5	ꪡ 19B5	ꪢ 19C5	ꪣ 19D5
6	ꪤ 1986	ꪥ 1996	ꪦ 19A6	ꪧ 19B6	ꪨ 19C6	ꪩ 19D6
7	ꪪ 1987	ꪫ 1997	ꪬ 19A7	ꪭ 19B7	ꪮ 19C7	ꪯ 19D7
8	ꪰ 1988	ꪱ 1998	ꪲ 19A8	ꪳ 19B8	ꪴ 19C8	ꪵ 19D8
9	ꪶ 1989	ꪷ 1999	ꪸ 19A9	ꪹ 19B9	ꪺ 19C9	ꪻ 19D9
A	ꪼ 198A	ꪽ 199A		ꪾ 19BA		
B	꪿ 198B	꬀ 199B		ꬁ 19BB		
C	ꬂ 198C	ꬃ 199C		ꬄ 19BC		
D	ꬅ 198D	ꬆ 199D		꬇ 19BD		
E	꬈ 198E	ꬉ 199E		ꬊ 19BE		ꬋ 19DE
F	ꬌ 198F	ꬍ 199F		ꬎ 19BF		꬏ 19DF

































G = 00

P = 00

Table 58 - Row 19: New Tai Lue

HEX	NAME	HEX	NAME
1980	NEW TAI LUE LETTER HIGH QA	19DD	(This position shall not be used)
1981	NEW TAI LUE LETTER LOW QA	19DE	NEW TAI LUE SIGN LE
1982	NEW TAI LUE LETTER HIGH KA	19DF	NEW TAI LUE SIGN LEW
1983	NEW TAI LUE LETTER HIGH XA		
1984	NEW TAI LUE LETTER HIGH NGA		
1985	NEW TAI LUE LETTER LOW KA		
1986	NEW TAI LUE LETTER LOW XA		
1987	NEW TAI LUE LETTER LOW NGA		
1988	NEW TAI LUE LETTER HIGH TSA		
1989	NEW TAI LUE LETTER HIGH SA		
198A	NEW TAI LUE LETTER HIGH YA		
198B	NEW TAI LUE LETTER LOW TSA		
198C	NEW TAI LUE LETTER LOW SA		
198D	NEW TAI LUE LETTER LOW YA		
198E	NEW TAI LUE LETTER HIGH TA		
198F	NEW TAI LUE LETTER HIGH THA		
1990	NEW TAI LUE LETTER HIGH NA		
1991	NEW TAI LUE LETTER LOW TA		
1992	NEW TAI LUE LETTER LOW THA		
1993	NEW TAI LUE LETTER LOW NA		
1994	NEW TAI LUE LETTER HIGH PA		
1995	NEW TAI LUE LETTER HIGH PHA		
1996	NEW TAI LUE LETTER HIGH MA		
1997	NEW TAI LUE LETTER LOW PA		
1998	NEW TAI LUE LETTER LOW PHA		
1999	NEW TAI LUE LETTER LOW MA		
199A	NEW TAI LUE LETTER HIGH FA		
199B	NEW TAI LUE LETTER HIGH VA		
199C	NEW TAI LUE LETTER HIGH LA		
199D	NEW TAI LUE LETTER LOW FA		
199E	NEW TAI LUE LETTER LOW VA		
199F	NEW TAI LUE LETTER LOW LA		
19A0	NEW TAI LUE LETTER HIGH HA		
19A1	NEW TAI LUE LETTER HIGH DA		
19A2	NEW TAI LUE LETTER HIGH BA		
19A3	NEW TAI LUE LETTER LOW HA		
19A4	NEW TAI LUE LETTER LOW DA		
19A5	NEW TAI LUE LETTER LOW BA		
19A6	NEW TAI LUE LETTER HIGH KVA		
19A7	NEW TAI LUE LETTER HIGH XVA		
19A8	NEW TAI LUE LETTER LOW KVA		
19A9	NEW TAI LUE LETTER LOW XVA		
19AA	(This position shall not be used)		
19AB	(This position shall not be used)		
19AC	(This position shall not be used)		
19AD	(This position shall not be used)		
19AE	(This position shall not be used)		
19AF	(This position shall not be used)		
19B0	NEW TAI LUE VOWEL SIGN VOWEL SHORTENER		
19B1	NEW TAI LUE VOWEL SIGN AA		
19B2	NEW TAI LUE VOWEL SIGN II		
19B3	NEW TAI LUE VOWEL SIGN U		
19B4	NEW TAI LUE VOWEL SIGN UU		
19B5	NEW TAI LUE VOWEL SIGN E		
19B6	NEW TAI LUE VOWEL SIGN AE		
19B7	NEW TAI LUE VOWEL SIGN O		
19B8	NEW TAI LUE VOWEL SIGN OA		
19B9	NEW TAI LUE VOWEL SIGN UE		
19BA	NEW TAI LUE VOWEL SIGN AY		
19BB	NEW TAI LUE VOWEL SIGN AAY		
19BC	NEW TAI LUE VOWEL SIGN UY		
19BD	NEW TAI LUE VOWEL SIGN OY		
19BE	NEW TAI LUE VOWEL SIGN OAY		
19BF	NEW TAI LUE VOWEL SIGN UEY		
19C0	NEW TAI LUE VOWEL SIGN IY		
19C1	NEW TAI LUE LETTER FINAL V		
19C2	NEW TAI LUE LETTER FINAL NG		
19C3	NEW TAI LUE LETTER FINAL N		
19C4	NEW TAI LUE LETTER FINAL M		
19C5	NEW TAI LUE LETTER FINAL K		
19C6	NEW TAI LUE LETTER FINAL D		
19C7	NEW TAI LUE LETTER FINAL B		
19C8	NEW TAI LUE TONE MARK-1		
19C9	NEW TAI LUE TONE MARK-2		
19CA	(This position shall not be used)		
19CB	(This position shall not be used)		
19CC	(This position shall not be used)		
19CD	(This position shall not be used)		
19CE	(This position shall not be used)		
19CF	(This position shall not be used)		
19D0	NEW TAI LUE DIGIT ZERO		
19D1	NEW TAI LUE DIGIT ONE		
19D2	NEW TAI LUE DIGIT TWO		
19D3	NEW TAI LUE DIGIT THREE		
19D4	NEW TAI LUE DIGIT FOUR		
19D5	NEW TAI LUE DIGIT FIVE		
19D6	NEW TAI LUE DIGIT SIX		
19D7	NEW TAI LUE DIGIT SEVEN		
19D8	NEW TAI LUE DIGIT EIGHT		
19D9	NEW TAI LUE DIGIT NINE		
19DA	(This position shall not be used)		
19DB	(This position shall not be used)		
19DC	(This position shall not be used)		

Table 60 - Row 1A: Buginese

	1A0	1A1
0	 1A00	 1A10
1	 1A01	 1A11
2	 1A02	 1A12
3	 1A03	 1A13
4	 1A04	 1A14
5	 1A05	 1A15
6	 1A06	 1A16
7	 1A07	 1A17
8	 1A08	 1A18
9	 1A09	 1A19
A	 1A0A	 1A1A
B	 1A0B	 1A1B
C	 1A0C	
D	 1A0D	
E	 1A0E	 1A1E
F	 1A0F	 1A1F

G = 00
P = 00

Table 60 - Row 1A: Buginese

HEX	NAME	HEX	NAME
1A00	BUGINESE LETTER KA		
1A01	BUGINESE LETTER GA		
1A02	BUGINESE LETTER NGA		
1A03	BUGINESE LETTER NGKA		
1A04	BUGINESE LETTER PA		
1A05	BUGINESE LETTER BA		
1A06	BUGINESE LETTER MA		
1A07	BUGINESE LETTER MPA		
1A08	BUGINESE LETTER TA		
1A09	BUGINESE LETTER DA		
1A0A	BUGINESE LETTER NA		
1A0B	BUGINESE LETTER NRA		
1A0C	BUGINESE LETTER CA		
1A0D	BUGINESE LETTER JA		
1A0E	BUGINESE LETTER NYA		
1A0F	BUGINESE LETTER NYCA		
1A10	BUGINESE LETTER YA		
1A11	BUGINESE LETTER RA		
1A12	BUGINESE LETTER LA		
1A13	BUGINESE LETTER VA		
1A14	BUGINESE LETTER SA		
1A15	BUGINESE LETTER A		
1A16	BUGINESE LETTER HA		
1A17	BUGINESE VOWEL SIGN I		
1A18	BUGINESE VOWEL SIGN U		
1A19	BUGINESE VOWEL SIGN E		
1A1A	BUGINESE VOWEL SIGN O		
1A1B	BUGINESE VOWEL SIGN AE		
1A1C	(This position shall not be used)		
1A1D	(This position shall not be used)		
1A1E	BUGINESE PALLAWA		
1A1F	BUGINESE END OF SECTION		

Group 00

Plane 00

Row 1A

Table 61 - Row 1D: Phonetic Extensions

	1D0	1D1	1D2	1D3	1D4	1D5	1D6	1D7
0	A 1D00	Ɔ 1D10	V 1D20	D 1D30	T 1D40	m 1D50	φ 1D60	𐌆 1D70
1	Æ 1D01	○ 1D11	W 1D21	E 1D31	U 1D41	ŋ 1D51	χ 1D61	𐌐 1D71
2	æ 1D02	◌̈ 1D12	Z 1D22	Ǝ 1D32	W 1D42	o 1D52	i 1D62	𐌒 1D72
3	B 1D03	⊙ 1D13	Ʒ 1D23	G 1D33	a 1D43	◌̊ 1D53	r 1D63	𐌔 1D73
4	C 1D04	∞ 1D14	ʔ 1D24	H 1D34	e 1D44	◌̋ 1D54	u 1D64	𐌖 1D74
5	D 1D05	8 1D15	⦿ 1D25	I 1D35	a 1D45	◌̌ 1D55	v 1D65	𐌘 1D75
6	Ð 1D06	◌̍ 1D16	Γ 1D26	J 1D36	æ 1D46	p 1D56	β 1D66	𐌚 1D76
7	E 1D07	◌̎ 1D17	Λ 1D27	K 1D37	b 1D47	t 1D57	γ 1D67	𐌜 1D77
8	Ʒ 1D08	P 1D18	Π 1D28	L 1D38	d 1D48	u 1D58	◌̏ 1D68	𐌞 1D78
9	İ 1D09	Я 1D19	P 1D29	M 1D39	e 1D49	◌̐ 1D59	φ 1D69	𐌠 1D79
A	J 1D0A	𐌆 1D1A	Ψ 1D2A	N 1D3A	ə 1D4A	𐌆 1D5A	χ 1D6A	𐌢 1D7A
B	K 1D0B	T 1D1B	Л 1D2B	И 1D3B	ε 1D4B	v 1D5B	œ 1D6B	𐌤 1D7B
C	L 1D0C	U 1D1C	A 1D2C	O 1D3C	э 1D4C	⦿ 1D5C	𐌨 1D6C	𐌦 1D7C
D	M 1D0D	◌̑ 1D1D	Æ 1D2D	8 1D3D	g 1D4D	β 1D5D	𐌪 1D6D	𐌬 1D7D
E	И 1D0E	◌̒ 1D1E	B 1D2E	P 1D3E	İ 1D4E	γ 1D5E	𐌮 1D6E	𐌰 1D7E
F	O 1D0F	𐌆 1D1F	B 1D2F	R 1D3F	k 1D4F	δ 1D5F	𐌮 1D6F	𐌲 1D7F

G = 00

P = 00

Table 61 - Row 1D: Phonetic Extensions

HEX	NAME	HEX	NAME
1D00	LATIN LETTER SMALL CAPITAL A	1D5D	MODIFIER LETTER SMALL BETA
1D01	LATIN LETTER SMALL CAPITAL AE	1D5E	MODIFIER LETTER SMALL GREEK GAMMA
1D02	LATIN SMALL LETTER TURNED AE	1D5F	MODIFIER LETTER SMALL DELTA
1D03	LATIN LETTER SMALL CAPITAL BARRED B	1D60	MODIFIER LETTER SMALL GREEK PHI
1D04	LATIN LETTER SMALL CAPITAL C	1D61	MODIFIER LETTER SMALL CHI
1D05	LATIN LETTER SMALL CAPITAL D	1D62	LATIN SUBSCRIPT SMALL LETTER I
1D06	LATIN LETTER SMALL CAPITAL ETH	1D63	LATIN SUBSCRIPT SMALL LETTER R
1D07	LATIN LETTER SMALL CAPITAL E	1D64	LATIN SUBSCRIPT SMALL LETTER U
1D08	LATIN SMALL LETTER TURNED OPEN E	1D65	LATIN SUBSCRIPT SMALL LETTER V
1D09	LATIN SMALL LETTER TURNED I	1D66	GREEK SUBSCRIPT SMALL LETTER BETA
1D0A	LATIN LETTER SMALL CAPITAL J	1D67	GREEK SUBSCRIPT SMALL LETTER GAMMA
1D0B	LATIN LETTER SMALL CAPITAL K	1D68	GREEK SUBSCRIPT SMALL LETTER RHO
1D0C	LATIN LETTER SMALL CAPITAL L WITH STROKE	1D69	GREEK SUBSCRIPT SMALL LETTER PHI
1D0D	LATIN LETTER SMALL CAPITAL M	1D6A	GREEK SUBSCRIPT SMALL LETTER CHI
1D0E	LATIN LETTER SMALL CAPITAL REVERSED N	1D6B	LATIN SMALL LETTER UE
1D0F	LATIN LETTER SMALL CAPITAL O	1D6C	LATIN SMALL LETTER B WITH MIDDLE TILDE
1D10	LATIN LETTER SMALL CAPITAL OPEN O	1D6D	LATIN SMALL LETTER D WITH MIDDLE TILDE
1D11	LATIN SMALL LETTER SIDEWAYS O	1D6E	LATIN SMALL LETTER F WITH MIDDLE TILDE
1D12	LATIN SMALL LETTER SIDEWAYS OPEN O	1D6F	LATIN SMALL LETTER M WITH MIDDLE TILDE
1D13	LATIN SMALL LETTER SIDEWAYS O WITH STROKE	1D70	LATIN SMALL LETTER N WITH MIDDLE TILDE
1D14	LATIN SMALL LETTER TURNED OE	1D71	LATIN SMALL LETTER P WITH MIDDLE TILDE
1D15	LATIN LETTER SMALL CAPITAL OU	1D72	LATIN SMALL LETTER R WITH MIDDLE TILDE
1D16	LATIN SMALL LETTER TOP HALF O	1D73	LATIN SMALL LETTER R WITH FISHHOOK AND MIDDLE TILDE
1D17	LATIN SMALL LETTER BOTTOM HALF O	1D74	LATIN SMALL LETTER S WITH MIDDLE TILDE
1D18	LATIN LETTER SMALL CAPITAL P	1D75	LATIN SMALL LETTER T WITH MIDDLE TILDE
1D19	LATIN LETTER SMALL CAPITAL REVERSED R	1D76	LATIN SMALL LETTER Z WITH MIDDLE TILDE
1D1A	LATIN LETTER SMALL CAPITAL TURNED R	1D77	LATIN SMALL LETTER TURNED G
1D1B	LATIN LETTER SMALL CAPITAL T	1D78	MODIFIER LETTER CYRILLIC EN
1D1C	LATIN LETTER SMALL CAPITAL U	1D79	LATIN SMALL LETTER INSULAR G
1D1D	LATIN SMALL LETTER SIDEWAYS U	1D7A	LATIN SMALL LETTER TH WITH STRIKETHROUGH
1D1E	LATIN SMALL LETTER SIDEWAYS DIAERESIZED U	1D7B	LATIN SMALL CAPITAL LETTER I WITH STROKE
1D1F	LATIN SMALL LETTER SIDEWAYS TURNED M	1D7C	LATIN SMALL LETTER IOTA WITH STROKE
1D20	LATIN LETTER SMALL CAPITAL V	1D7D	LATIN SMALL LETTER P WITH STROKE
1D21	LATIN LETTER SMALL CAPITAL W	1D7E	LATIN SMALL CAPITAL LETTER U WITH STROKE
1D22	LATIN LETTER SMALL CAPITAL Z	1D7F	LATIN SMALL LETTER UPSILON WITH STROKE
1D23	LATIN LETTER SMALL CAPITAL EZH		
1D24	LATIN LETTER VOICED LARYNGEAL SPIRANT		
1D25	LATIN LETTER AIN		
1D26	GREEK LETTER SMALL CAPITAL GAMMA		
1D27	GREEK LETTER SMALL CAPITAL LAMDA		
1D28	GREEK LETTER SMALL CAPITAL PI		
1D29	GREEK LETTER SMALL CAPITAL RHO		
1D2A	GREEK LETTER SMALL CAPITAL PSI		
1D2B	CYRILLIC LETTER SMALL CAPITAL EL		
1D2C	MODIFIER LETTER CAPITAL A		
1D2D	MODIFIER LETTER CAPITAL AE		
1D2E	MODIFIER LETTER CAPITAL B		
1D2F	MODIFIER LETTER CAPITAL BARRED B		
1D30	MODIFIER LETTER CAPITAL D		
1D31	MODIFIER LETTER CAPITAL E		
1D32	MODIFIER LETTER CAPITAL REVERSED E		
1D33	MODIFIER LETTER CAPITAL G		
1D34	MODIFIER LETTER CAPITAL H		
1D35	MODIFIER LETTER CAPITAL I		
1D36	MODIFIER LETTER CAPITAL J		
1D37	MODIFIER LETTER CAPITAL K		
1D38	MODIFIER LETTER CAPITAL L		
1D39	MODIFIER LETTER CAPITAL M		
1D3A	MODIFIER LETTER CAPITAL N		
1D3B	MODIFIER LETTER CAPITAL REVERSED N		
1D3C	MODIFIER LETTER CAPITAL O		
1D3D	MODIFIER LETTER CAPITAL OU		
1D3E	MODIFIER LETTER CAPITAL P		
1D3F	MODIFIER LETTER CAPITAL R		
1D40	MODIFIER LETTER CAPITAL T		
1D41	MODIFIER LETTER CAPITAL U		
1D42	MODIFIER LETTER CAPITAL W		
1D43	MODIFIER LETTER SMALL A		
1D44	MODIFIER LETTER SMALL TURNED A		
1D45	MODIFIER LETTER SMALL ALPHA		
1D46	MODIFIER LETTER SMALL TURNED AE		
1D47	MODIFIER LETTER SMALL B		
1D48	MODIFIER LETTER SMALL D		
1D49	MODIFIER LETTER SMALL E		
1D4A	MODIFIER LETTER SMALL SCHWA		
1D4B	MODIFIER LETTER SMALL OPEN E		
1D4C	MODIFIER LETTER SMALL TURNED OPEN E		
1D4D	MODIFIER LETTER SMALL G		
1D4E	MODIFIER LETTER SMALL TURNED I		
1D4F	MODIFIER LETTER SMALL K		
1D50	MODIFIER LETTER SMALL M		
1D51	MODIFIER LETTER SMALL ENG		
1D52	MODIFIER LETTER SMALL O		
1D53	MODIFIER LETTER SMALL OPEN O		
1D54	MODIFIER LETTER SMALL TOP HALF O		
1D55	MODIFIER LETTER SMALL BOTTOM HALF O		
1D56	MODIFIER LETTER SMALL P		
1D57	MODIFIER LETTER SMALL T		
1D58	MODIFIER LETTER SMALL U		
1D59	MODIFIER LETTER SMALL SIDEWAYS U		
1D5A	MODIFIER LETTER SMALL TURNED M		
1D5B	MODIFIER LETTER SMALL V		
1D5C	MODIFIER LETTER SMALL AIN		

Group 00

Plane 00

Row 1D

Table 62 - Row 1D: Phonetic Extensions Supplement

	1D8	1D9	1DA	1DB
0	ḅ 1D80	ḁ 1D90	f 1DA0	N 1DB0
1	ḋ 1D81	ḑ 1D91	ḡ 1DA1	Ḑ 1DB1
2	ḕ 1D82	ḓ 1D92	ḡ 1DA2	Ḓ 1DB2
3	ḗ 1D83	ḕ 1D93	ḡ 1DA3	Ḕ 1DB3
4	ḙ 1D84	ḗ 1D94	ḡ 1DA4	Ḗ 1DB4
5	ḛ 1D85	ḙ 1D95	ḡ 1DA5	Ḙ 1DB5
6	Ḟ 1D86	ḛ 1D96	ḡ 1DA6	Ḛ 1DB6
7	Ḡ 1D87	ḟ 1D97	ḡ 1DA7	Ḝ 1DB7
8	ḡ 1D88	ḡ 1D98	ḡ 1DA8	Ḟ 1DB8
9	ḣ 1D89	ḡ 1D99	ḡ 1DA9	Ḡ 1DB9
A	Ḥ 1D8A	ḡ 1D9A	ḡ 1DAA	Ḣ 1DBA
B	Ḧ 1D8B	ḡ 1D9B	ḡ 1DAB	Ḥ 1DBB
C	Ḩ 1D8C	ḡ 1D9C	ḡ 1DAC	Ḧ 1DBC
D	Ḫ 1D8D	ḡ 1D9D	ḡ 1DAD	Ḩ 1DBD
E	Ḭ 1D8E	ḡ 1D9E	ḡ 1DAE	Ḫ 1DBE
F	Ḯ 1D8F	ḡ 1D9F	ḡ 1DAF	Ḭ 1DBF

G = 00

P = 00

Table 62 - Row 1D: Phonetic Extensions Supplement





HEX	NAME	HEX	NAME
1D80	LATIN SMALL LETTER B WITH PALATAL HOOK		
1D81	LATIN SMALL LETTER D WITH PALATAL HOOK		
1D82	LATIN SMALL LETTER F WITH PALATAL HOOK		
1D83	LATIN SMALL LETTER G WITH PALATAL HOOK		
1D84	LATIN SMALL LETTER K WITH PALATAL HOOK		
1D85	LATIN SMALL LETTER L WITH PALATAL HOOK		
1D86	LATIN SMALL LETTER M WITH PALATAL HOOK		
1D87	LATIN SMALL LETTER N WITH PALATAL HOOK		
1D88	LATIN SMALL LETTER P WITH PALATAL HOOK		
1D89	LATIN SMALL LETTER R WITH PALATAL HOOK		
1D8A	LATIN SMALL LETTER S WITH PALATAL HOOK		
1D8B	LATIN SMALL LETTER ESH WITH PALATAL HOOK		
1D8C	LATIN SMALL LETTER V WITH PALATAL HOOK		
1D8D	LATIN SMALL LETTER X WITH PALATAL HOOK		
1D8E	LATIN SMALL LETTER Z WITH PALATAL HOOK		
1D8F	LATIN SMALL LETTER A WITH RETROFLEX HOOK		
1D90	LATIN SMALL LETTER ALPHA WITH RETROFLEX HOOK		
1D91	LATIN SMALL LETTER D WITH HOOK AND TAIL		
1D92	LATIN SMALL LETTER E WITH RETROFLEX HOOK		
1D93	LATIN SMALL LETTER OPEN E WITH RETROFLEX HOOK		
1D94	LATIN SMALL LETTER REVERSED OPEN E WITH RETROFLEX HOOK		
1D95	LATIN SMALL LETTER SCHWA WITH RETROFLEX HOOK		
1D96	LATIN SMALL LETTER I WITH RETROFLEX HOOK		
1D97	LATIN SMALL LETTER OPEN O WITH RETROFLEX HOOK		
1D98	LATIN SMALL LETTER ESH WITH RETROFLEX HOOK		
1D99	LATIN SMALL LETTER U WITH RETROFLEX HOOK		
1D9A	LATIN SMALL LETTER EZH WITH RETROFLEX HOOK		
1D9B	MODIFIER LETTER SMALL TURNED ALPHA		
1D9C	MODIFIER LETTER SMALL C		
1D9D	MODIFIER LETTER SMALL C WITH CURL		
1D9E	MODIFIER LETTER SMALL ETH		
1D9F	MODIFIER LETTER SMALL REVERSED OPEN E		
1DA0	MODIFIER LETTER SMALL F		
1DA1	MODIFIER LETTER SMALL DOTLESS J WITH STROKE		
1DA2	MODIFIER LETTER SMALL SCRIPT G		
1DA3	MODIFIER LETTER SMALL TURNED H		
1DA4	MODIFIER LETTER SMALL I WITH STROKE		
1DA5	MODIFIER LETTER SMALL IOTA		
1DA6	MODIFIER LETTER SMALL CAPITAL I		
1DA7	MODIFIER LETTER SMALL CAPITAL I WITH STROKE		
1DA8	MODIFIER LETTER SMALL J WITH CROSSED-TAIL		
1DA9	MODIFIER LETTER SMALL L WITH RETROFLEX HOOK		
1DAA	MODIFIER LETTER SMALL L WITH PALATAL HOOK		
1DAB	MODIFIER LETTER SMALL CAPITAL L		
1DAC	MODIFIER LETTER SMALL M WITH HOOK		
1DAD	MODIFIER LETTER SMALL TURNED M WITH LONG LEG		
1DAE	MODIFIER LETTER SMALL N WITH LEFT HOOK		
1DAF	MODIFIER LETTER SMALL N WITH RETROFLEX HOOK		
1DB0	MODIFIER LETTER SMALL CAPITAL N		
1DB1	MODIFIER LETTER SMALL BARRED O		
1DB2	MODIFIER LETTER SMALL PHI		
1DB3	MODIFIER LETTER SMALL S WITH HOOK		
1DB4	MODIFIER LETTER SMALL ESH		
1DB5	MODIFIER LETTER SMALL T WITH PALATAL HOOK		
1DB6	MODIFIER LETTER SMALL U BAR		
1DB7	MODIFIER LETTER SMALL UPSILON		
1DB8	MODIFIER LETTER SMALL CAPITAL U		
1DB9	MODIFIER LETTER SMALL V WITH HOOK		
1DBA	MODIFIER LETTER SMALL TURNED V		
1DBB	MODIFIER LETTER SMALL Z		
1DBC	MODIFIER LETTER SMALL Z WITH RETROFLEX HOOK		
1DBD	MODIFIER LETTER SMALL Z WITH CURL		
1DBE	MODIFIER LETTER SMALL EZH		
1DBF	MODIFIER LETTER SMALL THETA		

Group 00

Plane 00

Row 1D

Table 63 - Row 1D: Combining Diacritical Marks Supplement

	1DC	1DD	1DE	1DF
0	 1DC0			
1	 1DC1			
2	 1DC2			
3	 1DC3			
4				
5				
6				
7				
8				
9				
A				
B				
C				
D				
E				
F				





































G = 00
P = 00

Table 63 - Row 1D: Combining Diacritical Marks Supplement

HEX	NAME	HEX	NAME
1DC0	COMBINING DOTTED GRAVE ACCENT		
1DC1	COMBINING DOTTED ACUTE ACCENT		
1DC2	COMBINING SNAKE BELOW		
1DC3	COMBINING SUSPENSION MARK		
1DC4	(This position shall not be used)		
1DC5	(This position shall not be used)		
1DC6	(This position shall not be used)		
1DC7	(This position shall not be used)		
1DC8	(This position shall not be used)		
1DC9	(This position shall not be used)		
1DCA	(This position shall not be used)		
1DCB	(This position shall not be used)		
1DCC	(This position shall not be used)		
1DCD	(This position shall not be used)		
1DCE	(This position shall not be used)		
1DCF	(This position shall not be used)		
1DD0	(This position shall not be used)		
1DD1	(This position shall not be used)		
1DD2	(This position shall not be used)		
1DD3	(This position shall not be used)		
1DD4	(This position shall not be used)		
1DD5	(This position shall not be used)		
1DD6	(This position shall not be used)		
1DD7	(This position shall not be used)		
1DD8	(This position shall not be used)		
1DD9	(This position shall not be used)		
1DDA	(This position shall not be used)		
1ddb	(This position shall not be used)		
1DDC	(This position shall not be used)		
1DDD	(This position shall not be used)		
1DDE	(This position shall not be used)		
1DDF	(This position shall not be used)		
1DE0	(This position shall not be used)		
1DE1	(This position shall not be used)		
1DE2	(This position shall not be used)		
1DE3	(This position shall not be used)		
1DE4	(This position shall not be used)		
1DE5	(This position shall not be used)		
1DE6	(This position shall not be used)		
1DE7	(This position shall not be used)		
1DE8	(This position shall not be used)		
1DE9	(This position shall not be used)		
1DEA	(This position shall not be used)		
1DEB	(This position shall not be used)		
1DEC	(This position shall not be used)		
1DED	(This position shall not be used)		
1DEE	(This position shall not be used)		
1DEF	(This position shall not be used)		
1DF0	(This position shall not be used)		
1DF1	(This position shall not be used)		
1DF2	(This position shall not be used)		
1DF3	(This position shall not be used)		
1DF4	(This position shall not be used)		
1DF5	(This position shall not be used)		
1DF6	(This position shall not be used)		
1DF7	(This position shall not be used)		
1DF8	(This position shall not be used)		
1DF9	(This position shall not be used)		
1DFA	(This position shall not be used)		
1DFB	(This position shall not be used)		
1DFC	(This position shall not be used)		
1DFD	(This position shall not be used)		
1DFE	(This position shall not be used)		
1DFF	(This position shall not be used)		

Group 00**Plane 00****Row 1D**

Table 68 - Row 20: General Punctuation

	200	201	202	203	204	205	206
0	 2000	— 2010	† 2020	‰ 2030	◡ 2040	◐ 2050	 2060
1	 2001	 2011	‡ 2021	‱ 2031	⁄ 2041	✱ 2051	 2061
2	 2002	— 2012	● 2022	′ 2032	✱✱ 2042	% 2052	 2062
3	 2003	— 2013	▶ 2023	” 2033	■ 2043	~ 2053	 2063
4	 2004	— 2014	• 2024	” 2034	/ 2044	◡ 2054	
5	 2005	— 2015	•• 2025	‚ 2035	[2045	✱ 2055	
6	 2006	 2016	... 2026	“ 2036	}	∴ 2056	
7	 2007	= 2017	• 2027	≡ 2037	?? 2047	≡≡ 2057	
8	 2008	‘ 2018	 2028	^ 2038	?! 2048	∴ 2058	
9	 2009	’ 2019	 2029	< 2039	!? 2049	∴ 2059	
A	 200A	,	 202A	> 203A	7 204A	∴ 205A	 206A
B	 200B	‘ 201B	 202B	⌘ 203B	¶ 204B	∴ 205B	 206B
C	 200C	“ 201C	 202C	!! 203C	◐ 204C	✱ 205C	 206C
D	 200D	” 201D	 202D	!? 203D	◐ 204D	∴ 205D	 206D
E	 200E	” 201E	 202E	— 203E	✱ 204E	∴ 205E	 206E
F	 200F	“ 201F	 202F	◡ 203F	◡ 204F	 205F	 206F

G = 00
P = 00

Table 68 - Row 20: General Punctuation

HEX	NAME	HEX	NAME
2000	EN QUAD	205D	TRICOLON
2001	EM QUAD	205E	VERTICAL FOUR DOTS
2002	EN SPACE	205F	MEDIUM MATHEMATICAL SPACE
2003	EM SPACE	2060	WORD JOINER
2004	THREE-PER-EM SPACE	2061	FUNCTION APPLICATION
2005	FOUR-PER-EM SPACE	2062	INVISIBLE TIMES
2006	SIX-PER-EM SPACE	2063	INVISIBLE SEPARATOR
2007	FIGURE SPACE	2064	(This position shall not be used)
2008	PUNCTUATION SPACE	2065	(This position shall not be used)
2009	THIN SPACE	2066	(This position shall not be used)
200A	HAIR SPACE	2067	(This position shall not be used)
200B	ZERO WIDTH SPACE	2068	(This position shall not be used)
200C	ZERO WIDTH NON-JOINER	2069	(This position shall not be used)
200D	ZERO WIDTH JOINER	206A	INHIBIT SYMMETRIC SWAPPING
200E	LEFT-TO-RIGHT MARK	206B	ACTIVATE SYMMETRIC SWAPPING
200F	RIGHT-TO-LEFT MARK	206C	INHIBIT ARABIC FORM SHAPING
2010	HYPHEN	206D	ACTIVATE ARABIC FORM SHAPING
2011	NON-BREAKING HYPHEN	206E	NATIONAL DIGIT SHAPES
2012	FIGURE DASH	206F	NOMINAL DIGIT SHAPES
2013	EN DASH		
2014	EM DASH		
2015	HORIZONTAL BAR		
2016	DOUBLE VERTICAL LINE		
2017	DOUBLE LOW LINE		
2018	LEFT SINGLE QUOTATION MARK		
2019	RIGHT SINGLE QUOTATION MARK		
201A	SINGLE LOW-9 QUOTATION MARK		
201B	SINGLE HIGH-REVERSED-9 QUOTATION MARK		
201C	LEFT DOUBLE QUOTATION MARK		
201D	RIGHT DOUBLE QUOTATION MARK		
201E	DOUBLE LOW-9 QUOTATION MARK		
201F	DOUBLE HIGH-REVERSED-9 QUOTATION MARK		
2020	DAGGER		
2021	DOUBLE DAGGER		
2022	BULLET		
2023	TRIANGULAR BULLET		
2024	ONE DOT LEADER		
2025	TWO DOT LEADER		
2026	HORIZONTAL ELLIPSIS		
2027	HYPHENATION POINT		
2028	LINE SEPARATOR		
2029	PARAGRAPH SEPARATOR		
202A	LEFT-TO-RIGHT EMBEDDING		
202B	RIGHT-TO-LEFT EMBEDDING		
202C	POP DIRECTIONAL FORMATTING		
202D	LEFT-TO-RIGHT OVERRIDE		
202E	RIGHT-TO-LEFT OVERRIDE		
202F	NARROW NO-BREAK SPACE		
2030	PER MILLE SIGN		
2031	PER TEN THOUSAND SIGN		
2032	PRIME		
2033	DOUBLE PRIME		
2034	TRIPLE PRIME		
2035	REVERSED PRIME		
2036	REVERSED DOUBLE PRIME		
2037	REVERSED TRIPLE PRIME		
2038	CARET		
2039	SINGLE LEFT-POINTING ANGLE QUOTATION MARK		
203A	SINGLE RIGHT-POINTING ANGLE QUOTATION MARK		
203B	REFERENCE MARK		
203C	DOUBLE EXCLAMATION MARK		
203D	INTERROBANG		
203E	OVERLINE		
203F	UNDERTIE (Enotikon)		
2040	CHARACTER TIE		
2041	CARET INSERTION POINT		
2042	ASTERISM		
2043	HYPHEN BULLET		
2044	FRACTION SLASH		
2045	LEFT SQUARE BRACKET WITH QUILL		
2046	RIGHT SQUARE BRACKET WITH QUILL		
2047	DOUBLE QUESTION MARK		
2048	QUESTION EXCLAMATION MARK		
2049	EXCLAMATION QUESTION MARK		
204A	TIRONIAN SIGN ET		
204B	REVERSED PILCROW SIGN		
204C	BLACK LEFTWARDS BULLET		
204D	BLACK RIGHTWARDS BULLET		
204E	LOW ASTERISK		
204F	REVERSED SEMICOLON		
2050	CLOSE UP		
2051	TWO ASTERISKS ALIGNED VERTICALLY		
2052	COMMERCIAL MINUS SIGN		
2053	SWUNG DASH		
2054	INVERTED UNDERTIE		
2055	FLOWER PUNCTUATION MARK		
2056	THREE DOT PUNCTUATION		
2057	QUADRUPLE PRIME		
2058	FOUR DOT PUNCTUATION		
2059	FIVE DOT PUNCTUATION		
205A	TWO DOT PUNCTUATION		
205B	FOUR DOT MARK		
205C	DOTTED CROSS		

Table 69 - Row 20: Superscripts and Subscripts

	207	208	209
0	0 2070	0 2080	a 2090
1	i 2071	1 2081	e 2091
2		2 2082	o 2092
3		3 2083	x 2093
4	4 2074	4 2084	ə 2094
5	5 2075	5 2085	
6	6 2076	6 2086	
7	7 2077	7 2087	
8	8 2078	8 2088	
9	9 2079	9 2089	
A	+ 207A	+ 208A	
B	— 207B	— 208B	
C	= 207C	= 208C	
D	(207D	(208D	
E) 207E) 208E	
F	n 207F		

G = 00
P = 00

Table 69 - Row 20: Superscripts and Subscripts

HEX	NAME	HEX	NAME
2070	SUPERSCRIP ZERO		
2071	SUPERSCRIP LATIN SMALL LETTER I		
2072	(This position shall not be used)		
2073	(This position shall not be used)		
2074	SUPERSCRIP FOUR		
2075	SUPERSCRIP FIVE		
2076	SUPERSCRIP SIX		
2077	SUPERSCRIP SEVEN		
2078	SUPERSCRIP EIGHT		
2079	SUPERSCRIP NINE		
207A	SUPERSCRIP PLUS SIGN		
207B	SUPERSCRIP MINUS		
207C	SUPERSCRIP EQUALS SIGN		
207D	SUPERSCRIP LEFT PARENTHESIS		
207E	SUPERSCRIP RIGHT PARENTHESIS		
207F	SUPERSCRIP LATIN SMALL LETTER N		
2080	SUBSCRIPT ZERO		
2081	SUBSCRIPT ONE		
2082	SUBSCRIPT TWO		
2083	SUBSCRIPT THREE		
2084	SUBSCRIPT FOUR		
2085	SUBSCRIPT FIVE		
2086	SUBSCRIPT SIX		
2087	SUBSCRIPT SEVEN		
2088	SUBSCRIPT EIGHT		
2089	SUBSCRIPT NINE		
208A	SUBSCRIPT PLUS SIGN		
208B	SUBSCRIPT MINUS		
208C	SUBSCRIPT EQUALS SIGN		
208D	SUBSCRIPT LEFT PARENTHESIS		
208E	SUBSCRIPT RIGHT PARENTHESIS		
208F	(This position shall not be used)		
2090	LATIN SUBSCRIPT SMALL LETTER A		
2091	LATIN SUBSCRIPT SMALL LETTER E		
2092	LATIN SUBSCRIPT SMALL LETTER O		
2093	LATIN SUBSCRIPT SMALL LETTER X		
2094	LATIN SUBSCRIPT SMALL LETTER SCHWA		
2095	(This position shall not be used)		
2096	(This position shall not be used)		
2097	(This position shall not be used)		
2098	(This position shall not be used)		
2099	(This position shall not be used)		
209A	(This position shall not be used)		
209B	(This position shall not be used)		
209C	(This position shall not be used)		
209D	(This position shall not be used)		
209E	(This position shall not be used)		
209F	(This position shall not be used)		

Group 00**Plane 00****Row 20**

Table 70 - Row 20: Currency Symbols

	20A	20B	20C
0	₣ 20A0	₧ 20B0	
1	₵ 20A1	₡ 20B1	
2	₶ 20A2	₳ 20B2	
3	₦ 20A3	₪ 20B3	
4	₯ 20A4	₴ 20B4	
5	₰ 20A5	₱ 20B5	
6	₱ 20A6		
7	Pts 20A7		
8	Rs 20A8		
9	₱ 20A9		
A	₱ 20AA		
B	₱ 20AB		
C	₶ 20AC		
D	₶ 20AD		
E	₶ 20AE		
F	₶ 20AF		

G = 00

P = 00

Table 70 - Row 20: Currency Symbols





























HEX	NAME	HEX	NAME
20A0	EURO-CURRENCY SIGN		
20A1	COLON SIGN		
20A2	CRUZEIRO SIGN		
20A3	FRENCH FRANC SIGN		
20A4	LIRA SIGN		
20A5	MILL SIGN		
20A6	NAIRA SIGN		
20A7	PESETA SIGN		
20A8	RUPEE SIGN		
20A9	WON SIGN		
20AA	NEW SHEQEL SIGN		
20AB	DONG SIGN		
20AC	EURO SIGN		
20AD	KIP SIGN		
20AE	TUGRIK SIGN		
20AF	DRACHMA SIGN		
20B0	GERMAN PENNY SIGN		
20B1	PESO SIGN		
20B2	GUARANI SIGN		
20B3	AUSTRAL SIGN		
20B4	HRYVNIA SIGN		
20B5	CEDI SIGN		
20B6	(This position shall not be used)		
20B7	(This position shall not be used)		
20B8	(This position shall not be used)		
20B9	(This position shall not be used)		
20BA	(This position shall not be used)		
20BB	(This position shall not be used)		
20BC	(This position shall not be used)		
20BD	(This position shall not be used)		
20BE	(This position shall not be used)		
20BF	(This position shall not be used)		
20C0	(This position shall not be used)		
20C1	(This position shall not be used)		
20C2	(This position shall not be used)		
20C3	(This position shall not be used)		
20C4	(This position shall not be used)		
20C5	(This position shall not be used)		
20C6	(This position shall not be used)		
20C7	(This position shall not be used)		
20C8	(This position shall not be used)		
20C9	(This position shall not be used)		
20CA	(This position shall not be used)		
20CB	(This position shall not be used)		
20CC	(This position shall not be used)		
20CD	(This position shall not be used)		
20CE	(This position shall not be used)		
20CF	(This position shall not be used)		

Group 00

Plane 00

Row 20

Table 71 - Row 20: Combining Diacritical Marks for Symbols

	20D	20E	20F
0	 20D0	 20E0	
1	 20D1	 20E1	
2	 20D2	 20E2	
3	 20D3	 20E3	
4	 20D4	 20E4	
5	 20D5	 20E5	
6	 20D6	 20E6	
7	 20D7	 20E7	
8	 20D8	 20E8	
9	 20D9	 20E9	
A	 20DA	 20EA	
B	 20DB	 20EB	
C	 20DC		
D	 20DD		
E	 20DE		
F	 20DF		

G = 00
P = 00

Table 71 - Row 20: Combining Diacritical Marks for Symbols











































































HEX	NAME	HEX	NAME
20D0	COMBINING LEFT HARPOON ABOVE		
20D1	COMBINING RIGHT HARPOON ABOVE		
20D2	COMBINING LONG VERTICAL LINE OVERLAY		
20D3	COMBINING SHORT VERTICAL LINE OVERLAY		
20D4	COMBINING ANTICLOCKWISE ARROW ABOVE		
20D5	COMBINING CLOCKWISE ARROW ABOVE		
20D6	COMBINING LEFT ARROW ABOVE		
20D7	COMBINING RIGHT ARROW ABOVE		
20D8	COMBINING RING OVERLAY		
20D9	COMBINING CLOCKWISE RING OVERLAY		
20DA	COMBINING ANTICLOCKWISE RING OVERLAY		
20DB	COMBINING THREE DOTS ABOVE		
20DC	COMBINING FOUR DOTS ABOVE		
20DD	COMBINING ENCLOSING CIRCLE		
20DE	COMBINING ENCLOSING SQUARE		
20DF	COMBINING ENCLOSING DIAMOND		
20E0	COMBINING ENCLOSING CIRCLE BACKSLASH		
20E1	COMBINING LEFT RIGHT ARROW ABOVE		
20E2	COMBINING ENCLOSING SCREEN		
20E3	COMBINING ENCLOSING KEYCAP		
20E4	COMBINING ENCLOSING UPWARD POINTING TRIANGLE		
20E5	COMBINING REVERSE SOLIDUS OVERLAY		
20E6	COMBINING DOUBLE VERTICAL STROKE OVERLAY		
20E7	COMBINING ANNUITY SYMBOL		
20E8	COMBINING TRIPLE UNDERDOT		
20E9	COMBINING WIDE BRIDGE ABOVE		
20EA	COMBINING LEFTWARDS ARROW OVERLAY		
20EB	COMBINING LONG DOUBLE SOLIDUS OVERLAY		
20EC	(This position shall not be used)		
20ED	(This position shall not be used)		
20EE	(This position shall not be used)		
20EF	(This position shall not be used)		
20F0	(This position shall not be used)		
20F1	(This position shall not be used)		
20F2	(This position shall not be used)		
20F3	(This position shall not be used)		
20F4	(This position shall not be used)		
20F5	(This position shall not be used)		
20F6	(This position shall not be used)		
20F7	(This position shall not be used)		
20F8	(This position shall not be used)		
20F9	(This position shall not be used)		
20FA	(This position shall not be used)		
20FB	(This position shall not be used)		
20FC	(This position shall not be used)		
20FD	(This position shall not be used)		
20FE	(This position shall not be used)		
20FF	(This position shall not be used)		

Group 00

Plane 00

Row 20

Table 72 - Row 21: Letterlike Symbols


















































































	210	211	212	213	214
0	 2100	 2110	SM 2120	 2130	 2140
1	 2101	 2111	TEL 2121	 2131	 2141
2	 2102	 2112	TM 2122	 2132	 2142
3	 2103	 2113	 2123	 2133	 2143
4	 2104	 2114	 2124	 2134	 2144
5	 2105	 2115	 2125	 2135	 2145
6	 2106	N _o 2116	 2126	 2136	 2146
7	 2107	 2117	 2127	 2137	 2147
8	 2108	 2118	 2128	 2138	 2148
9	 2109	 2119	 2129	 2139	 2149
A	 210A	 211A	K 212A	 213A	 214A
B	 210B	 211B	 212B	FAX 213B	 214B
C	 210C	 211C	 212C	 213C	 214C
D	 210D	 211D	 212D	 213D	
E	 210E	 211E	 212E	 213E	
F	 210F	 211F	 212F	 213F	

G = 00
P = 00

Table 72 - Row 21: Letterlike Symbols

HEX	NAME	HEX	NAME
2100	ACCOUNT OF		
2101	ADDRESSED TO THE SUBJECT		
2102	DOUBLE-STRUCK CAPITAL C		
2103	DEGREE CELSIUS		
2104	CENTRE LINE SYMBOL		
2105	CARE OF		
2106	CADA UNA		
2107	EULER CONSTANT		
2108	SCRUPLE		
2109	DEGREE FAHRENHEIT		
210A	SCRIPT SMALL G		
210B	SCRIPT CAPITAL H		
210C	BLACK-LETTER CAPITAL H		
210D	DOUBLE-STRUCK CAPITAL H		
210E	PLANCK CONSTANT		
210F	PLANCK CONSTANT OVER TWO PI		
2110	SCRIPT CAPITAL I		
2111	BLACK-LETTER CAPITAL I		
2112	SCRIPT CAPITAL L		
2113	SCRIPT SMALL L		
2114	L B BAR SYMBOL		
2115	DOUBLE-STRUCK CAPITAL N		
2116	NUMERO SIGN		
2117	SOUND RECORDING COPYRIGHT		
2118	SCRIPT CAPITAL P		
2119	DOUBLE-STRUCK CAPITAL P		
211A	DOUBLE-STRUCK CAPITAL Q		
211B	SCRIPT CAPITAL R		
211C	BLACK-LETTER CAPITAL R		
211D	DOUBLE-STRUCK CAPITAL R		
211E	PRESCRIPTION TAKE		
211F	RESPONSE		
2120	SERVICE MARK		
2121	TELEPHONE SIGN		
2122	TRADE MARK SIGN		
2123	VERSICLE		
2124	DOUBLE-STRUCK CAPITAL Z		
2125	OUNCE SIGN		
2126	OHM SIGN		
2127	INVERTED OHM SIGN		
2128	BLACK-LETTER CAPITAL Z		
2129	TURNUED GREEK SMALL LETTER IOTA		
212A	KELVIN SIGN		
212B	ANGSTROM SIGN		
212C	SCRIPT CAPITAL B		
212D	BLACK-LETTER CAPITAL C		
212E	ESTIMATED SYMBOL		
212F	SCRIPT SMALL E		
2130	SCRIPT CAPITAL E		
2131	SCRIPT CAPITAL F		
2132	TURNUED CAPITAL F		
2133	SCRIPT CAPITAL M		
2134	SCRIPT SMALL O		
2135	ALEF SYMBOL		
2136	BET SYMBOL		
2137	GIMEL SYMBOL		
2138	DALET SYMBOL		
2139	INFORMATION SOURCE		
213A	ROTATED CAPITAL Q		
213B	FACSIMILE SIGN		
213C	DOUBLE-STRUCK SMALL PI		
213D	DOUBLE-STRUCK SMALL GAMMA		
213E	DOUBLE-STRUCK CAPITAL GAMMA		
213F	DOUBLE-STRUCK CAPITAL PI		
2140	DOUBLE-STRUCK N-ARY SUMMATION		
2141	TURNUED SANS-SERIF CAPITAL G		
2142	TURNUED SANS-SERIF CAPITAL L		
2143	REVERSED SANS-SERIF CAPITAL L		
2144	TURNUED SANS-SERIF CAPITAL Y		
2145	DOUBLE-STRUCK ITALIC CAPITAL D		
2146	DOUBLE-STRUCK ITALIC SMALL D		
2147	DOUBLE-STRUCK ITALIC SMALL E		
2148	DOUBLE-STRUCK ITALIC SMALL I		
2149	DOUBLE-STRUCK ITALIC SMALL J		
214A	PROPERTY LINE		
214B	TURNUED AMPERSAND		
214C	PER SIGN		
214D	(This position shall not be used)		
214E	(This position shall not be used)		
214F	(This position shall not be used)		

Table 78 - Row 23: Miscellaneous Technical

	238	239	23A	23B	23C	23D	23E	23F
0	 2380	 2390	 23A0	 23B0	 23C0	 23D0		
1	 2381	 2391	 23A1	 23B1	 23C1	 23D1		
2	 2382	 2392	 23A2	 23B2	 23C2	 23D2		
3	 2383	 2393	 23A3	 23B3	 23C3	 23D3		
4	 2384	 2394	 23A4	 23B4	 23C4	 23D4		
5	 2385	 2395	 23A5	 23B5	 23C5	 23D5		
6	 2386	 2396	 23A6	 23B6	 23C6	 23D6		
7	 2387	 2397	 23A7	 23B7	 23C7	 23D7		
8	 2388	 2398	 23A8	 23B8	 23C8	 23D8		
9	 2389	 2399	 23A9	 23B9	 23C9	 23D9		
A	 238A	 239A	 23AA	 23BA	 23CA	 23DA		
B	 238B	 239B	 23AB	 23BB	 23CB	 23DB		
C	 238C	 239C	 23AC	 23BC	 23CC			
D	 238D	 239D	 23AD	 23BD	 23CD			
E	 238E	 239E	 23AE	 23BE	 23CE			
F	 238F	 239F	 23AF	 23BF	 23CF			

































































































































G = 00

P = 00

Table 78 - Row 23: Miscellaneous Technical

HEX	NAME	HEX	NAME
2380	INSERTION SYMBOL	23DD	(This position shall not be used)
2381	CONTINUOUS UNDERLINE SYMBOL	23DE	(This position shall not be used)
2382	DISCONTINUOUS UNDERLINE SYMBOL	23DF	(This position shall not be used)
2383	EMPHASIS SYMBOL	23E0	(This position shall not be used)
2384	COMPOSITION SYMBOL	23E1	(This position shall not be used)
2385	WHITE SQUARE WITH CENTRE VERTICAL LINE	23E2	(This position shall not be used)
2386	ENTER SYMBOL	23E3	(This position shall not be used)
2387	ALTERNATIVE KEY SYMBOL	23E4	(This position shall not be used)
2388	HELM SYMBOL	23E5	(This position shall not be used)
2389	CIRCLED HORIZONTAL BAR WITH NOTCH (pause)	23E6	(This position shall not be used)
238A	CIRCLED TRIANGLE DOWN (break)	23E7	(This position shall not be used)
238B	BROKEN CIRCLE WITH NORTHWEST ARROW (escape)	23E8	(This position shall not be used)
238C	UNDO SYMBOL	23E9	(This position shall not be used)
238D	MONOSTABLE SYMBOL	23EA	(This position shall not be used)
238E	HYSTERESIS SYMBOL	23EB	(This position shall not be used)
238F	OPEN-CIRCUIT-OUTPUT H-TYPE SYMBOL	23EC	(This position shall not be used)
2390	OPEN-CIRCUIT-OUTPUT L-TYPE SYMBOL	23ED	(This position shall not be used)
2391	PASSIVE-PULL-DOWN-OUTPUT SYMBOL	23EE	(This position shall not be used)
2392	PASSIVE-PULL-UP-OUTPUT SYMBOL	23EF	(This position shall not be used)
2393	DIRECT CURRENT SYMBOL FORM TWO	23F0	(This position shall not be used)
2394	SOFTWARE-FUNCTION SYMBOL	23F1	(This position shall not be used)
2395	APL FUNCTIONAL SYMBOL QUAD	23F2	(This position shall not be used)
2396	DECIMAL SEPARATOR KEY SYMBOL	23F3	(This position shall not be used)
2397	PREVIOUS PAGE	23F4	(This position shall not be used)
2398	NEXT PAGE	23F5	(This position shall not be used)
2399	PRINT SCREEN SYMBOL	23F6	(This position shall not be used)
239A	CLEAR SCREEN SYMBOL	23F7	(This position shall not be used)
239B	LEFT PARENTHESIS UPPER HOOK	23F8	(This position shall not be used)
239C	LEFT PARENTHESIS EXTENSION	23F9	(This position shall not be used)
239D	LEFT PARENTHESIS LOWER HOOK	23FA	(This position shall not be used)
239E	RIGHT PARENTHESIS UPPER HOOK	23FB	(This position shall not be used)
239F	RIGHT PARENTHESIS EXTENSION	23FC	(This position shall not be used)
23A0	RIGHT PARENTHESIS LOWER HOOK	23FD	(This position shall not be used)
23A1	LEFT SQUARE BRACKET UPPER CORNER	23FE	(This position shall not be used)
23A2	LEFT SQUARE BRACKET EXTENSION	23FF	(This position shall not be used)
23A3	LEFT SQUARE BRACKET LOWER CORNER		
23A4	RIGHT SQUARE BRACKET UPPER CORNER		
23A5	RIGHT SQUARE BRACKET EXTENSION		
23A6	RIGHT SQUARE BRACKET LOWER CORNER		
23A7	LEFT CURLY BRACKET UPPER HOOK		
23A8	LEFT CURLY BRACKET MIDDLE PIECE		
23A9	LEFT CURLY BRACKET LOWER HOOK		
23AA	CURLY BRACKET EXTENSION		
23AB	RIGHT CURLY BRACKET UPPER HOOK		
23AC	RIGHT CURLY BRACKET MIDDLE PIECE		
23AD	RIGHT CURLY BRACKET LOWER HOOK		
23AE	INTEGRAL EXTENSION		
23AF	HORIZONTAL LINE EXTENSION		
23B0	UPPER LEFT OR LOWER RIGHT CURLY BRACKET SECTION		
23B1	UPPER RIGHT OR LOWER LEFT CURLY BRACKET SECTION		
23B2	SUMMATION TOP		
23B3	SUMMATION BOTTOM		
23B4	TOP SQUARE BRACKET		
23B5	BOTTOM SQUARE BRACKET		
23B6	BOTTOM SQUARE BRACKET OVER TOP SQUARE BRACKET		
23B7	RADICAL SYMBOL BOTTOM		
23B8	LEFT VERTICAL BOX LINE		
23B9	RIGHT VERTICAL BOX LINE		
23BA	HORIZONTAL SCAN LINE-1		
23BB	HORIZONTAL SCAN LINE-3		
23BC	HORIZONTAL SCAN LINE-7		
23BD	HORIZONTAL SCAN LINE-9		
23BE	DENTISTRY SYMBOL LIGHT VERTICAL AND TOP RIGHT		
23BF	DENTISTRY SYMBOL LIGHT VERTICAL AND BOTTOM RIGHT		
23C0	DENTISTRY SYMBOL LIGHT VERTICAL WITH CIRCLE		
23C1	DENTISTRY SYMBOL LIGHT DOWN AND HORIZONTAL WITH CIRCLE		
23C2	DENTISTRY SYMBOL LIGHT UP AND HORIZONTAL WITH CIRCLE		
23C3	DENTISTRY SYMBOL LIGHT VERTICAL WITH TRIANGLE		
23C4	DENTISTRY SYMBOL LIGHT DOWN AND HORIZONTAL WITH TRIANGLE		
23C5	DENTISTRY SYMBOL LIGHT UP AND HORIZONTAL WITH TRIANGLE		
23C6	DENTISTRY SYMBOL LIGHT VERTICAL AND WAVE		
23C7	DENTISTRY SYMBOL LIGHT DOWN AND HORIZONTAL WITH WAVE		
23C8	DENTISTRY SYMBOL LIGHT UP AND HORIZONTAL WITH WAVE		
23C9	DENTISTRY SYMBOL LIGHT DOWN AND HORIZONTAL		
23CA	DENTISTRY SYMBOL LIGHT UP AND HORIZONTAL		
23CB	DENTISTRY SYMBOL LIGHT VERTICAL AND TOP LEFT		
23CC	DENTISTRY SYMBOL LIGHT VERTICAL AND BOTTOM LEFT		
23CD	SQUARE FOOT		
23CE	RETURN SYMBOL		
23CF	EJECT SYMBOL		
23D0	VERTICAL LINE EXTENSION		
23D1	METRICAL BREVE		
23D2	METRICAL LONG OVER SHORT		
23D3	METRICAL SHORT OVER LONG		
23D4	METRICAL LONG OVER TWO SHORTS		
23D5	METRICAL TWO SHORTS OVER LONG		
23D6	METRICAL TWO SHORTS JOINED		
23D7	METRICAL TRISEME		
23D8	METRICAL TETRASEME		
23D9	METRICAL PENTASEME		
23DA	EARTH GROUND		
23DB	FUSE		
23DC	(This position shall not be used)		

Table 85 - Row 26: Miscellaneous Symbols

	260	261	262	263	264	265	266	267
0	 2600	 2610	 2620	 2630	 2640	 2650	 2660	 2670
1	 2601	 2611	 2621	 2631	 2641	 2651	 2661	 2671
2	 2602	 2612	 2622	 2632	 2642	 2652	 2662	 2672
3	 2603	 2613	 2623	 2633	 2643	 2653	 2663	 2673
4	 2604	 2614	 2624	 2634	 2644	 2654	 2664	 2674
5	 2605	 2615	 2625	 2635	 2645	 2655	 2665	 2675
6	 2606	 2616	 2626	 2636	 2646	 2656	 2666	 2676
7	 2607	 2617	 2627	 2637	 2647	 2657	 2667	 2677
8	 2608	 2618	 2628	 2638	 2648	 2658	 2668	 2678
9	 2609	 2619	 2629	 2639	 2649	 2659	 2669	 2679
A	 260A	 261A	 262A	 263A	 264A	 265A	 266A	 267A
B	 260B	 261B	 262B	 263B	 264B	 265B	 266B	 267B
C	 260C	 261C	 262C	 263C	 264C	 265C	 266C	 267C
D	 260D	 261D	 262D	 263D	 264D	 265D	 266D	 267D
E	 260E	 261E	 262E	 263E	 264E	 265E	 266E	 267E
F	 260F	 261F	 262F	 263F	 264F	 265F	 266F	 267F
















































G = 00

P = 00

Table 85 - Row 26: Miscellaneous Symbols

HEX	NAME	HEX	NAME
2600	BLACK SUN WITH RAYS	265D	BLACK CHESS BISHOP
2601	CLOUD	265E	BLACK CHESS KNIGHT
2602	UMBRELLA	265F	BLACK CHESS PAWN
2603	SNOWMAN	2660	BLACK SPADE SUIT
2604	COMET	2661	WHITE HEART SUIT
2605	BLACK STAR	2662	WHITE DIAMOND SUIT
2606	WHITE STAR	2663	BLACK CLUB SUIT
2607	LIGHTNING	2664	WHITE SPADE SUIT
2608	THUNDERSTORM	2665	BLACK HEART SUIT
2609	SUN	2666	BLACK DIAMOND SUIT
260A	ASCENDING NODE	2667	WHITE CLUB SUIT
260B	DESCENDING NODE	2668	HOT SPRINGS
260C	CONJUNCTION	2669	QUARTER NOTE
260D	OPPOSITION	266A	EIGHTH NOTE
260E	BLACK TELEPHONE	266B	BEAMED EIGHTH NOTES
260F	WHITE TELEPHONE	266C	BEAMED SIXTEENTH NOTES
2610	BALLOT BOX	266D	MUSIC FLAT SIGN
2611	BALLOT BOX WITH CHECK	266E	MUSIC NATURAL SIGN
2612	BALLOT BOX WITH X	266F	MUSIC SHARP SIGN
2613	SALTIRE	2670	WEST SYRIAC CROSS
2614	UMBRELLA WITH RAIN DROPS	2671	EAST SYRIAC CROSS
2615	HOT BEVERAGE	2672	UNIVERSAL RECYCLING SYMBOL
2616	WHITE SHOJI PIECE	2673	RECYCLING SYMBOL FOR TYPE-1 PLASTICS (pete)
2617	BLACK SHOJI PIECE	2674	RECYCLING SYMBOL FOR TYPE-2 PLASTICS (hdpe)
2618	SHAMROCK	2675	RECYCLING SYMBOL FOR TYPE-3 PLASTICS (pvc)
2619	REVERSED ROTATED FLORAL HEART BULLET	2676	RECYCLING SYMBOL FOR TYPE-4 PLASTICS (ldpe)
261A	BLACK LEFT POINTING INDEX	2677	RECYCLING SYMBOL FOR TYPE-5 PLASTICS (pp)
261B	BLACK RIGHT POINTING INDEX	2678	RECYCLING SYMBOL FOR TYPE-6 PLASTICS (ps)
261C	WHITE LEFT POINTING INDEX	2679	RECYCLING SYMBOL FOR TYPE-7 PLASTICS (other)
261D	WHITE UP POINTING INDEX	267A	RECYCLING SYMBOL FOR GENERIC MATERIALS
261E	WHITE RIGHT POINTING INDEX	267B	BLACK UNIVERSAL RECYCLING SYMBOL
261F	WHITE DOWN POINTING INDEX	267C	RECYCLED PAPER SYMBOL
2620	SKULL AND CROSSBONES	267D	PARTIALLY-RECYCLED PAPER SYMBOL
2621	CAUTION SIGN	267E	PERMANENT PAPER SIGN
2622	RADIOACTIVE SIGN	267F	WHEELCHAIR SYMBOL
2623	BIOHAZARD SIGN		
2624	CADUCEUS		
2625	ANKH		
2626	ORTHODOX CROSS		
2627	CHI RHO		
2628	CROSS OF LORRAINE		
2629	CROSS OF JERUSALEM		
262A	STAR AND CRESCENT		
262B	FARSI SYMBOL		
262C	ADI SHAKTI		
262D	HAMMER AND SICKLE		
262E	PEACE SYMBOL		
262F	YIN YANG		
2630	TRIGRAM FOR HEAVEN		
2631	TRIGRAM FOR LAKE		
2632	TRIGRAM FOR FIRE		
2633	TRIGRAM FOR THUNDER		
2634	TRIGRAM FOR WIND		
2635	TRIGRAM FOR WATER		
2636	TRIGRAM FOR MOUNTAIN		
2637	TRIGRAM FOR EARTH		
2638	WHEEL OF DHARMA		
2639	WHITE FROWNING FACE		
263A	WHITE SMILING FACE		
263B	BLACK SMILING FACE		
263C	WHITE SUN WITH RAYS		
263D	FIRST QUARTER MOON		
263E	LAST QUARTER MOON		
263F	MERCURY		
2640	FEMALE SIGN		
2641	EARTH		
2642	MALE SIGN		
2643	JUPITER		
2644	SATURN		
2645	URANUS		
2646	NEPTUNE		
2647	PLUTO		
2648	ARIES		
2649	TAURUS		
264A	GEMINI		
264B	CANCER		
264C	LEO		
264D	VIRGO		
264E	LIBRA		
264F	SCORPIUS		
2650	SAGITTARIUS		
2651	CAPRICORN		
2652	AQUARIUS		
2653	PISCES		
2654	WHITE CHESS KING		
2655	WHITE CHESS QUEEN		
2656	WHITE CHESS ROOK		
2657	WHITE CHESS BISHOP		
2658	WHITE CHESS KNIGHT		
2659	WHITE CHESS PAWN		
265A	BLACK CHESS KING		
265B	BLACK CHESS QUEEN		
265C	BLACK CHESS ROOK		

Table 86 - Row 26: Miscellaneous Symbols




































	268	269	26A	26B	26C	26D	26E	26F
0	 2680	 2690	 26A0	 26B0				
1	 2681	 2691	 26A1	 26B1				
2	 2682	 2692	 26A2					
3	 2683	 2693	 26A3					
4	 2684	 2694	 26A4					
5	 2685	 2695	 26A5					
6	 2686	 2696	 26A6					
7	 2687	 2697	 26A7					
8	 2688	 2698	 26A8					
9	 2689	 2699	 26A9					
A	 268A	 269A	 26AA					
B	 268B	 269B	 26AB					
C	 268C	 269C	 26AC					
D	 268D		 26AD					
E	 268E		 26AE					
F	 268F		 26AF					

G = 00
P = 00

Table 86 - Row 26: Miscellaneous Symbols

HEX	NAME	HEX	NAME
2680	DIE FACE-1	26DD	(This position shall not be used)
2681	DIE FACE-2	26DE	(This position shall not be used)
2682	DIE FACE-3	26DF	(This position shall not be used)
2683	DIE FACE-4	26E0	(This position shall not be used)
2684	DIE FACE-5	26E1	(This position shall not be used)
2685	DIE FACE-6	26E2	(This position shall not be used)
2686	WHITE CIRCLE WITH DOT RIGHT	26E3	(This position shall not be used)
2687	WHITE CIRCLE WITH TWO DOTS	26E4	(This position shall not be used)
2688	BLACK CIRCLE WITH WHITE DOT RIGHT	26E5	(This position shall not be used)
2689	BLACK CIRCLE WITH TWO WHITE DOTS	26E6	(This position shall not be used)
268A	MONOGRAM FOR YANG	26E7	(This position shall not be used)
268B	MONOGRAM FOR YIN	26E8	(This position shall not be used)
268C	DIGRAM FOR GREATER YANG	26E9	(This position shall not be used)
268D	DIGRAM FOR LESSER YIN	26EA	(This position shall not be used)
268E	DIGRAM FOR LESSER YANG	26EB	(This position shall not be used)
268F	DIGRAM FOR GREATER YIN	26EC	(This position shall not be used)
2690	WHITE FLAG	26ED	(This position shall not be used)
2691	BLACK FLAG	26EE	(This position shall not be used)
2692	HAMMER AND PICK	26EF	(This position shall not be used)
2693	ANCHOR	26F0	(This position shall not be used)
2694	CROSSED SWORDS	26F1	(This position shall not be used)
2695	STAFF OF AESCULAPIUS	26F2	(This position shall not be used)
2696	SCALES	26F3	(This position shall not be used)
2697	ALEMBIC	26F4	(This position shall not be used)
2698	FLOWER	26F5	(This position shall not be used)
2699	GEAR	26F6	(This position shall not be used)
269A	STAFF OF HERMES	26F7	(This position shall not be used)
269B	ATOM SYMBOL	26F8	(This position shall not be used)
269C	FLEUR-DE-LIS	26F9	(This position shall not be used)
269D	(This position shall not be used)	26FA	(This position shall not be used)
269E	(This position shall not be used)	26FB	(This position shall not be used)
269F	(This position shall not be used)	26FC	(This position shall not be used)
26A0	WARNING SIGN	26FD	(This position shall not be used)
26A1	HIGH VOLTAGE SIGN	26FE	(This position shall not be used)
26A2	DOUBLED FEMALE SIGN	26FF	(This position shall not be used)
26A3	DOUBLED MALE SIGN		
26A4	INTERLOCKED FEMALE AND MALE SIGN		
26A5	MALE AND FEMALE SIGN		
26A6	MALE WITH STROKE SIGN		
26A7	MALE WITH STROKE AND MALE AND FEMALE SIGN		
26A8	VERTICAL MALE WITH STROKE SIGN		
26A9	HORIZONTAL MALE WITH STROKE SIGN		
26AA	MEDIUM WHITE CIRCLE		
26AB	MEDIUM BLACK CIRCLE		
26AC	MEDIUM SMALL WHITE CIRCLE		
26AD	MARRIAGE SYMBOL		
26AE	DIVORCE SYMBOL		
26AF	UNMARRIED PARTNERSHIP SYMBOL		
26B0	COFFIN		
26B1	FUNERAL URN		
26B2	(This position shall not be used)		
26B3	(This position shall not be used)		
26B4	(This position shall not be used)		
26B5	(This position shall not be used)		
26B6	(This position shall not be used)		
26B7	(This position shall not be used)		
26B8	(This position shall not be used)		
26B9	(This position shall not be used)		
26BA	(This position shall not be used)		
26BB	(This position shall not be used)		
26BC	(This position shall not be used)		
26BD	(This position shall not be used)		
26BE	(This position shall not be used)		
26BF	(This position shall not be used)		
26C0	(This position shall not be used)		
26C1	(This position shall not be used)		
26C2	(This position shall not be used)		
26C3	(This position shall not be used)		
26C4	(This position shall not be used)		
26C5	(This position shall not be used)		
26C6	(This position shall not be used)		
26C7	(This position shall not be used)		
26C8	(This position shall not be used)		
26C9	(This position shall not be used)		
26CA	(This position shall not be used)		
26CB	(This position shall not be used)		
26CC	(This position shall not be used)		
26CD	(This position shall not be used)		
26CE	(This position shall not be used)		
26CF	(This position shall not be used)		
26D0	(This position shall not be used)		
26D1	(This position shall not be used)		
26D2	(This position shall not be used)		
26D3	(This position shall not be used)		
26D4	(This position shall not be used)		
26D5	(This position shall not be used)		
26D6	(This position shall not be used)		
26D7	(This position shall not be used)		
26D8	(This position shall not be used)		
26D9	(This position shall not be used)		
26DA	(This position shall not be used)		
26DB	(This position shall not be used)		
26DC	(This position shall not be used)		

Table 89 - Row 27: Miscellaneous Mathematical Symbols-A





















	27C	27D	27E
0	 27C0	 27D0	 27E0
1	 27C1	 27D1	 27E1
2	 27C2	 27D2	 27E2
3	 27C3	 27D3	 27E3
4	 27C4	 27D4	 27E4
5	 27C5	 27D5	 27E5
6	 27C6	 27D6	 27E6
7		 27D7	 27E7
8		 27D8	 27E8
9		 27D9	 27E9
A		 27DA	 27EA
B		 27DB	 27EB
C		 27DC	
D		 27DD	
E		 27DE	
F		 27DF	

G = 00
P = 00

Table 89 - Row 27: Miscellaneous Mathematical Symbols-A

HEX	NAME	HEX	NAME
27C0	THREE DIMENSIONAL ANGLE		
27C1	WHITE TRIANGLE CONTAINING SMALL WHITE TRIANGLE		
27C2	PERPENDICULAR		
27C3	OPEN SUBSET		
27C4	OPEN SUPERSET		
27C5	LEFT S-SHAPED BAG DELIMITER		
27C6	RIGHT S-SHAPED BAG DELIMITER		
27C7	(This position shall not be used)		
27C8	(This position shall not be used)		
27C9	(This position shall not be used)		
27CA	(This position shall not be used)		
27CB	(This position shall not be used)		
27CC	(This position shall not be used)		
27CD	(This position shall not be used)		
27CE	(This position shall not be used)		
27CF	(This position shall not be used)		
27D0	WHITE DIAMOND WITH CENTRED DOT		
27D1	AND WITH DOT		
27D2	ELEMENT OF OPENING UPWARDS		
27D3	LOWER RIGHT CORNER WITH DOT		
27D4	UPPER LEFT CORNER WITH DOT		
27D5	LEFT OUTER JOIN		
27D6	RIGHT OUTER JOIN		
27D7	FULL OUTER JOIN		
27D8	LARGE UP TACK		
27D9	LARGE DOWN TACK		
27DA	LEFT AND RIGHT DOUBLE TURNSTILE		
27DB	LEFT AND RIGHT TACK		
27DC	LEFT MULTIMAP		
27DD	LONG RIGHT TACK		
27DE	LONG LEFT TACK		
27DF	UP TACK WITH CIRCLE ABOVE		
27E0	LOZENGE DIVIDED BY HORIZONTAL RULE		
27E1	WHITE CONCAVE-SIDED DIAMOND		
27E2	WHITE CONCAVE-SIDED DIAMOND WITH LEFTWARDS TICK		
27E3	WHITE CONCAVE-SIDED DIAMOND WITH RIGHTWARDS TICK		
27E4	WHITE SQUARE WITH LEFTWARDS TICK		
27E5	WHITE SQUARE WITH RIGHTWARDS TICK		
27E6	MATHEMATICAL LEFT WHITE SQUARE BRACKET		
27E7	MATHEMATICAL RIGHT WHITE SQUARE BRACKET		
27E8	MATHEMATICAL LEFT ANGLE BRACKET		
27E9	MATHEMATICAL RIGHT ANGLE BRACKET		
27EA	MATHEMATICAL LEFT DOUBLE ANGLE BRACKET		
27EB	MATHEMATICAL RIGHT DOUBLE ANGLE BRACKET		
27EC	(This position shall not be used)		
27ED	(This position shall not be used)		
27EE	(This position shall not be used)		
27EF	(This position shall not be used)		

Table 97 - Row 2B: Miscellaneous Symbols and Arrows

































































































	2B0	2B1	2B2	2B3	2B4	2B5	2B6	2B7
0	 2B00	 2B10						
1	 2B01	 2B11						
2	 2B02	 2B12						
3	 2B03	 2B13						
4	 2B04							
5	 2B05							
6	 2B06							
7	 2B07							
8	 2B08							
9	 2B09							
A	 2B0A							
B	 2B0B							
C	 2B0C							
D	 2B0D							
E	 2B0E							
F	 2B0F							

G = 00
P = 00

Table 97 - Row 2B: Miscellaneous Symbols and Arrows

HEX	NAME	HEX	NAME
2B00	NORTH EAST WHITE ARROW	2B5D	(This position shall not be used)
2B01	NORTH WEST WHITE ARROW	2B5E	(This position shall not be used)
2B02	SOUTH EAST WHITE ARROW	2B5F	(This position shall not be used)
2B03	SOUTH WEST WHITE ARROW	2B60	(This position shall not be used)
2B04	LEFT RIGHT WHITE ARROW	2B61	(This position shall not be used)
2B05	LEFTWARDS BLACK ARROW	2B62	(This position shall not be used)
2B06	UPWARDS BLACK ARROW	2B63	(This position shall not be used)
2B07	DOWNWARDS BLACK ARROW	2B64	(This position shall not be used)
2B08	NORTH EAST BLACK ARROW	2B65	(This position shall not be used)
2B09	NORTH WEST BLACK ARROW	2B66	(This position shall not be used)
2B0A	SOUTH EAST BLACK ARROW	2B67	(This position shall not be used)
2B0B	SOUTH WEST BLACK ARROW	2B68	(This position shall not be used)
2B0C	LEFT RIGHT BLACK ARROW	2B69	(This position shall not be used)
2B0D	UP DOWN BLACK ARROW	2B6A	(This position shall not be used)
2B0E	RIGHTWARDS ARROW WITH TIP DOWNWARDS	2B6B	(This position shall not be used)
2B0F	RIGHTWARDS ARROW WITH TIP UPWARDS	2B6C	(This position shall not be used)
2B10	LEFTWARDS ARROW WITH TIP DOWNWARDS	2B6D	(This position shall not be used)
2B11	LEFTWARDS ARROW WITH TIP UPWARDS	2B6E	(This position shall not be used)
2B12	SQUARE WITH TOP HALF BLACK	2B6F	(This position shall not be used)
2B13	SQUARE WITH BOTTOM HALF BLACK	2B70	(This position shall not be used)
2B14	(This position shall not be used)	2B71	(This position shall not be used)
2B15	(This position shall not be used)	2B72	(This position shall not be used)
2B16	(This position shall not be used)	2B73	(This position shall not be used)
2B17	(This position shall not be used)	2B74	(This position shall not be used)
2B18	(This position shall not be used)	2B75	(This position shall not be used)
2B19	(This position shall not be used)	2B76	(This position shall not be used)
2B1A	(This position shall not be used)	2B77	(This position shall not be used)
2B1B	(This position shall not be used)	2B78	(This position shall not be used)
2B1C	(This position shall not be used)	2B79	(This position shall not be used)
2B1D	(This position shall not be used)	2B7A	(This position shall not be used)
2B1E	(This position shall not be used)	2B7B	(This position shall not be used)
2B1F	(This position shall not be used)	2B7C	(This position shall not be used)
2B20	(This position shall not be used)	2B7D	(This position shall not be used)
2B21	(This position shall not be used)	2B7E	(This position shall not be used)
2B22	(This position shall not be used)	2B7F	(This position shall not be used)
2B23	(This position shall not be used)		
2B24	(This position shall not be used)		
2B25	(This position shall not be used)		
2B26	(This position shall not be used)		
2B27	(This position shall not be used)		
2B28	(This position shall not be used)		
2B29	(This position shall not be used)		
2B2A	(This position shall not be used)		
2B2B	(This position shall not be used)		
2B2C	(This position shall not be used)		
2B2D	(This position shall not be used)		
2B2E	(This position shall not be used)		
2B2F	(This position shall not be used)		
2B30	(This position shall not be used)		
2B31	(This position shall not be used)		
2B32	(This position shall not be used)		
2B33	(This position shall not be used)		
2B34	(This position shall not be used)		
2B35	(This position shall not be used)		
2B36	(This position shall not be used)		
2B37	(This position shall not be used)		
2B38	(This position shall not be used)		
2B39	(This position shall not be used)		
2B3A	(This position shall not be used)		
2B3B	(This position shall not be used)		
2B3C	(This position shall not be used)		
2B3D	(This position shall not be used)		
2B3E	(This position shall not be used)		
2B3F	(This position shall not be used)		
2B40	(This position shall not be used)		
2B41	(This position shall not be used)		
2B42	(This position shall not be used)		
2B43	(This position shall not be used)		
2B44	(This position shall not be used)		
2B45	(This position shall not be used)		
2B46	(This position shall not be used)		
2B47	(This position shall not be used)		
2B48	(This position shall not be used)		
2B49	(This position shall not be used)		
2B4A	(This position shall not be used)		
2B4B	(This position shall not be used)		
2B4C	(This position shall not be used)		
2B4D	(This position shall not be used)		
2B4E	(This position shall not be used)		
2B4F	(This position shall not be used)		
2B50	(This position shall not be used)		
2B51	(This position shall not be used)		
2B52	(This position shall not be used)		
2B53	(This position shall not be used)		
2B54	(This position shall not be used)		
2B55	(This position shall not be used)		
2B56	(This position shall not be used)		
2B57	(This position shall not be used)		
2B58	(This position shall not be used)		
2B59	(This position shall not be used)		
2B5A	(This position shall not be used)		
2B5B	(This position shall not be used)		
2B5C	(This position shall not be used)		

Table 98 - Row 2C: Glagolitic

	2C0	2C1	2C2	2C3	2C4	2C5
0	 2C00	 2C10	 2C20	 2C30	 2C40	 2C50
1	 2C01	 2C11	 2C21	 2C31	 2C41	 2C51
2	 2C02	 2C12	 2C22	 2C32	 2C42	 2C52
3	 2C03	 2C13	 2C23	 2C33	 2C43	 2C53
4	 2C04	 2C14	 2C24	 2C34	 2C44	 2C54
5	 2C05	 2C15	 2C25	 2C35	 2C45	 2C55
6	 2C06	 2C16	 2C26	 2C36	 2C46	 2C56
7	 2C07	 2C17	 2C27	 2C37	 2C47	 2C57
8	 2C08	 2C18	 2C28	 2C38	 2C48	 2C58
9	 2C09	 2C19	 2C29	 2C39	 2C49	 2C59
A	 2C0A	 2C1A	 2C2A	 2C3A	 2C4A	 2C5A
B	 2C0B	 2C1B	 2C2B	 2C3B	 2C4B	 2C5B
C	 2C0C	 2C1C	 2C2C	 2C3C	 2C4C	 2C5C
D	 2C0D	 2C1D	 2C2D	 2C3D	 2C4D	 2C5D
E	 2C0E	 2C1E	 2C2E	 2C3E	 2C4E	 2C5E
F	 2C0F	 2C1F	 2C2F	 2C3F	 2C4F	 2C5F

G = 00

P = 00

Table 98 - Row 2C: Glagolitic

HEX	NAME	HEX	NAME
2C00	GLAGOLITIC CAPITAL LETTER AZU	2C5D	GLAGOLITIC SMALL LETTER TROKUTASTI A
2C01	GLAGOLITIC CAPITAL LETTER BUKY	2C5E	GLAGOLITIC SMALL LETTER LATINATE MYSLITE
2C02	GLAGOLITIC CAPITAL LETTER VEDE	2C5F	(This position shall not be used)
2C03	GLAGOLITIC CAPITAL LETTER GLAGOLI		
2C04	GLAGOLITIC CAPITAL LETTER DOBRO		
2C05	GLAGOLITIC CAPITAL LETTER YESTU		
2C06	GLAGOLITIC CAPITAL LETTER ZHIVETE		
2C07	GLAGOLITIC CAPITAL LETTER DZELO		
2C08	GLAGOLITIC CAPITAL LETTER ZEMLJA		
2C09	GLAGOLITIC CAPITAL LETTER IZHE		
2C0A	GLAGOLITIC CAPITAL LETTER INITIAL IZHE		
2C0B	GLAGOLITIC CAPITAL LETTER I		
2C0C	GLAGOLITIC CAPITAL LETTER DJERVI		
2C0D	GLAGOLITIC CAPITAL LETTER KAKO		
2C0E	GLAGOLITIC CAPITAL LETTER LJUDIJE		
2C0F	GLAGOLITIC CAPITAL LETTER MYSLITE		
2C10	GLAGOLITIC CAPITAL LETTER NASHI		
2C11	GLAGOLITIC CAPITAL LETTER ONU		
2C12	GLAGOLITIC CAPITAL LETTER POKOJI		
2C13	GLAGOLITIC CAPITAL LETTER RITSI		
2C14	GLAGOLITIC CAPITAL LETTER SLOVO		
2C15	GLAGOLITIC CAPITAL LETTER TVRIDO		
2C16	GLAGOLITIC CAPITAL LETTER UKU		
2C17	GLAGOLITIC CAPITAL LETTER FRITU		
2C18	GLAGOLITIC CAPITAL LETTER HERU		
2C19	GLAGOLITIC CAPITAL LETTER OTU		
2C1A	GLAGOLITIC CAPITAL LETTER PE		
2C1B	GLAGOLITIC CAPITAL LETTER SHTA		
2C1C	GLAGOLITIC CAPITAL LETTER TSI		
2C1D	GLAGOLITIC CAPITAL LETTER CHRIVI		
2C1E	GLAGOLITIC CAPITAL LETTER SHA		
2C1F	GLAGOLITIC CAPITAL LETTER YERU		
2C20	GLAGOLITIC CAPITAL LETTER YERI		
2C21	GLAGOLITIC CAPITAL LETTER YATI		
2C22	GLAGOLITIC CAPITAL LETTER SPIDERY HA		
2C23	GLAGOLITIC CAPITAL LETTER YU		
2C24	GLAGOLITIC CAPITAL LETTER SMALL YUS		
2C25	GLAGOLITIC CAPITAL LETTER SMALL YUS WITH TAIL		
2C26	GLAGOLITIC CAPITAL LETTER YO		
2C27	GLAGOLITIC CAPITAL LETTER IOTATED SMALL YUS		
2C28	GLAGOLITIC CAPITAL LETTER BIG YUS		
2C29	GLAGOLITIC CAPITAL LETTER IOTATED BIG YUS		
2C2A	GLAGOLITIC CAPITAL LETTER FITA		
2C2B	GLAGOLITIC CAPITAL LETTER IZHITSA		
2C2C	GLAGOLITIC CAPITAL LETTER SHTAPIC		
2C2D	GLAGOLITIC CAPITAL LETTER TROKUTASTI A		
2C2E	GLAGOLITIC CAPITAL LETTER LATINATE MYSLITE		
2C2F	(This position shall not be used)		
2C30	GLAGOLITIC SMALL LETTER AZU		
2C31	GLAGOLITIC SMALL LETTER BUKY		
2C32	GLAGOLITIC SMALL LETTER VEDE		
2C33	GLAGOLITIC SMALL LETTER GLAGOLI		
2C34	GLAGOLITIC SMALL LETTER DOBRO		
2C35	GLAGOLITIC SMALL LETTER YESTU		
2C36	GLAGOLITIC SMALL LETTER ZHIVETE		
2C37	GLAGOLITIC SMALL LETTER DZELO		
2C38	GLAGOLITIC SMALL LETTER ZEMLJA		
2C39	GLAGOLITIC SMALL LETTER IZHE		
2C3A	GLAGOLITIC SMALL LETTER INITIAL IZHE		
2C3B	GLAGOLITIC SMALL LETTER I		
2C3C	GLAGOLITIC SMALL LETTER DJERVI		
2C3D	GLAGOLITIC SMALL LETTER KAKO		
2C3E	GLAGOLITIC SMALL LETTER LJUDIJE		
2C3F	GLAGOLITIC SMALL LETTER MYSLITE		
2C40	GLAGOLITIC SMALL LETTER NASHI		
2C41	GLAGOLITIC SMALL LETTER ONU		
2C42	GLAGOLITIC SMALL LETTER POKOJI		
2C43	GLAGOLITIC SMALL LETTER RITSI		
2C44	GLAGOLITIC SMALL LETTER SLOVO		
2C45	GLAGOLITIC SMALL LETTER TVRIDO		
2C46	GLAGOLITIC SMALL LETTER UKU		
2C47	GLAGOLITIC SMALL LETTER FRITU		
2C48	GLAGOLITIC SMALL LETTER HERU		
2C49	GLAGOLITIC SMALL LETTER OTU		
2C4A	GLAGOLITIC SMALL LETTER PE		
2C4B	GLAGOLITIC SMALL LETTER SHTA		
2C4C	GLAGOLITIC SMALL LETTER TSI		
2C4D	GLAGOLITIC SMALL LETTER CHRIVI		
2C4E	GLAGOLITIC SMALL LETTER SHA		
2C4F	GLAGOLITIC SMALL LETTER YERU		
2C50	GLAGOLITIC SMALL LETTER YERI		
2C51	GLAGOLITIC SMALL LETTER YATI		
2C52	GLAGOLITIC SMALL LETTER SPIDERY HA		
2C53	GLAGOLITIC SMALL LETTER YU		
2C54	GLAGOLITIC SMALL LETTER SMALL YUS		
2C55	GLAGOLITIC SMALL LETTER SMALL YUS WITH TAIL		
2C56	GLAGOLITIC SMALL LETTER YO		
2C57	GLAGOLITIC SMALL LETTER IOTATED SMALL YUS		
2C58	GLAGOLITIC SMALL LETTER BIG YUS		
2C59	GLAGOLITIC SMALL LETTER IOTATED BIG YUS		
2C5A	GLAGOLITIC SMALL LETTER FITA		
2C5B	GLAGOLITIC SMALL LETTER IZHITSA		
2C5C	GLAGOLITIC SMALL LETTER SHTAPIC		

Group 00

Plane 00

Row 2C

Table 99 - Row 2C: Coptic

	2C8	2C9	2CA	2CB	2CC	2CD	2CE	2CF
0	Ⲁ 2C80	ⲁ 2C90	Ⲃ 2CA0	ⲃ 2CB0	Ⲅ 2CC0	ⲅ 2CD0	Ⲇ 2CE0	
1	Ⲁ 2C81	ⲁ 2C91	Ⲃ 2CA1	ⲃ 2CB1	Ⲅ 2CC1	ⲅ 2CD1	Ⲇ 2CE1	
2	Ⲉ 2C82	ⲉ 2C92	Ⲋ 2CA2	ⲋ 2CB2	Ⲍ 2CC2	ⲍ 2CD2	Ⲏ 2CE2	
3	Ⲉ 2C83	ⲉ 2C93	Ⲋ 2CA3	ⲋ 2CB3	Ⲍ 2CC3	ⲍ 2CD3	Ⲏ 2CE3	
4	Ⲑ 2C84	ⲑ 2C94	Ⲓ 2CA4	ⲓ 2CB4	Ⲕ 2CC4	ⲕ 2CD4	Ⲗ 2CE4	
5	Ⲑ 2C85	ⲑ 2C95	Ⲓ 2CA5	ⲓ 2CB5	Ⲕ 2CC5	ⲕ 2CD5	Ⲗ 2CE5	
6	Ⲙ 2C86	ⲙ 2C96	Ⲛ 2CA6	ⲛ 2CB6	Ⲝ 2CC6	ⲝ 2CD6	Ⲟ 2CE6	
7	Ⲙ 2C87	ⲙ 2C97	Ⲛ 2CA7	ⲛ 2CB7	Ⲝ 2CC7	ⲝ 2CD7	Ⲟ 2CE7	
8	Ⲭ 2C88	ⲭ 2C98	Ⲯ 2CA8	ⲯ 2CB8	Ⲱ 2CC8	ⲱ 2CD8	Ⲳ 2CE8	
9	Ⲭ 2C89	ⲭ 2C99	Ⲯ 2CA9	ⲯ 2CB9	Ⲱ 2CC9	ⲱ 2CD9	Ⲳ 2CE9	ⲳ 2CF9
A	Ⲕ 2C8A	ⲕ 2C9A	Ⲗ 2CAA	ⲗ 2CBA	Ⲙ 2CCA	ⲙ 2CDA	Ⲏ 2CEA	ⲏ 2CFA
B	Ⲕ 2C8B	ⲕ 2C9B	Ⲗ 2CAB	ⲗ 2CBB	Ⲙ 2CCB	ⲙ 2CDB		ⲏ 2CFB
C	Ⲙ 2C8C	ⲙ 2C9C	Ⲏ 2CAC	ⲏ 2CBC	Ⲑ 2CCC	ⲑ 2CDC		Ⲓ 2CFC
D	Ⲙ 2C8D	ⲙ 2C9D	Ⲏ 2CAD	ⲏ 2CBD	Ⲑ 2CCD	ⲑ 2CDD		Ⲓ 2CFD
E	Ⲉ 2C8E	ⲉ 2C9E	Ⲋ 2CAE	ⲋ 2CBE	Ⲍ 2CCE	ⲍ 2CDE		Ⲏ 2CFE
F	Ⲉ 2C8F	ⲉ 2C9F	Ⲋ 2CAF	ⲋ 2CBF	Ⲍ 2CCF	ⲍ 2CDF		Ⲏ 2CFF

G = 00

P = 00

Table 99 - Row 2C: Coptic

HEX	NAME	HEX	NAME
2C80	COPTIC CAPITAL LETTER ALFA	2CDD	COPTIC SMALL LETTER OLD NUBIAN SHIMA
2C81	COPTIC SMALL LETTER ALFA	2CDE	COPTIC CAPITAL LETTER OLD NUBIAN NGI
2C82	COPTIC CAPITAL LETTER VIDA	2CDF	COPTIC SMALL LETTER OLD NUBIAN NGI
2C83	COPTIC SMALL LETTER VIDA	2CE0	COPTIC CAPITAL LETTER OLD NUBIAN NYI
2C84	COPTIC CAPITAL LETTER GAMMA	2CE1	COPTIC SMALL LETTER OLD NUBIAN NYI
2C85	COPTIC SMALL LETTER GAMMA	2CE2	COPTIC CAPITAL LETTER OLD NUBIAN WAU
2C86	COPTIC CAPITAL LETTER DALDA	2CE3	COPTIC SMALL LETTER OLD NUBIAN WAU
2C87	COPTIC SMALL LETTER DALDA	2CE4	COPTIC SYMBOL KAI
2C88	COPTIC CAPITAL LETTER EIE	2CE5	COPTIC SYMBOL MI RO
2C89	COPTIC SMALL LETTER EIE	2CE6	COPTIC SYMBOL PI RO
2C8A	COPTIC CAPITAL LETTER SOU	2CE7	COPTIC SYMBOL STAUKOS
2C8B	COPTIC SMALL LETTER SOU	2CE8	COPTIC SYMBOL TAU RO
2C8C	COPTIC CAPITAL LETTER ZATA	2CE9	COPTIC SYMBOL KHI RO
2C8D	COPTIC SMALL LETTER ZATA	2CEA	COPTIC SYMBOL SHIMA SIMA
2C8E	COPTIC CAPITAL LETTER HATE	2CEB	(This position shall not be used)
2C8F	COPTIC SMALL LETTER HATE	2CEC	(This position shall not be used)
2C90	COPTIC CAPITAL LETTER THETHE	2CED	(This position shall not be used)
2C91	COPTIC SMALL LETTER THETHE	2CEE	(This position shall not be used)
2C92	COPTIC CAPITAL LETTER IAUDA	2CEF	(This position shall not be used)
2C93	COPTIC SMALL LETTER IAUDA	2CF0	(This position shall not be used)
2C94	COPTIC CAPITAL LETTER KAPA	2CF1	(This position shall not be used)
2C95	COPTIC SMALL LETTER KAPA	2CF2	(This position shall not be used)
2C96	COPTIC CAPITAL LETTER LAULA	2CF3	(This position shall not be used)
2C97	COPTIC SMALL LETTER LAULA	2CF4	(This position shall not be used)
2C98	COPTIC CAPITAL LETTER MI	2CF5	(This position shall not be used)
2C99	COPTIC SMALL LETTER MI	2CF6	(This position shall not be used)
2C9A	COPTIC CAPITAL LETTER NI	2CF7	(This position shall not be used)
2C9B	COPTIC SMALL LETTER NI	2CF8	(This position shall not be used)
2C9C	COPTIC CAPITAL LETTER KSI	2CF9	COPTIC OLD NUBIAN FULL STOP
2C9D	COPTIC SMALL LETTER KSI	2CFA	COPTIC OLD NUBIAN DIRECT QUESTION MARK
2C9E	COPTIC CAPITAL LETTER O	2CFB	COPTIC OLD NUBIAN INDIRECT QUESTION MARK
2C9F	COPTIC SMALL LETTER O	2CFC	COPTIC OLD NUBIAN VERSE DIVIDER
2CA0	COPTIC CAPITAL LETTER PI	2CFD	COPTIC FRACTION ONE HALF
2CA1	COPTIC SMALL LETTER PI	2CFE	COPTIC FULL STOP
2CA2	COPTIC CAPITAL LETTER RO	2CFF	COPTIC MORPHOLOGICAL DIVIDER
2CA3	COPTIC SMALL LETTER RO		
2CA4	COPTIC CAPITAL LETTER SIMA		
2CA5	COPTIC SMALL LETTER SIMA		
2CA6	COPTIC CAPITAL LETTER TAU		
2CA7	COPTIC SMALL LETTER TAU		
2CA8	COPTIC CAPITAL LETTER UA		
2CA9	COPTIC SMALL LETTER UA		
2CAA	COPTIC CAPITAL LETTER FI		
2CAB	COPTIC SMALL LETTER FI		
2CAC	COPTIC CAPITAL LETTER KHI		
2CAD	COPTIC SMALL LETTER KHI		
2CAE	COPTIC CAPITAL LETTER PSI		
2CAF	COPTIC SMALL LETTER PSI		
2CB0	COPTIC CAPITAL LETTER OOU		
2CB1	COPTIC SMALL LETTER OOU		
2CB2	COPTIC CAPITAL LETTER DIALECT-P ALEF		
2CB3	COPTIC SMALL LETTER DIALECT-P ALEF		
2CB4	COPTIC CAPITAL LETTER OLD COPTIC AIN		
2CB5	COPTIC SMALL LETTER OLD COPTIC AIN		
2CB6	COPTIC CAPITAL LETTER CRYPTOGRAMMIC EIE		
2CB7	COPTIC SMALL LETTER CRYPTOGRAMMIC EIE		
2CB8	COPTIC CAPITAL LETTER DIALECT-P KAPA		
2CB9	COPTIC SMALL LETTER DIALECT-P KAPA		
2CBA	COPTIC CAPITAL LETTER DIALECT-P NI		
2CBB	COPTIC SMALL LETTER DIALECT-P NI		
2CBC	COPTIC CAPITAL LETTER CRYPTOGRAMMIC NI		
2CBD	COPTIC SMALL LETTER CRYPTOGRAMMIC NI		
2CBE	COPTIC CAPITAL LETTER OLD COPTIC OOU		
2CBF	COPTIC SMALL LETTER OLD COPTIC OOU		
2CC0	COPTIC CAPITAL LETTER SAMPI		
2CC1	COPTIC SMALL LETTER SAMPI		
2CC2	COPTIC CAPITAL LETTER CROSSED SHEI		
2CC3	COPTIC SMALL LETTER CROSSED SHEI		
2CC4	COPTIC CAPITAL LETTER OLD COPTIC SHEI		
2CC5	COPTIC SMALL LETTER OLD COPTIC SHEI		
2CC6	COPTIC CAPITAL LETTER OLD COPTIC ESH		
2CC7	COPTIC SMALL LETTER OLD COPTIC ESH		
2CC8	COPTIC CAPITAL LETTER AKHMIMIC KHEI		
2CC9	COPTIC SMALL LETTER AKHMIMIC KHEI		
2CCA	COPTIC CAPITAL LETTER DIALECT-P HORI		
2CCB	COPTIC SMALL LETTER DIALECT-P HORI		
2CCC	COPTIC CAPITAL LETTER OLD COPTIC HORI		
2CCD	COPTIC SMALL LETTER OLD COPTIC HORI		
2CCE	COPTIC CAPITAL LETTER OLD COPTIC HA		
2CCF	COPTIC SMALL LETTER OLD COPTIC HA		
2CD0	COPTIC CAPITAL LETTER L-SHAPED HA		
2CD1	COPTIC SMALL LETTER L-SHAPED HA		
2CD2	COPTIC CAPITAL LETTER OLD COPTIC HEI		
2CD3	COPTIC SMALL LETTER OLD COPTIC HEI		
2CD4	COPTIC CAPITAL LETTER OLD COPTIC HAT		
2CD5	COPTIC SMALL LETTER OLD COPTIC HAT		
2CD6	COPTIC CAPITAL LETTER OLD COPTIC GANGIA		
2CD7	COPTIC SMALL LETTER OLD COPTIC GANGIA		
2CD8	COPTIC CAPITAL LETTER OLD COPTIC DJA		
2CD9	COPTIC SMALL LETTER OLD COPTIC DJA		
2CDA	COPTIC CAPITAL LETTER OLD COPTIC SHIMA		
2CDB	COPTIC SMALL LETTER OLD COPTIC SHIMA		
2CDC	COPTIC CAPITAL LETTER OLD NUBIAN SHIMA		

Table 100 - Row 2D: Georgian Supplement

	2D0	2D1	2D2
0	Ⴊ 2D00	Ⴋ 2D10	Ⴌ 2D20
1	Ⴍ 2D01	Ⴎ 2D11	Ⴏ 2D21
2	Ⴐ 2D02	Ⴑ 2D12	Ⴒ 2D22
3	Ⴓ 2D03	Ⴔ 2D13	Ⴕ 2D23
4	Ⴖ 2D04	Ⴗ 2D14	Ⴘ 2D24
5	Ⴙ 2D05	Ⴚ 2D15	Ⴛ 2D25
6	Ⴜ 2D06	Ⴝ 2D16	
7	Ⴞ 2D07	Ⴟ 2D17	
8	Ⴀ 2D08	Ⴁ 2D18	
9	Ⴂ 2D09	Ⴃ 2D19	
A	Ⴄ 2D0A	Ⴅ 2D1A	
B	Ⴆ 2D0B	Ⴇ 2D1B	
C	Ⴈ 2D0C	Ⴉ 2D1C	
D	Ⴋ 2D0D	Ⴌ 2D1D	
E	Ⴍ 2D0E	Ⴎ 2D1E	
F	Ⴐ 2D0F	Ⴑ 2D1F	

G = 00

P = 00

Table 100 - Row 2D: Georgian Supplement

HEX	NAME	HEX	NAME
2D00	GEORGIAN SMALL LETTER AN (Khutsuri)		
2D01	GEORGIAN SMALL LETTER BAN (Khutsuri)		
2D02	GEORGIAN SMALL LETTER GAN (Khutsuri)		
2D03	GEORGIAN SMALL LETTER DON (Khutsuri)		
2D04	GEORGIAN SMALL LETTER EN (Khutsuri)		
2D05	GEORGIAN SMALL LETTER VIN (Khutsuri)		
2D06	GEORGIAN SMALL LETTER ZEN (Khutsuri)		
2D07	GEORGIAN SMALL LETTER TAN (Khutsuri)		
2D08	GEORGIAN SMALL LETTER IN (Khutsuri)		
2D09	GEORGIAN SMALL LETTER KAN (Khutsuri)		
2D0A	GEORGIAN SMALL LETTER LAS (Khutsuri)		
2D0B	GEORGIAN SMALL LETTER MAN (Khutsuri)		
2D0C	GEORGIAN SMALL LETTER NAR (Khutsuri)		
2D0D	GEORGIAN SMALL LETTER ON (Khutsuri)		
2D0E	GEORGIAN SMALL LETTER PAR (Khutsuri)		
2D0F	GEORGIAN SMALL LETTER ZHAR (Khutsuri)		
2D10	GEORGIAN SMALL LETTER RAE (Khutsuri)		
2D11	GEORGIAN SMALL LETTER SAN (Khutsuri)		
2D12	GEORGIAN SMALL LETTER TAR (Khutsuri)		
2D13	GEORGIAN SMALL LETTER UN (Khutsuri)		
2D14	GEORGIAN SMALL LETTER PHAR (Khutsuri)		
2D15	GEORGIAN SMALL LETTER KHAR (Khutsuri)		
2D16	GEORGIAN SMALL LETTER GHAN (Khutsuri)		
2D17	GEORGIAN SMALL LETTER QAR (Khutsuri)		
2D18	GEORGIAN SMALL LETTER SHIN (Khutsuri)		
2D19	GEORGIAN SMALL LETTER CHIN (Khutsuri)		
2D1A	GEORGIAN SMALL LETTER CAN (Khutsuri)		
2D1B	GEORGIAN SMALL LETTER JIL (Khutsuri)		
2D1C	GEORGIAN SMALL LETTER CIL (Khutsuri)		
2D1D	GEORGIAN SMALL LETTER CHAR (Khutsuri)		
2D1E	GEORGIAN SMALL LETTER XAN (Khutsuri)		
2D1F	GEORGIAN SMALL LETTER JHAN (Khutsuri)		
2D20	GEORGIAN SMALL LETTER HAE (Khutsuri)		
2D21	GEORGIAN SMALL LETTER HE (Khutsuri)		
2D22	GEORGIAN SMALL LETTER HIE (Khutsuri)		
2D23	GEORGIAN SMALL LETTER WE (Khutsuri)		
2D24	GEORGIAN SMALL LETTER HAR (Khutsuri)		
2D25	GEORGIAN SMALL LETTER HOE (Khutsuri)		
2D26	(This position shall not be used)		
2D27	(This position shall not be used)		
2D28	(This position shall not be used)		
2D29	(This position shall not be used)		
2D2A	(This position shall not be used)		
2D2B	(This position shall not be used)		
2D2C	(This position shall not be used)		
2D2D	(This position shall not be used)		
2D2E	(This position shall not be used)		
2D2F	(This position shall not be used)		

Group 00**Plane 00****Row 2D**

Table 101 - Row 2D: Tifinagh

	2D3	2D4	2D5	2D6	2D7
0	○ 2D30	⊖ 2D40	≠ 2D50	△ 2D60	
1	⊖ 2D31	∅ 2D41	! 2D51	⊏ 2D61	
2	⊕ 2D32	⋮ 2D42	↻ 2D52	↵ 2D62	
3	⌘ 2D33	↙ 2D43	⦿ 2D53	⌘ 2D63	
4	⌘ 2D34	⌞ 2D44	○ 2D54	↑ 2D64	
5	⌘ 2D35	⌘ 2D45	Q 2D55	⌘ 2D65	
6	⌞ 2D36	⋮ 2D46	⌞ 2D56		
7	∧ 2D37	⌞ 2D47	⋮ 2D57		
8	∨ 2D38	⋮ 2D48	⋮ 2D58		
9	E 2D39	⌞ 2D49	⊙ 2D59		
A	⊏ 2D3A	I 2D4A	⊙ 2D5A		
B	⦿ 2D3B	⌘ 2D4B	⦿ 2D5B		
C	⌘ 2D3C	⌘ 2D4C	† 2D5C		
D	⌘ 2D3D	⌘ 2D4D	⌘ 2D5D		
E	⋮ 2D3E	⌘ 2D4E	⦿ 2D5E		
F	⌘ 2D3F	I 2D4F	E 2D5F	⊏ 2D6F	

G = 00

P = 00

Table 101 - Row 2D: Tifinagh

HEX	NAME	HEX	NAME
2D30	TIFINAGH LETTER YA		
2D31	TIFINAGH LETTER YAB		
2D32	TIFINAGH LETTER YABH		
2D33	TIFINAGH LETTER YAG		
2D34	TIFINAGH LETTER YAGGH		
2D35	TIFINAGH LETTER KABYLE YAJ		
2D36	TIFINAGH LETTER YAJ		
2D37	TIFINAGH LETTER YAD		
2D38	TIFINAGH LETTER YADH		
2D39	TIFINAGH LETTER YADD		
2D3A	TIFINAGH LETTER YADDH		
2D3B	TIFINAGH LETTER YEY		
2D3C	TIFINAGH LETTER YAF		
2D3D	TIFINAGH LETTER YAK		
2D3E	TIFINAGH LETTER TUAREG YAK		
2D3F	TIFINAGH LETTER YAKKH		
2D40	TIFINAGH LETTER YAH (Tuareg yab)		
2D41	TIFINAGH LETTER KABYLE YAH		
2D42	TIFINAGH LETTER TUAREG YAH		
2D43	TIFINAGH LETTER YAHH		
2D44	TIFINAGH LETTER YAA		
2D45	TIFINAGH LETTER YAKH		
2D46	TIFINAGH LETTER TUAREG YAKH (Tuareg four-points)		
2D47	TIFINAGH LETTER YAQ		
2D48	TIFINAGH LETTER TUAREG YAQ		
2D49	TIFINAGH LETTER YI		
2D4A	TIFINAGH LETTER YAZH		
2D4B	TIFINAGH LETTER AHAGGAR YAZH		
2D4C	TIFINAGH LETTER TUAREG YAZH		
2D4D	TIFINAGH LETTER YAL		
2D4E	TIFINAGH LETTER YAM		
2D4F	TIFINAGH LETTER YAN		
2D50	TIFINAGH LETTER TUAREG YAGN		
2D51	TIFINAGH LETTER TUAREG YANG		
2D52	TIFINAGH LETTER YAP		
2D53	TIFINAGH LETTER YU		
2D54	TIFINAGH LETTER YAR		
2D55	TIFINAGH LETTER YARR		
2D56	TIFINAGH LETTER YAGH		
2D57	TIFINAGH LETTER TUAREG YAGH		
2D58	TIFINAGH LETTER AYER YAGH (Adrar yaj, Tuareg staggered five-points)		
2D59	TIFINAGH LETTER YAS		
2D5A	TIFINAGH LETTER YASS		
2D5B	TIFINAGH LETTER YASH		
2D5C	TIFINAGH LETTER YAT		
2D5D	TIFINAGH LETTER YATH		
2D5E	TIFINAGH LETTER YACH		
2D5F	TIFINAGH LETTER YATT		
2D60	TIFINAGH LETTER YAV		
2D61	TIFINAGH LETTER YAW		
2D62	TIFINAGH LETTER YAY		
2D63	TIFINAGH LETTER YAZ		
2D64	TIFINAGH LETTER TAWELLEMET YAZ (harpoon yaz)		
2D65	TIFINAGH LETTER YAZZ		
2D66	(This position shall not be used)		
2D67	(This position shall not be used)		
2D68	(This position shall not be used)		
2D69	(This position shall not be used)		
2D6A	(This position shall not be used)		
2D6B	(This position shall not be used)		
2D6C	(This position shall not be used)		
2D6D	(This position shall not be used)		
2D6E	(This position shall not be used)		
2D6F	TIFINAGH MODIFIER LETTER LABIALIZATION		
2D70	(This position shall not be used)		
2D71	(This position shall not be used)		
2D72	(This position shall not be used)		
2D73	(This position shall not be used)		
2D74	(This position shall not be used)		
2D75	(This position shall not be used)		
2D76	(This position shall not be used)		
2D77	(This position shall not be used)		
2D78	(This position shall not be used)		
2D79	(This position shall not be used)		
2D7A	(This position shall not be used)		
2D7B	(This position shall not be used)		
2D7C	(This position shall not be used)		
2D7D	(This position shall not be used)		
2D7E	(This position shall not be used)		
2D7F	(This position shall not be used)		

Group 00

Plane 00

Row 2D

Table 102 - Row 2D: Ethiopic Extended

	2D8	2D9	2DA	2DB	2DC	2DD
0	ሐ 2D80	፬ 2D90	ሰ 2DA0	ሰ 2DB0	ቐ 2DC0	ኸ 2DD0
1	ሞ 2D81	ቆ 2D91	ሰ 2DA1	ሰ 2DB1	ቐ 2DC1	ኸ 2DD1
2	ሮ 2D82	፯ 2D92	ሰ 2DA2	ሰ 2DB2	ቐ 2DC2	ኸ 2DD2
3	ሶ 2D83	ኸ 2D93	ሰ 2DA3	ሰ 2DB3	ቐ 2DC3	ኸ 2DD3
4	ሰ 2D84	ኸ 2D94	ሰ 2DA4	ሰ 2DB4	ቐ 2DC4	ኸ 2DD4
5	ሶ 2D85	፯ 2D95	ሰ 2DA5	ሰ 2DB5	ቐ 2DC5	ኸ 2DD5
6	ቶ 2D86	ኸ 2D96	ሰ 2DA6	ሰ 2DB6	ቐ 2DC6	ኸ 2DD6
7	ቶ 2D87					
8	ኖ 2D88		ቶ 2DA8	፬ 2DB8	ኸ 2DC8	ኸ 2DD8
9	ኖ 2D89		ቶ 2DA9	፬ 2DB9	ኸ 2DC9	ኸ 2DD9
A	ኦ 2D8A		ቶ 2DAA	፬ 2DBA	ኸ 2DCA	ኸ 2DDA
B	ዝ 2D8B		ቶ 2DAB	፬ 2DBB	ኸ 2DCB	ኸ 2ddb
C	ደ 2D8C		ቶ 2DAC	፬ 2DBC	ኸ 2DCC	ኸ 2DDC
D	ቲ 2D8D		ቶ 2DAD	፬ 2DBD	ኸ 2DCD	ኸ 2DDD
E	ጀ 2D8E		ቶ 2DAE	፬ 2DBE	ኸ 2DCE	ኸ 2DDE
F	ሐ 2D8F					

G = 00

P = 00

Table 102 - Row 2D: Ethiopic Extended

























HEX	NAME	HEX	NAME
2D80	ETHIOPIC SYLLABLE LOA	2DD0	ETHIOPIC SYLLABLE GYE
2D81	ETHIOPIC SYLLABLE MOA	2DDE	ETHIOPIC SYLLABLE GYO
2D82	ETHIOPIC SYLLABLE ROA	2DDF	(This position shall not be used)
2D83	ETHIOPIC SYLLABLE SOA		
2D84	ETHIOPIC SYLLABLE SHOA		
2D85	ETHIOPIC SYLLABLE BOA		
2D86	ETHIOPIC SYLLABLE TOA		
2D87	ETHIOPIC SYLLABLE COA		
2D88	ETHIOPIC SYLLABLE NOA		
2D89	ETHIOPIC SYLLABLE NYOA		
2D8A	ETHIOPIC SYLLABLE GLOTTAL OA		
2D8B	ETHIOPIC SYLLABLE ZOA		
2D8C	ETHIOPIC SYLLABLE DOA		
2D8D	ETHIOPIC SYLLABLE DDOA		
2D8E	ETHIOPIC SYLLABLE JOA		
2D8F	ETHIOPIC SYLLABLE THOA		
2D90	ETHIOPIC SYLLABLE CHOA		
2D91	ETHIOPIC SYLLABLE PHOA		
2D92	ETHIOPIC SYLLABLE POA		
2D93	ETHIOPIC SYLLABLE GGWA		
2D94	ETHIOPIC SYLLABLE GGWI		
2D95	ETHIOPIC SYLLABLE GGWEE		
2D96	ETHIOPIC SYLLABLE GGWE		
2D97	(This position shall not be used)		
2D98	(This position shall not be used)		
2D99	(This position shall not be used)		
2D9A	(This position shall not be used)		
2D9B	(This position shall not be used)		
2D9C	(This position shall not be used)		
2D9D	(This position shall not be used)		
2D9E	(This position shall not be used)		
2D9F	(This position shall not be used)		
2DA0	ETHIOPIC SYLLABLE SSA		
2DA1	ETHIOPIC SYLLABLE SSU		
2DA2	ETHIOPIC SYLLABLE SSI		
2DA3	ETHIOPIC SYLLABLE SSAA		
2DA4	ETHIOPIC SYLLABLE SSEE		
2DA5	ETHIOPIC SYLLABLE SSE		
2DA6	ETHIOPIC SYLLABLE SSO		
2DA7	(This position shall not be used)		
2DA8	ETHIOPIC SYLLABLE CCA		
2DA9	ETHIOPIC SYLLABLE CCU		
2DAA	ETHIOPIC SYLLABLE CCI		
2DAB	ETHIOPIC SYLLABLE CCAA		
2DAC	ETHIOPIC SYLLABLE CCEE		
2DAD	ETHIOPIC SYLLABLE CCE		
2DAE	ETHIOPIC SYLLABLE CCO		
2DAF	(This position shall not be used)		
2DB0	ETHIOPIC SYLLABLE ZZA		
2DB1	ETHIOPIC SYLLABLE ZZU		
2DB2	ETHIOPIC SYLLABLE ZZI		
2DB3	ETHIOPIC SYLLABLE ZZAA		
2DB4	ETHIOPIC SYLLABLE ZZEE		
2DB5	ETHIOPIC SYLLABLE ZZE		
2DB6	ETHIOPIC SYLLABLE ZZO		
2DB7	(This position shall not be used)		
2DB8	ETHIOPIC SYLLABLE CCHA		
2DB9	ETHIOPIC SYLLABLE CCHU		
2DBA	ETHIOPIC SYLLABLE CCHI		
2DBB	ETHIOPIC SYLLABLE CCHAA		
2DBC	ETHIOPIC SYLLABLE CCHEE		
2DBD	ETHIOPIC SYLLABLE CCHE		
2DBE	ETHIOPIC SYLLABLE CCHO		
2DBF	(This position shall not be used)		
2DC0	ETHIOPIC SYLLABLE QYA		
2DC1	ETHIOPIC SYLLABLE QYU		
2DC2	ETHIOPIC SYLLABLE QYI		
2DC3	ETHIOPIC SYLLABLE QYAA		
2DC4	ETHIOPIC SYLLABLE QYEE		
2DC5	ETHIOPIC SYLLABLE QYE		
2DC6	ETHIOPIC SYLLABLE QYO		
2DC7	(This position shall not be used)		
2DC8	ETHIOPIC SYLLABLE KYA		
2DC9	ETHIOPIC SYLLABLE KYU		
2DCA	ETHIOPIC SYLLABLE KYI		
2DCB	ETHIOPIC SYLLABLE KYAA		
2DCC	ETHIOPIC SYLLABLE KYEE		
2DCD	ETHIOPIC SYLLABLE KYE		
2DCE	ETHIOPIC SYLLABLE KYO		
2DCF	(This position shall not be used)		
2DD0	ETHIOPIC SYLLABLE XYA		
2DD1	ETHIOPIC SYLLABLE XYU		
2DD2	ETHIOPIC SYLLABLE XYI		
2DD3	ETHIOPIC SYLLABLE XYAA		
2DD4	ETHIOPIC SYLLABLE XYEE		
2DD5	ETHIOPIC SYLLABLE XYE		
2DD6	ETHIOPIC SYLLABLE XYO		
2DD7	(This position shall not be used)		
2DD8	ETHIOPIC SYLLABLE GYA		
2DD9	ETHIOPIC SYLLABLE GYU		
2DDA	ETHIOPIC SYLLABLE GYI		
2ddb	ETHIOPIC SYLLABLE GYAA		
2DDC	ETHIOPIC SYLLABLE GYEE		

Group 00

Plane 00

Row 2D

Table 103 - Row 2E: Supplemental Punctuation

















	2E0	2E1	2E2	2E3	2E4	2E5	2E6	2E7
0	 2E00	 2E10						
1	 2E01	 2E11						
2	 2E02	 2E12						
3	 2E03	 2E13						
4	 2E04	 2E14						
5	 2E05	 2E15						
6	 2E06	 2E16						
7	 2E07	 2E17						
8	 2E08							
9	 2E09							
A	 2E0A							
B	 2E0B							
C	 2E0C	 2E1C						
D	 2E0D	 2E1D						
E	 2E0E							
F	 2E0F							

G = 00
P = 00

Table 103 - Row 2E: Supplemental Punctuation

HEX	NAME	HEX	NAME
2E00	RIGHT ANGLE SUBSTITUTION MARKER	2E5D	(This position shall not be used)
2E01	RIGHT ANGLE DOTTED SUBSTITUTION MARKER	2E5E	(This position shall not be used)
2E02	LEFT SUBSTITUTION BRACKET	2E5F	(This position shall not be used)
2E03	RIGHT SUBSTITUTION BRACKET	2E60	(This position shall not be used)
2E04	LEFT DOTTED SUBSTITUTION BRACKET	2E61	(This position shall not be used)
2E05	RIGHT DOTTED SUBSTITUTION BRACKET	2E62	(This position shall not be used)
2E06	RAISED INTERPOLATION MARKER	2E63	(This position shall not be used)
2E07	RAISED DOTTED INTERPOLATION MARKER	2E64	(This position shall not be used)
2E08	DOTTED TRANSPOSITION MARKER	2E65	(This position shall not be used)
2E09	LEFT TRANSPOSITION BRACKET	2E66	(This position shall not be used)
2E0A	RIGHT TRANSPOSITION BRACKET	2E67	(This position shall not be used)
2E0B	RAISED SQUARE	2E68	(This position shall not be used)
2E0C	LEFT RAISED OMISSION BRACKET	2E69	(This position shall not be used)
2E0D	RIGHT RAISED OMISSION BRACKET	2E6A	(This position shall not be used)
2E0E	EDITORIAL CORONIS	2E6B	(This position shall not be used)
2E0F	PARAGRAPHOS	2E6C	(This position shall not be used)
2E10	FORKED PARAGRAPHOS	2E6D	(This position shall not be used)
2E11	REVERSED FORKED PARAGRAPHOS	2E6E	(This position shall not be used)
2E12	HYPODIASTOLE	2E6F	(This position shall not be used)
2E13	DOTTED OBELOS	2E70	(This position shall not be used)
2E14	DOWNWARDS ANCORA	2E71	(This position shall not be used)
2E15	UPWARDS ANCORA	2E72	(This position shall not be used)
2E16	DOTTED RIGHT-POINTING ANGLE	2E73	(This position shall not be used)
2E17	DOUBLE OBLIQUE HYPHEN	2E74	(This position shall not be used)
2E18	(This position shall not be used)	2E75	(This position shall not be used)
2E19	(This position shall not be used)	2E76	(This position shall not be used)
2E1A	(This position shall not be used)	2E77	(This position shall not be used)
2E1B	(This position shall not be used)	2E78	(This position shall not be used)
2E1C	LEFT LOW PARAPHRASIS BRACKET	2E79	(This position shall not be used)
2E1D	RIGHT LOW PARAPHRASIS BRACKET	2E7A	(This position shall not be used)
2E1E	(This position shall not be used)	2E7B	(This position shall not be used)
2E1F	(This position shall not be used)	2E7C	(This position shall not be used)
2E20	(This position shall not be used)	2E7D	(This position shall not be used)
2E21	(This position shall not be used)	2E7E	(This position shall not be used)
2E22	(This position shall not be used)	2E7F	(This position shall not be used)
2E23	(This position shall not be used)		
2E24	(This position shall not be used)		
2E25	(This position shall not be used)		
2E26	(This position shall not be used)		
2E27	(This position shall not be used)		
2E28	(This position shall not be used)		
2E29	(This position shall not be used)		
2E2A	(This position shall not be used)		
2E2B	(This position shall not be used)		
2E2C	(This position shall not be used)		
2E2D	(This position shall not be used)		
2E2E	(This position shall not be used)		
2E2F	(This position shall not be used)		
2E30	(This position shall not be used)		
2E31	(This position shall not be used)		
2E32	(This position shall not be used)		
2E33	(This position shall not be used)		
2E34	(This position shall not be used)		
2E35	(This position shall not be used)		
2E36	(This position shall not be used)		
2E37	(This position shall not be used)		
2E38	(This position shall not be used)		
2E39	(This position shall not be used)		
2E3A	(This position shall not be used)		
2E3B	(This position shall not be used)		
2E3C	(This position shall not be used)		
2E3D	(This position shall not be used)		
2E3E	(This position shall not be used)		
2E3F	(This position shall not be used)		
2E40	(This position shall not be used)		
2E41	(This position shall not be used)		
2E42	(This position shall not be used)		
2E43	(This position shall not be used)		
2E44	(This position shall not be used)		
2E45	(This position shall not be used)		
2E46	(This position shall not be used)		
2E47	(This position shall not be used)		
2E48	(This position shall not be used)		
2E49	(This position shall not be used)		
2E4A	(This position shall not be used)		
2E4B	(This position shall not be used)		
2E4C	(This position shall not be used)		
2E4D	(This position shall not be used)		
2E4E	(This position shall not be used)		
2E4F	(This position shall not be used)		
2E50	(This position shall not be used)		
2E51	(This position shall not be used)		
2E52	(This position shall not be used)		
2E53	(This position shall not be used)		
2E54	(This position shall not be used)		
2E55	(This position shall not be used)		
2E56	(This position shall not be used)		
2E57	(This position shall not be used)		
2E58	(This position shall not be used)		
2E59	(This position shall not be used)		
2E5A	(This position shall not be used)		
2E5B	(This position shall not be used)		
2E5C	(This position shall not be used)		

Table 115 - Row 31: CJK Basic Strokes

	31C	31D	31E
0	 31C0		
1	 31C1		
2	 31C2		
3	 31C3		
4	 31C4		
5	 31C5		
6	 31C6		
7	 31C7		
8	 31C8		
9	 31C9		
A	 31CA		
B	 31CB		
C	 31CC		
D	 31CD		
E	 31CE		
F	 31CF		

G = 00

P = 00

Table 115 - Row 31: CJK Basic Strokes

HEX	NAME	HEX	NAME
31C0	CJK BASIC STROKE T		
31C1	CJK BASIC STROKE WG		
31C2	CJK BASIC STROKE XG		
31C3	CJK BASIC STROKE XG-2		
31C4	CJK BASIC STROKE SZ		
31C5	CJK BASIC STROKE HZZ		
31C6	CJK BASIC STROKE HZG		
31C7	CJK BASIC STROKE HP		
31C8	CJK BASIC STROKE HZWG		
31C9	CJK BASIC STROKE SZZG		
31CA	CJK BASIC STROKE HZT		
31CB	CJK BASIC STROKE HZZP		
31CC	CJK BASIC STROKE HPWG		
31CD	CJK BASIC STROKE HZW		
31CE	CJK BASIC STROKE HZZZ		
31CF	CJK BASIC STROKE N		
31D0	(This position shall not be used)		
31D1	(This position shall not be used)		
31D2	(This position shall not be used)		
31D3	(This position shall not be used)		
31D4	(This position shall not be used)		
31D5	(This position shall not be used)		
31D6	(This position shall not be used)		
31D7	(This position shall not be used)		
31D8	(This position shall not be used)		
31D9	(This position shall not be used)		
31DA	(This position shall not be used)		
31DB	(This position shall not be used)		
31DC	(This position shall not be used)		
31DD	(This position shall not be used)		
31DE	(This position shall not be used)		
31DF	(This position shall not be used)		
31E0	(This position shall not be used)		
31E1	(This position shall not be used)		
31E2	(This position shall not be used)		
31E3	(This position shall not be used)		
31E4	(This position shall not be used)		
31E5	(This position shall not be used)		
31E6	(This position shall not be used)		
31E7	(This position shall not be used)		
31E8	(This position shall not be used)		
31E9	(This position shall not be used)		
31EA	(This position shall not be used)		
31EB	(This position shall not be used)		
31EC	(This position shall not be used)		
31ED	(This position shall not be used)		
31EE	(This position shall not be used)		
31EF	(This position shall not be used)		

Table 117 - Row 32: Enclosed CJK Letters and Months

	320	321	322	323	324	325	326	327
0	(ㄱ) 3200	(다) 3210	(一) 3220	(日) 3230	(祭) 3240	PTE 3250	(ㄱ) 3260	(다) 3270
1	(ㄴ) 3201	(라) 3211	(二) 3221	(株) 3231	(休) 3241	(㉑) 3251	(ㄴ) 3261	(라) 3271
2	(ㄷ) 3202	(마) 3212	(三) 3222	(有) 3232	(自) 3242	(㉒) 3252	(ㄷ) 3262	(마) 3272
3	(ㄹ) 3203	(바) 3213	(四) 3223	(社) 3233	(至) 3243	(㉓) 3253	(ㄹ) 3263	(바) 3273
4	(ㅁ) 3204	(사) 3214	(五) 3224	(名) 3234		(㉔) 3254	(ㅁ) 3264	(사) 3274
5	(ㅂ) 3205	(아) 3215	(六) 3225	(特) 3235		(㉕) 3255	(ㅂ) 3265	(아) 3275
6	(ㅅ) 3206	(자) 3216	(七) 3226	(財) 3236		(㉖) 3256	(ㅅ) 3266	(자) 3276
7	(ㅇ) 3207	(차) 3217	(八) 3227	(祝) 3237		(㉗) 3257	(ㅇ) 3267	(차) 3277
8	(ㅈ) 3208	(카) 3218	(九) 3228	(勞) 3238		(㉘) 3258	(ㅈ) 3268	(카) 3278
9	(ㅊ) 3209	(타) 3219	(十) 3229	(代) 3239		(㉙) 3259	(ㅊ) 3269	(타) 3279
A	(ㅋ) 320A	(파) 321A	(月) 322A	(呼) 323A		(㉚) 325A	(ㅋ) 326A	(파) 327A
B	(ㅌ) 320B	(하) 321B	(火) 322B	(学) 323B		(㉛) 325B	(ㅌ) 326B	(하) 327B
C	(ㅍ) 320C	(주) 321C	(水) 322C	(監) 323C		(㉜) 325C	(ㅍ) 326C	(참고) 327C
D	(ㅎ) 320D	(오전) 321D	(木) 322D	(企) 323D		(㉝) 325D	(ㅎ) 326D	(주의) 327D
E	(가) 320E	(오후) 321E	(金) 322E	(資) 323E		(㉞) 325E	(가) 326E	(우) 327E
F	(나) 320F		(土) 322F	(協) 323F		(㉟) 325F	(나) 326F	(KG) 327F

G = 00

P = 00

Table 117 - Row 32: Enclosed CJK Letters and Months

HEX	NAME	HEX	NAME
3200	PARENTHESESIZED HANGUL KIYEOK	325D	CIRCLED NUMBER THIRTY THREE
3201	PARENTHESESIZED HANGUL NIEUN	325E	CIRCLED NUMBER THIRTY FOUR
3202	PARENTHESESIZED HANGUL TKEUT	325F	CIRCLED NUMBER THIRTY FIVE
3203	PARENTHESESIZED HANGUL RIEUL	3260	CIRCLED HANGUL KIYEOK
3204	PARENTHESESIZED HANGUL MIEUM	3261	CIRCLED HANGUL NIEUN
3205	PARENTHESESIZED HANGUL PIEUP	3262	CIRCLED HANGUL TKEUT
3206	PARENTHESESIZED HANGUL SIOS	3263	CIRCLED HANGUL RIEUL
3207	PARENTHESESIZED HANGUL IEUNG	3264	CIRCLED HANGUL MIEUM
3208	PARENTHESESIZED HANGUL CIEUC	3265	CIRCLED HANGUL PIEUP
3209	PARENTHESESIZED HANGUL CHIEUCH	3266	CIRCLED HANGUL SIOS
320A	PARENTHESESIZED HANGUL KHIEUKH	3267	CIRCLED HANGUL IEUNG
320B	PARENTHESESIZED HANGUL THIEUTH	3268	CIRCLED HANGUL CIEUC
320C	PARENTHESESIZED HANGUL PHIEUPH	3269	CIRCLED HANGUL CHIEUCH
320D	PARENTHESESIZED HANGUL HIEUH	326A	CIRCLED HANGUL KHIEUKH
320E	PARENTHESESIZED HANGUL KIYEOK A	326B	CIRCLED HANGUL THIEUTH
320F	PARENTHESESIZED HANGUL NIEUN A	326C	CIRCLED HANGUL PHIEUPH
3210	PARENTHESESIZED HANGUL TKEUT A	326D	CIRCLED HANGUL HIEUH
3211	PARENTHESESIZED HANGUL RIEUL A	326E	CIRCLED HANGUL KIYEOK A
3212	PARENTHESESIZED HANGUL MIEUM A	326F	CIRCLED HANGUL NIEUN A
3213	PARENTHESESIZED HANGUL PIEUP A	3270	CIRCLED HANGUL TKEUT A
3214	PARENTHESESIZED HANGUL SIOS A	3271	CIRCLED HANGUL RIEUL A
3215	PARENTHESESIZED HANGUL IEUNG A	3272	CIRCLED HANGUL MIEUM A
3216	PARENTHESESIZED HANGUL CIEUC A	3273	CIRCLED HANGUL PIEUP A
3217	PARENTHESESIZED HANGUL CHIEUCH A	3274	CIRCLED HANGUL SIOS A
3218	PARENTHESESIZED HANGUL KHIEUKH A	3275	CIRCLED HANGUL IEUNG A
3219	PARENTHESESIZED HANGUL THIEUTH A	3276	CIRCLED HANGUL CIEUC A
321A	PARENTHESESIZED HANGUL PHIEUPH A	3277	CIRCLED HANGUL CHIEUCH A
321B	PARENTHESESIZED HANGUL HIEUH A	3278	CIRCLED HANGUL KHIEUKH A
321C	PARENTHESESIZED HANGUL CIEUC U	3279	CIRCLED HANGUL THIEUTH A
321D	PARENTHESESIZED KOREAN CHARACTER OJEON	327A	CIRCLED HANGUL PHIEUPH A
321E	PARENTHESESIZED KOREAN CHARACTER O HU	327B	CIRCLED HANGUL HIEUH A
321F	(This position shall not be used)	327C	CIRCLED KOREAN CHARACTER CHAMKO
3220	PARENTHESESIZED IDEOGRAPH ONE	327D	CIRCLED KOREAN CHARACTER JUEUI
3221	PARENTHESESIZED IDEOGRAPH TWO	327E	CIRCLED HANGUL IEUNG U
3222	PARENTHESESIZED IDEOGRAPH THREE	327F	KOREAN STANDARD SYMBOL
3223	PARENTHESESIZED IDEOGRAPH FOUR		
3224	PARENTHESESIZED IDEOGRAPH FIVE		
3225	PARENTHESESIZED IDEOGRAPH SIX		
3226	PARENTHESESIZED IDEOGRAPH SEVEN		
3227	PARENTHESESIZED IDEOGRAPH EIGHT		
3228	PARENTHESESIZED IDEOGRAPH NINE		
3229	PARENTHESESIZED IDEOGRAPH TEN		
322A	PARENTHESESIZED IDEOGRAPH MOON		
322B	PARENTHESESIZED IDEOGRAPH FIRE		
322C	PARENTHESESIZED IDEOGRAPH WATER		
322D	PARENTHESESIZED IDEOGRAPH WOOD		
322E	PARENTHESESIZED IDEOGRAPH METAL		
322F	PARENTHESESIZED IDEOGRAPH EARTH		
3230	PARENTHESESIZED IDEOGRAPH SUN		
3231	PARENTHESESIZED IDEOGRAPH STOCK		
3232	PARENTHESESIZED IDEOGRAPH HAVE		
3233	PARENTHESESIZED IDEOGRAPH SOCIETY		
3234	PARENTHESESIZED IDEOGRAPH NAME		
3235	PARENTHESESIZED IDEOGRAPH SPECIAL		
3236	PARENTHESESIZED IDEOGRAPH FINANCIAL		
3237	PARENTHESESIZED IDEOGRAPH CONGRATULATION		
3238	PARENTHESESIZED IDEOGRAPH LABOR		
3239	PARENTHESESIZED IDEOGRAPH REPRESENT		
323A	PARENTHESESIZED IDEOGRAPH CALL		
323B	PARENTHESESIZED IDEOGRAPH STUDY		
323C	PARENTHESESIZED IDEOGRAPH SUPERVISE		
323D	PARENTHESESIZED IDEOGRAPH ENTERPRISE		
323E	PARENTHESESIZED IDEOGRAPH RESOURCE		
323F	PARENTHESESIZED IDEOGRAPH ALLIANCE		
3240	PARENTHESESIZED IDEOGRAPH FESTIVAL		
3241	PARENTHESESIZED IDEOGRAPH REST		
3242	PARENTHESESIZED IDEOGRAPH SELF		
3243	PARENTHESESIZED IDEOGRAPH REACH		
3244	(This position shall not be used)		
3245	(This position shall not be used)		
3246	(This position shall not be used)		
3247	(This position shall not be used)		
3248	(This position shall not be used)		
3249	(This position shall not be used)		
324A	(This position shall not be used)		
324B	(This position shall not be used)		
324C	(This position shall not be used)		
324D	(This position shall not be used)		
324E	(This position shall not be used)		
324F	(This position shall not be used)		
3250	PARTNERSHIP SIGN		
3251	CIRCLED NUMBER TWENTY ONE		
3252	CIRCLED NUMBER TWENTY TWO		
3253	CIRCLED NUMBER TWENTY THREE		
3254	CIRCLED NUMBER TWENTY FOUR		
3255	CIRCLED NUMBER TWENTY FIVE		
3256	CIRCLED NUMBER TWENTY SIX		
3257	CIRCLED NUMBER TWENTY SEVEN		
3258	CIRCLED NUMBER TWENTY EIGHT		
3259	CIRCLED NUMBER TWENTY NINE		
325A	CIRCLED NUMBER THIRTY		
325B	CIRCLED NUMBER THIRTY ONE		
325C	CIRCLED NUMBER THIRTY TWO		

Table 120 - Row 33: CJK Compatibility

	338	339	33A	33B	33C	33D	33E	33F
0	pA 3380	Hz 3390	cm ² 33A0	ps 33B0	kΩ 33C0	lm 33D0	1日 33E0	17日 33F0
1	nA 3381	kHz 3391	m ² 33A1	ns 33B1	MΩ 33C1	ln 33D1	2日 33E1	18日 33F1
2	μA 3382	MHz 3392	km ² 33A2	μs 33B2	a.m. 33C2	log 33D2	3日 33E2	19日 33F2
3	mA 3383	GHz 3393	mm ³ 33A3	ms 33B3	Bq 33C3	lx 33D3	4日 33E3	20日 33F3
4	kA 3384	THz 3394	cm ³ 33A4	pV 33B4	cc 33C4	mb 33D4	5日 33E4	21日 33F4
5	KB 3385	μℓ 3395	m ³ 33A5	nV 33B5	cd 33C5	mil 33D5	6日 33E5	22日 33F5
6	MB 3386	<i>me</i> 3396	km ³ 33A6	μV 33B6	C/kg 33C6	mol 33D6	7日 33E6	23日 33F6
7	GB 3387	dℓ 3397	m/s 33A7	mV 33B7	Co. 33C7	pH 33D7	8日 33E7	24日 33F7
8	cal 3388	kℓ 3398	m/s ² 33A8	kV 33B8	dB 33C8	p.m. 33D8	9日 33E8	25日 33F8
9	kcal 3389	fm 3399	Pa 33A9	MV 33B9	Gy 33C9	PPM 33D9	10日 33E9	26日 33F9
A	pF 338A	nm 339A	kPa 33AA	pW 33BA	ha 33CA	PR 33DA	11日 33EA	27日 33FA
B	nF 338B	μm 339B	MPa 33AB	nW 33BB	HP 33CB	sr 33DB	12日 33EB	28日 33FB
C	μF 338C	mm 339C	GPa 33AC	μW 33BC	in 33CC	Sv 33DC	13日 33EC	29日 33FC
D	μg 338D	cm 339D	rad 33AD	mW 33BD	K.K. 33CD	Wb 33DD	14日 33ED	30日 33FD
E	mg 338E	km 339E	rad/s 33AE	kW 33BE	KM 33CE	Y/m 33DE	15日 33EE	31日 33FE
F	kg 338F	mm ² 339F	rad/s ² 33AF	MW 33BF	kt 33CF	A/m 33DF	16日 33EF	gal 33FF

G = 00

P = 00

Table 120 - Row 33: CJK Compatibility

HEX	NAME	HEX	NAME
3380	SQUARE PA AMPS	33DD	SQUARE WB
3381	SQUARE NA	33DE	SQUARE V OVER M
3382	SQUARE MU A	33DF	SQUARE A OVER M
3383	SQUARE MA	33E0	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY ONE
3384	SQUARE KA	33E1	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TWO
3385	SQUARE KB	33E2	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY THREE
3386	SQUARE MB	33E3	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY FOUR
3387	SQUARE GB	33E4	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY FIVE
3388	SQUARE CAL	33E5	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY SIX
3389	SQUARE KCAL	33E6	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY SEVEN
338A	SQUARE PF	33E7	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY EIGHT
338B	SQUARE NF	33E8	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY NINE
338C	SQUARE MU F	33E9	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TEN
338D	SQUARE MU G	33EA	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY ELEVEN
338E	SQUARE MG	33EB	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TWELVE
338F	SQUARE KG	33EC	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY THIRTEEN
3390	SQUARE HZ	33ED	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY FOURTEEN
3391	SQUARE KHZ	33EE	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY FIFTEEN
3392	SQUARE MHZ	33EF	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY SIXTEEN
3393	SQUARE GHZ	33F0	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY SEVENTEEN
3394	SQUARE THZ	33F1	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY EIGHTEEN
3395	SQUARE MU L	33F2	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY NINETEEN
3396	SQUARE ML	33F3	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TWENTY
3397	SQUARE DL	33F4	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TWENTY-ONE
3398	SQUARE KL	33F5	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TWENTY-TWO
3399	SQUARE FM	33F6	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TWENTY-THREE
339A	SQUARE NM	33F7	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TWENTY-FOUR
339B	SQUARE MU M	33F8	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TWENTY-FIVE
339C	SQUARE MM	33F9	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TWENTY-SIX
339D	SQUARE CM	33FA	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TWENTY-SEVEN
339E	SQUARE KM	33FB	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TWENTY-EIGHT
339F	SQUARE MM SQUARED	33FC	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TWENTY-NINE
33A0	SQUARE CM SQUARED	33FD	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY THIRTY
33A1	SQUARE M SQUARED	33FE	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY THIRTY-ONE
33A2	SQUARE KM SQUARED	33FF	SQUARE GAL
33A3	SQUARE MM CUBED		
33A4	SQUARE CM CUBED		
33A5	SQUARE M CUBED		
33A6	SQUARE KM CUBED		
33A7	SQUARE M OVER S		
33A8	SQUARE M OVER S SQUARED		
33A9	SQUARE PA		
33AA	SQUARE KPA		
33AB	SQUARE MPA		
33AC	SQUARE GPA		
33AD	SQUARE RAD		
33AE	SQUARE RAD OVER S		
33AF	SQUARE RAD OVER S SQUARED		
33B0	SQUARE PS		
33B1	SQUARE NS		
33B2	SQUARE MU S		
33B3	SQUARE MS		
33B4	SQUARE PV		
33B5	SQUARE NV		
33B6	SQUARE MU V		
33B7	SQUARE MV		
33B8	SQUARE KV		
33B9	SQUARE MV MEGA		
33BA	SQUARE PW		
33BB	SQUARE NW		
33BC	SQUARE MU W		
33BD	SQUARE MW		
33BE	SQUARE KW		
33BF	SQUARE MW MEGA		
33C0	SQUARE K OHM		
33C1	SQUARE M OHM		
33C2	SQUARE AM		
33C3	SQUARE BQ		
33C4	SQUARE CC		
33C5	SQUARE CD		
33C6	SQUARE C OVER KG		
33C7	SQUARE CO		
33C8	SQUARE DB		
33C9	SQUARE GY		
33CA	SQUARE HA		
33CB	SQUARE HP		
33CC	SQUARE IN		
33CD	SQUARE KK		
33CE	SQUARE KM CAPITAL		
33CF	SQUARE KT		
33D0	SQUARE LM		
33D1	SQUARE LN		
33D2	SQUARE LOG		
33D3	SQUARE LX		
33D4	SQUARE MB SMALL		
33D5	SQUARE MIL		
33D6	SQUARE MOL		
33D7	SQUARE PH		
33D8	SQUARE PM		
33D9	SQUARE PPM		
33DA	SQUARE PR		
33DB	SQUARE SR		
33DC	SQUARE SV		

Table 130 - Row A7: Modifier Tone Letters

	A70	A71
0	<div>c</div> <div>A700</div>	<div>l.</div> <div>A710</div>
1	<div>⊆</div> <div>A701</div>	<div>l.</div> <div>A711</div>
2	<div>c</div> <div>A702</div>	<div>┐</div> <div>A712</div>
3	<div>⊆</div> <div>A703</div>	<div>┑</div> <div>A713</div>
4	<div>⋈</div> <div>A704</div>	<div>┑</div> <div>A714</div>
5	<div>⊇</div> <div>A705</div>	<div>┑</div> <div>A715</div>
6	<div>⋈</div> <div>A706</div>	<div>L</div> <div>A716</div>
7	<div>⊇</div> <div>A707</div>	
8	<div>l.</div> <div>A708</div>	
9	<div>·l.</div> <div>A709</div>	
A	<div>·l.</div> <div>A70A</div>	
B	<div>·l.</div> <div>A70B</div>	
C	<div>·l.</div> <div>A70C</div>	
D	<div>l.</div> <div>A70D</div>	
E	<div>l.</div> <div>A70E</div>	
F	<div>l.</div> <div>A70F</div>	

G = 00
P = 00

Table 130 - Row A7: Modifier Tone Letters

HEX	NAME	HEX	NAME
A700	MODIFIER LETTER CHINESE TONE YIN PING		
A701	MODIFIER LETTER CHINESE TONE YANG PING		
A702	MODIFIER LETTER CHINESE TONE YIN SHANG		
A703	MODIFIER LETTER CHINESE TONE YANG SHANG		
A704	MODIFIER LETTER CHINESE TONE YIN QU		
A705	MODIFIER LETTER CHINESE TONE YANG QU		
A706	MODIFIER LETTER CHINESE TONE YIN RU		
A707	MODIFIER LETTER CHINESE TONE YANG RU		
A708	MODIFIER LETTER EXTRA-HIGH DOTTED TONE BAR		
A709	MODIFIER LETTER HIGH DOTTED TONE BAR		
A70A	MODIFIER LETTER MID DOTTED TONE BAR		
A70B	MODIFIER LETTER LOW DOTTED TONE BAR		
A70C	MODIFIER LETTER EXTRA-LOW DOTTED TONE BAR		
A70D	MODIFIER LETTER EXTRA-HIGH DOTTED LEFT-STEM TONE BAR		
A70E	MODIFIER LETTER HIGH DOTTED LEFT-STEM TONE BAR		
A70F	MODIFIER LETTER MID DOTTED LEFT-STEM TONE BAR		
A710	MODIFIER LETTER LOW DOTTED LEFT-STEM TONE BAR		
A711	MODIFIER LETTER EXTRA-LOW DOTTED LEFT-STEM TONE BAR		
A712	MODIFIER LETTER EXTRA-HIGH LEFT-STEM TONE BAR		
A713	MODIFIER LETTER HIGH LEFT-STEM TONE BAR		
A714	MODIFIER LETTER MID LEFT-STEM TONE BAR		
A715	MODIFIER LETTER LOW LEFT-STEM TONE BAR		
A716	MODIFIER LETTER EXTRA-LOW LEFT-STEM TONE BAR		
A717	(This position shall not be used)		
A718	(This position shall not be used)		
A719	(This position shall not be used)		
A71A	(This position shall not be used)		
A71B	(This position shall not be used)		
A71C	(This position shall not be used)		
A71D	(This position shall not be used)		
A71E	(This position shall not be used)		
A71F	(This position shall not be used)		

Group 00**Plane 00****Row A7**

Table 131 - Row A8: Syloti Nagri

	A80	A81	A82
0	𑌕 A800	𑌖 A810	𑌗 A820
1	𑌘 A801	𑌙 A811	𑌚 A821
2	𑌛 A802	𑌜 A812	𑌝 A822
3	𑌟 A803	𑌠 A813	𑌡 A823
4	𑌣 A804	𑌤 A814	𑌥 A824
5	𑌩 A805	𑌪 A815	𑌫 A825
6	𑌭 A806	𑌮 A816	𑌯 A826
7	𑌴 A807	𑌵 A817	𑌶 A827
8	𑌸 A808	𑌹 A818	𑌺 A828
9	𑌼 A809	𑌽 A819	𑌾 A829
A	𑌻 A80A	𑌼 A81A	𑌽 A82A
B	𑌿 A80B	𑍀 A81B	𑍁 A82B
C	𑍅 A80C	𑍆 A81C	
D	𑍊 A80D	𑍋 A81D	
E	𑍏 A80E	𑍐 A81E	
F	𑍔 A80F	𑍕 A81F	

G = 00

P = 00

Table 131 - Row A8: Syloti Nagri

HEX	NAME	HEX	NAME
A800	SYLOTI NAGRI LETTER A		
A801	SYLOTI NAGRI LETTER I		
A802	SYLOTI NAGRI SIGN DVISVARA		
A803	SYLOTI NAGRI LETTER U		
A804	SYLOTI NAGRI LETTER E		
A805	SYLOTI NAGRI LETTER O		
A806	SYLOTI NAGRI SIGN HASANTA		
A807	SYLOTI NAGRI LETTER KO		
A808	SYLOTI NAGRI LETTER KHO		
A809	SYLOTI NAGRI LETTER GO		
A80A	SYLOTI NAGRI LETTER GHO		
A80B	SYLOTI NAGRI SIGN ANUSVARA		
A80C	SYLOTI NAGRI LETTER CO		
A80D	SYLOTI NAGRI LETTER CHO		
A80E	SYLOTI NAGRI LETTER JO		
A80F	SYLOTI NAGRI LETTER JHO		
A810	SYLOTI NAGRI LETTER TTO		
A811	SYLOTI NAGRI LETTER TTHO		
A812	SYLOTI NAGRI LETTER DDO		
A813	SYLOTI NAGRI LETTER DDHO		
A814	SYLOTI NAGRI LETTER TO		
A815	SYLOTI NAGRI LETTER THO		
A816	SYLOTI NAGRI LETTER DO		
A817	SYLOTI NAGRI LETTER DHO		
A818	SYLOTI NAGRI LETTER NO		
A819	SYLOTI NAGRI LETTER PO		
A81A	SYLOTI NAGRI LETTER PHO		
A81B	SYLOTI NAGRI LETTER BO		
A81C	SYLOTI NAGRI LETTER BHO		
A81D	SYLOTI NAGRI LETTER MO		
A81E	SYLOTI NAGRI LETTER RO		
A81F	SYLOTI NAGRI LETTER LO		
A820	SYLOTI NAGRI LETTER RRO		
A821	SYLOTI NAGRI LETTER SO		
A822	SYLOTI NAGRI LETTER HO		
A823	SYLOTI NAGRI VOWEL SIGN A		
A824	SYLOTI NAGRI VOWEL SIGN I		
A825	SYLOTI NAGRI VOWEL SIGN U		
A826	SYLOTI NAGRI VOWEL SIGN E		
A827	SYLOTI NAGRI VOWEL SIGN OO		
A828	SYLOTI NAGRI POETRY MARK-1		
A829	SYLOTI NAGRI POETRY MARK-2		
A82A	SYLOTI NAGRI POETRY MARK-3		
A82B	SYLOTI NAGRI POETRY MARK-4		
A82C	(This position shall not be used)		
A82D	(This position shall not be used)		
A82E	(This position shall not be used)		
A82F	(This position shall not be used)		

Group 00

Plane 00

Row A8

Table 166 - Row FA: CJK Compatibility Ideographs

	FA6	FA7	FA8	FA9	FAA	FAB	FAC	FAD	FAE	FAF
0	謁 FA60	並 FA70	婢 FA80	敖 FA90	猪 FAA0	練 FAB0	變 FAC0	憊 FAD0		
1	視 FA61	况 FA71	嫵 FA81	晴 FA91	璵 FAA1	鉸 FAB1	贈 FAC1	枕 FAD1		
2	謁 FA62	全 FA72	廐 FA82	朗 FA92	瓷 FAA2	者 FAB2	輸 FAC2	櫛 FAD2		
3	謹 FA63	侗 FA73	廙 FA83	望 FA93	画 FAA3	荒 FAB3	遲 FAC3	盱 FAD3		
4	賓 FA64	充 FA74	彩 FA84	杖 FA94	瘰 FAA4	華 FAB4	醜 FAC4	映 FAD4		
5	贈 FA65	冀 FA75	徯 FA85	𠂇 FA95	瘟 FAA5	蝨 FAB5	鉶 FAC5	睪 FAD5		
6	𠂇 FA66	勇 FA76	惘 FA86	殺 FA96	益 FAA6	襁 FAB6	踰 FAC6	籊 FAD6		
7	逸 FA67	勺 FA77	慎 FA87	流 FA97	盛 FAA7	覆 FAB7	難 FAC7	𨔵 FAD7		
8	難 FA68	喝 FA78	愈 FA88	淫 FA98	直 FAA8	視 FAB8	靖 FAC8	𨔵 FAD8		
9	響 FA69	啣 FA79	憎 FA89	滋 FA99	眴 FAA9	調 FAB9	鞴 FAC9	龐 FAD9		
A	頻 FA6A	喙 FA7A	傲 FA8A	漢 FA9A	着 FAAA	諸 FABA	響 FACA			
B		嗍 FA7B	懲 FA8B	漚 FA9B	磧 FAAB	請 FABB	頤 FACB			
C		塚 FA7C	戴 FA8C	煮 FA9C	襖 FAAC	謁 FABC	頻 FACC			
D		墳 FA7D	揄 FA8D	瞧 FA9D	節 FAAD	諾 FABD	鬢 FACD			
E		奄 FA7E	搜 FA8E	爵 FA9E	𩇛 FAAE	諭 FABE	龜 FACE			
F		奔 FA7F	擗 FA8F	犯 FA9F	條 FAAF	謹 FABF	慄 FACF			

G = 00

P = 00

Table 166 - Row FA: CJK Compatibility Ideographs

HEX	NAME	HEX	NAME
FA60	CJK COMPATIBILITY IDEOGRAPH-FA60	FABD	CJK COMPATIBILITY IDEOGRAPH-FABD
FA61	CJK COMPATIBILITY IDEOGRAPH-FA61	FABE	CJK COMPATIBILITY IDEOGRAPH-FABE
FA62	CJK COMPATIBILITY IDEOGRAPH-FA62	FABF	CJK COMPATIBILITY IDEOGRAPH-FABF
FA63	CJK COMPATIBILITY IDEOGRAPH-FA63	FAC0	CJK COMPATIBILITY IDEOGRAPH-FAC0
FA64	CJK COMPATIBILITY IDEOGRAPH-FA64	FAC1	CJK COMPATIBILITY IDEOGRAPH-FAC1
FA65	CJK COMPATIBILITY IDEOGRAPH-FA65	FAC2	CJK COMPATIBILITY IDEOGRAPH-FAC2
FA66	CJK COMPATIBILITY IDEOGRAPH-FA66	FAC3	CJK COMPATIBILITY IDEOGRAPH-FAC3
FA67	CJK COMPATIBILITY IDEOGRAPH-FA67	FAC4	CJK COMPATIBILITY IDEOGRAPH-FAC4
FA68	CJK COMPATIBILITY IDEOGRAPH-FA68	FAC5	CJK COMPATIBILITY IDEOGRAPH-FAC5
FA69	CJK COMPATIBILITY IDEOGRAPH-FA69	FAC6	CJK COMPATIBILITY IDEOGRAPH-FAC6
FA6A	CJK COMPATIBILITY IDEOGRAPH-FA6A	FAC7	CJK COMPATIBILITY IDEOGRAPH-FAC7
FA6B	(This position shall not be used)	FAC8	CJK COMPATIBILITY IDEOGRAPH-FAC8
FA6C	(This position shall not be used)	FAC9	CJK COMPATIBILITY IDEOGRAPH-FAC9
FA6D	(This position shall not be used)	FACA	CJK COMPATIBILITY IDEOGRAPH-FACA
FA6E	(This position shall not be used)	FACB	CJK COMPATIBILITY IDEOGRAPH-FACB
FA6F	(This position shall not be used)	FACC	CJK COMPATIBILITY IDEOGRAPH-FACC
FA70	CJK COMPATIBILITY IDEOGRAPH-FA70	FACD	CJK COMPATIBILITY IDEOGRAPH-FACD
FA71	CJK COMPATIBILITY IDEOGRAPH-FA71	FACE	CJK COMPATIBILITY IDEOGRAPH-FACE
FA72	CJK COMPATIBILITY IDEOGRAPH-FA72	FACF	CJK COMPATIBILITY IDEOGRAPH-FACF
FA73	CJK COMPATIBILITY IDEOGRAPH-FA73	FAD0	CJK COMPATIBILITY IDEOGRAPH-FAD0
FA74	CJK COMPATIBILITY IDEOGRAPH-FA74	FAD1	CJK COMPATIBILITY IDEOGRAPH-FAD1
FA75	CJK COMPATIBILITY IDEOGRAPH-FA75	FAD2	CJK COMPATIBILITY IDEOGRAPH-FAD2
FA76	CJK COMPATIBILITY IDEOGRAPH-FA76	FAD3	CJK COMPATIBILITY IDEOGRAPH-FAD3
FA77	CJK COMPATIBILITY IDEOGRAPH-FA77	FAD4	CJK COMPATIBILITY IDEOGRAPH-FAD4
FA78	CJK COMPATIBILITY IDEOGRAPH-FA78	FAD5	CJK COMPATIBILITY IDEOGRAPH-FAD5
FA79	CJK COMPATIBILITY IDEOGRAPH-FA79	FAD6	CJK COMPATIBILITY IDEOGRAPH-FAD6
FA7A	CJK COMPATIBILITY IDEOGRAPH-FA7A	FAD7	CJK COMPATIBILITY IDEOGRAPH-FAD7
FA7B	CJK COMPATIBILITY IDEOGRAPH-FA7B	FAD8	CJK COMPATIBILITY IDEOGRAPH-FAD8
FA7C	CJK COMPATIBILITY IDEOGRAPH-FA7C	FAD9	CJK COMPATIBILITY IDEOGRAPH-FAD9
FA7D	CJK COMPATIBILITY IDEOGRAPH-FA7D	FADA	(This position shall not be used)
FA7E	CJK COMPATIBILITY IDEOGRAPH-FA7E	FADB	(This position shall not be used)
FA7F	CJK COMPATIBILITY IDEOGRAPH-FA7F	FADC	(This position shall not be used)
FA80	CJK COMPATIBILITY IDEOGRAPH-FA80	FADD	(This position shall not be used)
FA81	CJK COMPATIBILITY IDEOGRAPH-FA81	FADE	(This position shall not be used)
FA82	CJK COMPATIBILITY IDEOGRAPH-FA82	FADF	(This position shall not be used)
FA83	CJK COMPATIBILITY IDEOGRAPH-FA83	FAE0	(This position shall not be used)
FA84	CJK COMPATIBILITY IDEOGRAPH-FA84	FAE1	(This position shall not be used)
FA85	CJK COMPATIBILITY IDEOGRAPH-FA85	FAE2	(This position shall not be used)
FA86	CJK COMPATIBILITY IDEOGRAPH-FA86	FAE3	(This position shall not be used)
FA87	CJK COMPATIBILITY IDEOGRAPH-FA87	FAE4	(This position shall not be used)
FA88	CJK COMPATIBILITY IDEOGRAPH-FA88	FAE5	(This position shall not be used)
FA89	CJK COMPATIBILITY IDEOGRAPH-FA89	FAE6	(This position shall not be used)
FA8A	CJK COMPATIBILITY IDEOGRAPH-FA8A	FAE7	(This position shall not be used)
FA8B	CJK COMPATIBILITY IDEOGRAPH-FA8B	FAE8	(This position shall not be used)
FA8C	CJK COMPATIBILITY IDEOGRAPH-FA8C	FAE9	(This position shall not be used)
FA8D	CJK COMPATIBILITY IDEOGRAPH-FA8D	FAEA	(This position shall not be used)
FA8E	CJK COMPATIBILITY IDEOGRAPH-FA8E	FAEB	(This position shall not be used)
FA8F	CJK COMPATIBILITY IDEOGRAPH-FA8F	FAEC	(This position shall not be used)
FA90	CJK COMPATIBILITY IDEOGRAPH-FA90	FAED	(This position shall not be used)
FA91	CJK COMPATIBILITY IDEOGRAPH-FA91	FAEE	(This position shall not be used)
FA92	CJK COMPATIBILITY IDEOGRAPH-FA92	FAEF	(This position shall not be used)
FA93	CJK COMPATIBILITY IDEOGRAPH-FA93	FAF0	(This position shall not be used)
FA94	CJK COMPATIBILITY IDEOGRAPH-FA94	FAF1	(This position shall not be used)
FA95	CJK COMPATIBILITY IDEOGRAPH-FA95	FAF2	(This position shall not be used)
FA96	CJK COMPATIBILITY IDEOGRAPH-FA96	FAF3	(This position shall not be used)
FA97	CJK COMPATIBILITY IDEOGRAPH-FA97	FAF4	(This position shall not be used)
FA98	CJK COMPATIBILITY IDEOGRAPH-FA98	FAF5	(This position shall not be used)
FA99	CJK COMPATIBILITY IDEOGRAPH-FA99	FAF6	(This position shall not be used)
FA9A	CJK COMPATIBILITY IDEOGRAPH-FA9A	FAF7	(This position shall not be used)
FA9B	CJK COMPATIBILITY IDEOGRAPH-FA9B	FAF8	(This position shall not be used)
FA9C	CJK COMPATIBILITY IDEOGRAPH-FA9C	FAF9	(This position shall not be used)
FA9D	CJK COMPATIBILITY IDEOGRAPH-FA9D	FAFA	(This position shall not be used)
FA9E	CJK COMPATIBILITY IDEOGRAPH-FA9E	FAFB	(This position shall not be used)
FA9F	CJK COMPATIBILITY IDEOGRAPH-FA9F	FAFC	(This position shall not be used)
FAA0	CJK COMPATIBILITY IDEOGRAPH-FAA0	FAFD	(This position shall not be used)
FAA1	CJK COMPATIBILITY IDEOGRAPH-FAA1	FAFE	(This position shall not be used)
FAA2	CJK COMPATIBILITY IDEOGRAPH-FAA2	FAFF	(This position shall not be used)
FAA3	CJK COMPATIBILITY IDEOGRAPH-FAA3		
FAA4	CJK COMPATIBILITY IDEOGRAPH-FAA4		
FAA5	CJK COMPATIBILITY IDEOGRAPH-FAA5		
FAA6	CJK COMPATIBILITY IDEOGRAPH-FAA6		
FAA7	CJK COMPATIBILITY IDEOGRAPH-FAA7		
FAA8	CJK COMPATIBILITY IDEOGRAPH-FAA8		
FAA9	CJK COMPATIBILITY IDEOGRAPH-FAA9		
FAAA	CJK COMPATIBILITY IDEOGRAPH-FAAA		
FAAB	CJK COMPATIBILITY IDEOGRAPH-FAAB		
FAAC	CJK COMPATIBILITY IDEOGRAPH-FAAC		
FAAD	CJK COMPATIBILITY IDEOGRAPH-FAAD		
FAAE	CJK COMPATIBILITY IDEOGRAPH-FAAE		
FAAF	CJK COMPATIBILITY IDEOGRAPH-FAAF		
FAB0	CJK COMPATIBILITY IDEOGRAPH-FAB0		
FAB1	CJK COMPATIBILITY IDEOGRAPH-FAB1		
FAB2	CJK COMPATIBILITY IDEOGRAPH-FAB2		
FAB3	CJK COMPATIBILITY IDEOGRAPH-FAB3		
FAB4	CJK COMPATIBILITY IDEOGRAPH-FAB4		
FAB5	CJK COMPATIBILITY IDEOGRAPH-FAB5		
FAB6	CJK COMPATIBILITY IDEOGRAPH-FAB6		
FAB7	CJK COMPATIBILITY IDEOGRAPH-FAB7		
FAB8	CJK COMPATIBILITY IDEOGRAPH-FAB8		
FAB9	CJK COMPATIBILITY IDEOGRAPH-FAB9		
FABA	CJK COMPATIBILITY IDEOGRAPH-FABA		
FABB	CJK COMPATIBILITY IDEOGRAPH-FABB		
FABC	CJK COMPATIBILITY IDEOGRAPH-FABC		

Group 00

Plane 00

Row FA

Table 173 - Row FE: Vertical forms

FE1	
0	<div>’</div> <div>FE10</div>
1	<div>`</div> <div>FE11</div>
2	<div>o</div> <div>FE12</div>
3	<div>:</div> <div>FE13</div>
4	<div>;</div> <div>FE14</div>
5	<div>!</div> <div>FE15</div>
6	<div>?</div> <div>FE16</div>
7	<div>⏏</div> <div>FE17</div>
8	<div>⏏</div> <div>FE18</div>
9	<div>⋮</div> <div>FE19</div>
A	
B	
C	
D	
E	
F	

G = 00
P = 00

Table 173 - Row FE: Vertical forms

HEX	NAME	HEX	NAME
FE10	PRESENTATION FORM FOR VERTICAL COMMA		
FE11	PRESENTATION FORM FOR VERTICAL IDEOGRAPHIC COMMA		
FE12	PRESENTATION FORM FOR VERTICAL IDEOGRAPHIC FULL STOP		
FE13	PRESENTATION FORM FOR VERTICAL COLON		
FE14	PRESENTATION FORM FOR VERTICAL SEMICOLON		
FE15	PRESENTATION FORM FOR VERTICAL EXCLAMATION MARK		
FE16	PRESENTATION FORM FOR VERTICAL QUESTION MARK		
FE17	PRESENTATION FORM FOR VERTICAL LEFT WHITE LENTICULAR BRACKET		
FE18	PRESENTATION FORM FOR VERTICAL RIGHT WHITE LENTICULAR BRACKET		
FE19	PRESENTATION FORM FOR VERTICAL HORIZONTAL ELLIPSIS		
FE1A	(This position shall not be used)		
FE1B	(This position shall not be used)		
FE1C	(This position shall not be used)		
FE1D	(This position shall not be used)		
FE1E	(This position shall not be used)		
FE1F	(This position shall not be used)		

Group 00

Plane 00

Row FE

Table 184 - Row 01: Ancient Greek Numbers

	1014	1015	1016	1017	1018
0	10140	10150	10160	10170	10180
1	10141	10151	10161	10171	10181
2	10142	10152	10162	10172	10182
3	10143	10153	10163	10173	10183
4	10144	10154	10164	10174	10184
5	10145	10155	10165	10175	10185
6	10146	10156	10166	10176	10186
7	10147	10157	10167	10177	10187
8	10148	10158	10168	10178	10188
9	10149	10159	10169	10179	10189
A	1014A	1015A	1016A	1017A	1018A
B	1014B	1015B	1016B	1017B	
C	1014C	1015C	1016C	1017C	
D	1014D	1015D	1016D	1017D	
E	1014E	1015E	1016E	1017E	
F	1014F	1015F	1016F	1017F	

































































G = 00

P = 01

Table 184 - Row 01: Ancient Greek Numbers

HEX	NAME	HEX	NAME
10140	GREEK ACROPHONIC ATTIC ONE QUARTER		
10141	GREEK ACROPHONIC ATTIC ONE HALF		
10142	GREEK ACROPHONIC ATTIC ONE DRACHMA		
10143	GREEK ACROPHONIC ATTIC FIVE		
10144	GREEK ACROPHONIC ATTIC FIFTY		
10145	GREEK ACROPHONIC ATTIC FIVE HUNDRED		
10146	GREEK ACROPHONIC ATTIC FIVE THOUSAND		
10147	GREEK ACROPHONIC ATTIC FIFTY THOUSAND		
10148	GREEK ACROPHONIC ATTIC FIVE TALENTS		
10149	GREEK ACROPHONIC ATTIC TEN TALENTS		
1014A	GREEK ACROPHONIC ATTIC FIFTY TALENTS		
1014B	GREEK ACROPHONIC ATTIC ONE HUNDRED TALENTS		
1014C	GREEK ACROPHONIC ATTIC FIVE HUNDRED TALENTS		
1014D	GREEK ACROPHONIC ATTIC ONE THOUSAND TALENTS		
1014E	GREEK ACROPHONIC ATTIC FIVE THOUSAND TALENTS		
1014F	GREEK ACROPHONIC ATTIC FIVE STATERS		
10150	GREEK ACROPHONIC ATTIC TEN STATERS		
10151	GREEK ACROPHONIC ATTIC FIFTY STATERS		
10152	GREEK ACROPHONIC ATTIC ONE HUNDRED STATERS		
10153	GREEK ACROPHONIC ATTIC FIVE HUNDRED STATERS		
10154	GREEK ACROPHONIC ATTIC ONE THOUSAND STATERS		
10155	GREEK ACROPHONIC ATTIC TEN THOUSAND STATERS		
10156	GREEK ACROPHONIC ATTIC FIFTY THOUSAND STATERS		
10157	GREEK ACROPHONIC ATTIC TEN MNAS		
10158	GREEK ACROPHONIC HERAEUM ONE PLETHRON		
10159	GREEK ACROPHONIC THESPIAN ONE		
1015A	GREEK ACROPHONIC HERMIONE ONE		
1015B	GREEK ACROPHONIC EPIDAUREAN TWO		
1015C	GREEK ACROPHONIC THESPIAN TWO		
1015D	GREEK ACROPHONIC CYRENAIC TWO DRACHMAS		
1015E	GREEK ACROPHONIC EPIDAUREAN TWO DRACHMAS		
1015F	GREEK ACROPHONIC TROEZENIAN FIVE		
10160	GREEK ACROPHONIC TROEZENIAN TEN		
10161	GREEK ACROPHONIC TROEZENIAN TEN ALTERNATE FORM		
10162	GREEK ACROPHONIC HERMIONIAN TEN		
10163	GREEK ACROPHONIC MESSENIAN TEN		
10164	GREEK ACROPHONIC THESPIAN TEN		
10165	GREEK ACROPHONIC THESPIAN THIRTY		
10166	GREEK ACROPHONIC TROEZENIAN FIFTY		
10167	GREEK ACROPHONIC TROEZENIAN FIFTY ALTERNATE FORM		
10168	GREEK ACROPHONIC HERMIONIAN FIFTY		
10169	GREEK ACROPHONIC THESPIAN FIFTY		
1016A	GREEK ACROPHONIC THESPIAN ONE HUNDRED		
1016B	GREEK ACROPHONIC THESPIAN THREE HUNDRED		
1016C	GREEK ACROPHONIC EPIDAUREAN FIVE HUNDRED		
1016D	GREEK ACROPHONIC TROEZENIAN FIVE HUNDRED		
1016E	GREEK ACROPHONIC THESPIAN FIVE HUNDRED		
1016F	GREEK ACROPHONIC CARYSTIAN FIVE HUNDRED		
10170	GREEK ACROPHONIC NAXIAN FIVE HUNDRED		
10171	GREEK ACROPHONIC THESPIAN ONE THOUSAND		
10172	GREEK ACROPHONIC THESPIAN FIVE THOUSAND		
10173	GREEK ACROPHONIC DELPHIC FIVE MNAS		
10174	GREEK ACROPHONIC STRATIAN FIFTY MNAS		
10175	GREEK ONE HALF SIGN		
10176	GREEK ONE HALF SIGN ALTERNATE FORM		
10177	GREEK TWO THIRDS SIGN		
10178	GREEK THREE QUARTERS SIGN		
10179	GREEK YEAR SIGN		
1017A	GREEK TALENT SIGN		
1017B	GREEK DRACHMA SIGN		
1017C	GREEK OBOL SIGN		
1017D	GREEK TWO OBOLS SIGN		
1017E	GREEK THREE OBOLS SIGN		
1017F	GREEK FOUR OBOLS SIGN		
10180	GREEK FIVE OBOLS SIGN		
10181	GREEK METRETES SIGN		
10182	GREEK KYATHOS BASE SIGN		
10183	GREEK LITRA SIGN		
10184	GREEK OUNKIA SIGN		
10185	GREEK XESTES SIGN		
10186	GREEK ARTABE SIGN		
10187	GREEK AROURA SIGN		
10188	GREEK GRAMMA SIGN		
10189	GREEK TRYBLION BASE SIGN		
1018A	GREEK ZERO SIGN		
1018B	(This position shall not be used)		
1018C	(This position shall not be used)		
1018D	(This position shall not be used)		
1018E	(This position shall not be used)		
1018F	(This position shall not be used)		

Table 188 - Row 03: Old Persian

	103A	103B	103C	103D
0	 103A0	 103B0	 103C0	 103D0
1	 103A1	 103B1	 103C1	 103D1
2	 103A2	 103B2	 103C2	 103D2
3	 103A3	 103B3	 103C3	 103D3
4	 103A4	 103B4		 103D4
5	 103A5	 103B5		 103D5
6	 103A6	 103B6		
7	 103A7	 103B7		
8	 103A8	 103B8	 103C8	
9	 103A9	 103B9	 103C9	
A	 103AA	 103BA	 103CA	
B	 103AB	 103BB	 103CB	
C	 103AC	 103BC	 103CC	
D	 103AD	 103BD	 103CD	
E	 103AE	 103BE	 103CE	
F	 103AF	 103BF	 103CF	

G = 00**P = 01**

Table 188 - Row 03: Old Persian

































































































HEX	NAME	HEX	NAME
103A0	OLD PERSIAN SIGN A		
103A1	OLD PERSIAN SIGN I		
103A2	OLD PERSIAN SIGN U		
103A3	OLD PERSIAN SIGN KA		
103A4	OLD PERSIAN SIGN KU		
103A5	OLD PERSIAN SIGN GA		
103A6	OLD PERSIAN SIGN GU		
103A7	OLD PERSIAN SIGN XA		
103A8	OLD PERSIAN SIGN CA		
103A9	OLD PERSIAN SIGN JA		
103AA	OLD PERSIAN SIGN JI		
103AB	OLD PERSIAN SIGN TA		
103AC	OLD PERSIAN SIGN TU		
103AD	OLD PERSIAN SIGN DA		
103AE	OLD PERSIAN SIGN DI		
103AF	OLD PERSIAN SIGN DU		
103B0	OLD PERSIAN SIGN THA		
103B1	OLD PERSIAN SIGN PA		
103B2	OLD PERSIAN SIGN BA		
103B3	OLD PERSIAN SIGN FA		
103B4	OLD PERSIAN SIGN NA		
103B5	OLD PERSIAN SIGN NU		
103B6	OLD PERSIAN SIGN MA		
103B7	OLD PERSIAN SIGN MI		
103B8	OLD PERSIAN SIGN MU		
103B9	OLD PERSIAN SIGN YA		
103BA	OLD PERSIAN SIGN VA		
103BB	OLD PERSIAN SIGN VI		
103BC	OLD PERSIAN SIGN RA		
103BD	OLD PERSIAN SIGN RU		
103BE	OLD PERSIAN SIGN LA		
103BF	OLD PERSIAN SIGN SA		
103C0	OLD PERSIAN SIGN ZA		
103C1	OLD PERSIAN SIGN SHA		
103C2	OLD PERSIAN SIGN SSA		
103C3	OLD PERSIAN SIGN HA		
103C4	(This position shall not be used)		
103C5	(This position shall not be used)		
103C6	(This position shall not be used)		
103C7	(This position shall not be used)		
103C8	OLD PERSIAN SIGN AURAMAZDAA		
103C9	OLD PERSIAN SIGN AURAMAZDAA-2		
103CA	OLD PERSIAN SIGN AURAMAZDAAHA		
103CB	OLD PERSIAN SIGN XSHAAYATHIYA		
103CC	OLD PERSIAN SIGN DAHYAAUSH		
103CD	OLD PERSIAN SIGN DAHYAAUSH-2		
103CE	OLD PERSIAN SIGN BAGA		
103CF	OLD PERSIAN SIGN BUUMISH		
103D0	OLD PERSIAN WORD DIVIDER		
103D1	OLD PERSIAN NUMBER ONE		
103D2	OLD PERSIAN NUMBER TWO		
103D3	OLD PERSIAN NUMBER TEN		
103D4	OLD PERSIAN NUMBER TWENTY		
103D5	OLD PERSIAN NUMBER HUNDRED		
103D6	(This position shall not be used)		
103D7	(This position shall not be used)		
103D8	(This position shall not be used)		
103D9	(This position shall not be used)		
103DA	(This position shall not be used)		
103DB	(This position shall not be used)		
103DC	(This position shall not be used)		
103DD	(This position shall not be used)		
103DE	(This position shall not be used)		
103DF	(This position shall not be used)		

Group 00

Plane 01

Row 03

Table 193 - Row 0A: Kharoshthi

	10A0	10A1	10A2	10A3	10A4	10A5
0	 10A00	 10A10	 10A20	 10A30	 10A40	 10A50
1	 10A01	 10A11	 10A21	 10A31	 10A41	 10A51
2	 10A02	 10A12	 10A22	 10A32	 10A42	 10A52
3	 10A03	 10A13	 10A23	 10A33	 10A43	 10A53
4			 10A24		 10A44	 10A54
5	 10A05	 10A15	 10A25		 10A45	 10A55
6	 10A06	 10A16	 10A26		 10A46	 10A56
7		 10A17	 10A27		 10A47	 10A57
8			 10A28	 10A38		 10A58
9		 10A19	 10A29	 10A39		
A		 10A1A	 10A2A	 10A3A		
B		 10A1B	 10A2B			
C	 10A0C	 10A1C	 10A2C			
D	 10A0D	 10A1D	 10A2D			
E	 10A0E	 10A1E	 10A2E			
F	 10A0F	 10A1F	 10A2F	 KV 10A3F		

G = 00

P = 01

Table 193 - Row 0A: Kharoshthi







































































HEX	NAME	HEX	NAME
10A00	KHAROSHTHI LETTER A	10A5D	(This position shall not be used)
10A01	KHAROSHTHI VOWEL SIGN I	10A5E	(This position shall not be used)
10A02	KHAROSHTHI VOWEL SIGN U	10A5F	(This position shall not be used)
10A03	KHAROSHTHI VOWEL SIGN VOCALIC R		
10A04	(This position shall not be used)		
10A05	KHAROSHTHI VOWEL SIGN E		
10A06	KHAROSHTHI VOWEL SIGN O		
10A07	(This position shall not be used)		
10A08	(This position shall not be used)		
10A09	(This position shall not be used)		
10A0A	(This position shall not be used)		
10A0B	(This position shall not be used)		
10A0C	KHAROSHTHI VOWEL LENGTH MARK		
10A0D	KHAROSHTHI SIGN DOUBLE RING BELOW		
10A0E	KHAROSHTHI SIGN ANUSVARA		
10A0F	KHAROSHTHI SIGN VISARGA		
10A10	KHAROSHTHI LETTER KA		
10A11	KHAROSHTHI LETTER KHA		
10A12	KHAROSHTHI LETTER GA		
10A13	KHAROSHTHI LETTER GHA		
10A14	(This position shall not be used)		
10A15	KHAROSHTHI LETTER CA		
10A16	KHAROSHTHI LETTER CHA		
10A17	KHAROSHTHI LETTER JA		
10A18	(This position shall not be used)		
10A19	KHAROSHTHI LETTER NYA		
10A1A	KHAROSHTHI LETTER TTA		
10A1B	KHAROSHTHI LETTER TTHA		
10A1C	KHAROSHTHI LETTER DDA		
10A1D	KHAROSHTHI LETTER DDHA		
10A1E	KHAROSHTHI LETTER NNA		
10A1F	KHAROSHTHI LETTER TA		
10A20	KHAROSHTHI LETTER THA		
10A21	KHAROSHTHI LETTER DA		
10A22	KHAROSHTHI LETTER DHA		
10A23	KHAROSHTHI LETTER NA		
10A24	KHAROSHTHI LETTER PA		
10A25	KHAROSHTHI LETTER PHA		
10A26	KHAROSHTHI LETTER BA		
10A27	KHAROSHTHI LETTER BHA		
10A28	KHAROSHTHI LETTER MA		
10A29	KHAROSHTHI LETTER YA		
10A2A	KHAROSHTHI LETTER RA		
10A2B	KHAROSHTHI LETTER LA		
10A2C	KHAROSHTHI LETTER VA		
10A2D	KHAROSHTHI LETTER SHA		
10A2E	KHAROSHTHI LETTER SSA		
10A2F	KHAROSHTHI LETTER SA		
10A30	KHAROSHTHI LETTER ZA		
10A31	KHAROSHTHI LETTER HA		
10A32	KHAROSHTHI LETTER KKA		
10A33	KHAROSHTHI LETTER TTTHA		
10A34	(This position shall not be used)		
10A35	(This position shall not be used)		
10A36	(This position shall not be used)		
10A37	(This position shall not be used)		
10A38	KHAROSHTHI SIGN BAR ABOVE		
10A39	KHAROSHTHI SIGN CAUDA		
10A3A	KHAROSHTHI SIGN DOT BELOW		
10A3B	(This position shall not be used)		
10A3C	(This position shall not be used)		
10A3D	(This position shall not be used)		
10A3E	(This position shall not be used)		
10A3F	KHAROSHTHI VIRAMA		
10A40	KHAROSHTHI DIGIT ONE		
10A41	KHAROSHTHI DIGIT TWO		
10A42	KHAROSHTHI DIGIT THREE		
10A43	KHAROSHTHI DIGIT FOUR		
10A44	KHAROSHTHI NUMBER TEN		
10A45	KHAROSHTHI NUMBER TWENTY		
10A46	KHAROSHTHI NUMBER ONE HUNDRED		
10A47	KHAROSHTHI NUMBER ONE THOUSAND		
10A48	(This position shall not be used)		
10A49	(This position shall not be used)		
10A4A	(This position shall not be used)		
10A4B	(This position shall not be used)		
10A4C	(This position shall not be used)		
10A4D	(This position shall not be used)		
10A4E	(This position shall not be used)		
10A4F	(This position shall not be used)		
10A50	KHAROSHTHI PUNCTUATION DOT		
10A51	KHAROSHTHI PUNCTUATION SMALL CIRCLE		
10A52	KHAROSHTHI PUNCTUATION CIRCLE		
10A53	KHAROSHTHI PUNCTUATION CRESCENT BAR		
10A54	KHAROSHTHI PUNCTUATION MANGALAM		
10A55	KHAROSHTHI PUNCTUATION LOTUS		
10A56	KHAROSHTHI PUNCTUATION DANDA		
10A57	KHAROSHTHI PUNCTUATION DOUBLE DANDA		
10A58	KHAROSHTHI PUNCTUATION LINES		
10A59	(This position shall not be used)		
10A5A	(This position shall not be used)		
10A5B	(This position shall not be used)		
10A5C	(This position shall not be used)		

Group 00

Plane 01

Row 0A

Table 198 - Row D2: Ancient Greek Musical Notation

	1D20	1D21	1D22	1D23	1D24
0	 1D200	 1D210	 1D220	 1D230	 1D240
1	 1D201	 1D211	 1D221	 1D231	 1D241
2	 1D202	 1D212	 1D222	 1D232	 1D242
3	 1D203	 1D213	 1D223	 1D233	 1D243
4	 1D204	 1D214	 1D224	 1D234	 1D244
5	 1D205	 1D215	 1D225	 1D235	 1D245
6	 1D206	 1D216	 1D226	 1D236	
7	 1D207	 1D217	 1D227	 1D237	
8	 1D208	 1D218	 1D228	 1D238	
9	 1D209	 1D219	 1D229	 1D239	
A	 1D20A	 1D21A	 1D22A	 1D23A	
B	 1D20B	 1D21B	 1D22B	 1D23B	
C	 1D20C	 1D21C	 1D22C	 1D23C	
D	 1D20D	 1D21D	 1D22D	 1D23D	
E	 1D20E	 1D21E	 1D22E	 1D23E	
F	 1D20F	 1D21F	 1D22F	 1D23F	

G = 00

P = 01

Table 198 - Row D2: Ancient Greek Musical Notation



























































































HEX	NAME	HEX	NAME
1D200	GREEK VOCAL NOTATION SYMBOL-1		
1D201	GREEK VOCAL NOTATION SYMBOL-2		
1D202	GREEK VOCAL NOTATION SYMBOL-3		
1D203	GREEK VOCAL NOTATION SYMBOL-4		
1D204	GREEK VOCAL NOTATION SYMBOL-5		
1D205	GREEK VOCAL NOTATION SYMBOL-6		
1D206	GREEK VOCAL NOTATION SYMBOL-7		
1D207	GREEK VOCAL NOTATION SYMBOL-8		
1D208	GREEK VOCAL NOTATION SYMBOL-9		
1D209	GREEK VOCAL NOTATION SYMBOL-10		
1D20A	GREEK VOCAL NOTATION SYMBOL-11		
1D20B	GREEK VOCAL NOTATION SYMBOL-12		
1D20C	GREEK VOCAL NOTATION SYMBOL-13		
1D20D	GREEK VOCAL NOTATION SYMBOL-14		
1D20E	GREEK VOCAL NOTATION SYMBOL-15		
1D20F	GREEK VOCAL NOTATION SYMBOL-16		
1D210	GREEK VOCAL NOTATION SYMBOL-17		
1D211	GREEK VOCAL NOTATION SYMBOL-18		
1D212	GREEK VOCAL NOTATION SYMBOL-19		
1D213	GREEK VOCAL NOTATION SYMBOL-20		
1D214	GREEK VOCAL NOTATION SYMBOL-21		
1D215	GREEK VOCAL NOTATION SYMBOL-22		
1D216	GREEK VOCAL NOTATION SYMBOL-23		
1D217	GREEK VOCAL NOTATION SYMBOL-24		
1D218	GREEK VOCAL NOTATION SYMBOL-50		
1D219	GREEK VOCAL NOTATION SYMBOL-51		
1D21A	GREEK VOCAL NOTATION SYMBOL-52		
1D21B	GREEK VOCAL NOTATION SYMBOL-53		
1D21C	GREEK VOCAL NOTATION SYMBOL-54		
1D21D	GREEK INSTRUMENTAL NOTATION SYMBOL-1		
1D21E	GREEK INSTRUMENTAL NOTATION SYMBOL-2		
1D21F	GREEK INSTRUMENTAL NOTATION SYMBOL-4		
1D220	GREEK INSTRUMENTAL NOTATION SYMBOL-5		
1D221	GREEK INSTRUMENTAL NOTATION SYMBOL-7		
1D222	GREEK INSTRUMENTAL NOTATION SYMBOL-8		
1D223	GREEK INSTRUMENTAL NOTATION SYMBOL-11		
1D224	GREEK INSTRUMENTAL NOTATION SYMBOL-12		
1D225	GREEK INSTRUMENTAL NOTATION SYMBOL-13		
1D226	GREEK INSTRUMENTAL NOTATION SYMBOL-14		
1D227	GREEK INSTRUMENTAL NOTATION SYMBOL-17		
1D228	GREEK INSTRUMENTAL NOTATION SYMBOL-18		
1D229	GREEK INSTRUMENTAL NOTATION SYMBOL-19		
1D22A	GREEK INSTRUMENTAL NOTATION SYMBOL-23		
1D22B	GREEK INSTRUMENTAL NOTATION SYMBOL-24		
1D22C	GREEK INSTRUMENTAL NOTATION SYMBOL-25		
1D22D	GREEK INSTRUMENTAL NOTATION SYMBOL-26		
1D22E	GREEK INSTRUMENTAL NOTATION SYMBOL-27		
1D22F	GREEK INSTRUMENTAL NOTATION SYMBOL-29		
1D230	GREEK INSTRUMENTAL NOTATION SYMBOL-30		
1D231	GREEK INSTRUMENTAL NOTATION SYMBOL-32		
1D232	GREEK INSTRUMENTAL NOTATION SYMBOL-36		
1D233	GREEK INSTRUMENTAL NOTATION SYMBOL-37		
1D234	GREEK INSTRUMENTAL NOTATION SYMBOL-38		
1D235	GREEK INSTRUMENTAL NOTATION SYMBOL-39		
1D236	GREEK INSTRUMENTAL NOTATION SYMBOL-40		
1D237	GREEK INSTRUMENTAL NOTATION SYMBOL-42		
1D238	GREEK INSTRUMENTAL NOTATION SYMBOL-43		
1D239	GREEK INSTRUMENTAL NOTATION SYMBOL-45		
1D23A	GREEK INSTRUMENTAL NOTATION SYMBOL-47		
1D23B	GREEK INSTRUMENTAL NOTATION SYMBOL-48		
1D23C	GREEK INSTRUMENTAL NOTATION SYMBOL-49		
1D23D	GREEK INSTRUMENTAL NOTATION SYMBOL-50		
1D23E	GREEK INSTRUMENTAL NOTATION SYMBOL-51		
1D23F	GREEK INSTRUMENTAL NOTATION SYMBOL-52		
1D240	GREEK INSTRUMENTAL NOTATION SYMBOL-53		
1D241	GREEK INSTRUMENTAL NOTATION SYMBOL-54		
1D242	COMBINING GREEK MUSICAL TRISEME		
1D243	COMBINING GREEK MUSICAL TETRASEME		
1D244	COMBINING GREEK MUSICAL PENTASEME		
1D245	GREEK MUSICAL LEIMMA		
1D246	(This position shall not be used)		
1D247	(This position shall not be used)		
1D248	(This position shall not be used)		
1D249	(This position shall not be used)		
1D24A	(This position shall not be used)		
1D24B	(This position shall not be used)		
1D24C	(This position shall not be used)		
1D24D	(This position shall not be used)		
1D24E	(This position shall not be used)		
1D24F	(This position shall not be used)		

Group 00

Plane 01

Row D2

Table 199 - Row D3: Tai Xuan Jing Symbols

	1D30	1D31	1D32	1D33	1D34	1D35
0	 1D300	 1D310	 1D320	 1D330	 1D340	 1D350
1	 1D301	 1D311	 1D321	 1D331	 1D341	 1D351
2	 1D302	 1D312	 1D322	 1D332	 1D342	 1D352
3	 1D303	 1D313	 1D323	 1D333	 1D343	 1D353
4	 1D304	 1D314	 1D324	 1D334	 1D344	 1D354
5	 1D305	 1D315	 1D325	 1D335	 1D345	 1D355
6	 1D306	 1D316	 1D326	 1D336	 1D346	 1D356
7	 1D307	 1D317	 1D327	 1D337	 1D347	
8	 1D308	 1D318	 1D328	 1D338	 1D348	
9	 1D309	 1D319	 1D329	 1D339	 1D349	
A	 1D30A	 1D31A	 1D32A	 1D33A	 1D34A	
B	 1D30B	 1D31B	 1D32B	 1D33B	 1D34B	
C	 1D30C	 1D31C	 1D32C	 1D33C	 1D34C	
D	 1D30D	 1D31D	 1D32D	 1D33D	 1D34D	
E	 1D30E	 1D31E	 1D32E	 1D33E	 1D34E	
F	 1D30F	 1D31F	 1D32F	 1D33F	 1D34F	

G = 00

P = 01

Table 199 - Row D3: Tai Xuan Jing Symbols

HEX	NAME	HEX	NAME
1D300	MONOGRAM FOR EARTH	1D35D	(This position shall not be used)
1D301	DIGRAM FOR HEAVENLY EARTH	1D35E	(This position shall not be used)
1D302	DIGRAM FOR HUMAN EARTH	1D35F	(This position shall not be used)
1D303	DIGRAM FOR EARTHLY HEAVEN		
1D304	DIGRAM FOR EARTHLY HUMAN		
1D305	DIGRAM FOR EARTH		
1D306	TETRAGRAM FOR CENTRE		
1D307	TETRAGRAM FOR FULL CIRCLE		
1D308	TETRAGRAM FOR MIRE		
1D309	TETRAGRAM FOR BARRIER		
1D30A	TETRAGRAM FOR KEEPING SMALL		
1D30B	TETRAGRAM FOR CONTRARIETY		
1D30C	TETRAGRAM FOR ASCENT		
1D30D	TETRAGRAM FOR OPPOSITION		
1D30E	TETRAGRAM FOR BRANCHING OUT		
1D30F	TETRAGRAM FOR DEFECTIVENESS OR DISTORTION		
1D310	TETRAGRAM FOR DIVERGENCE		
1D311	TETRAGRAM FOR YOUTHFULNESS		
1D312	TETRAGRAM FOR INCREASE		
1D313	TETRAGRAM FOR PENETRATION		
1D314	TETRAGRAM FOR REACH		
1D315	TETRAGRAM FOR CONTACT		
1D316	TETRAGRAM FOR HOLDING BACK		
1D317	TETRAGRAM FOR WAITING		
1D318	TETRAGRAM FOR FOLLOWING		
1D319	TETRAGRAM FOR ADVANCE		
1D31A	TETRAGRAM FOR RELEASE		
1D31B	TETRAGRAM FOR RESISTANCE		
1D31C	TETRAGRAM FOR EASE		
1D31D	TETRAGRAM FOR JOY		
1D31E	TETRAGRAM FOR CONTENTION		
1D31F	TETRAGRAM FOR ENDEAVOUR		
1D320	TETRAGRAM FOR DUTIES		
1D321	TETRAGRAM FOR CHANGE		
1D322	TETRAGRAM FOR DECISIVENESS		
1D323	TETRAGRAM FOR BOLD RESOLUTION		
1D324	TETRAGRAM FOR PACKING		
1D325	TETRAGRAM FOR LEGION		
1D326	TETRAGRAM FOR CLOSENESS		
1D327	TETRAGRAM FOR KINSHIP		
1D328	TETRAGRAM FOR GATHERING		
1D329	TETRAGRAM FOR STRENGTH		
1D32A	TETRAGRAM FOR PURITY		
1D32B	TETRAGRAM FOR FULLNESS		
1D32C	TETRAGRAM FOR RESIDENCE		
1D32D	TETRAGRAM FOR LAW OR MODEL		
1D32E	TETRAGRAM FOR RESPONSE		
1D32F	TETRAGRAM FOR GOING TO MEET		
1D330	TETRAGRAM FOR ENCOUNTERS		
1D331	TETRAGRAM FOR STOVE		
1D332	TETRAGRAM FOR GREATNESS		
1D333	TETRAGRAM FOR ENLARGEMENT		
1D334	TETRAGRAM FOR PATTERN		
1D335	TETRAGRAM FOR RITUAL		
1D336	TETRAGRAM FOR FLIGHT		
1D337	TETRAGRAM FOR VASTNESS OR WASTING		
1D338	TETRAGRAM FOR CONSTANCY		
1D339	TETRAGRAM FOR MEASURE		
1D33A	TETRAGRAM FOR ETERNITY		
1D33B	TETRAGRAM FOR UNITY		
1D33C	TETRAGRAM FOR DIMINISHMENT		
1D33D	TETRAGRAM FOR CLOSED MOUTH		
1D33E	TETRAGRAM FOR GUARDEDNESS		
1D33F	TETRAGRAM FOR GATHERING IN		
1D340	TETRAGRAM FOR MASSING		
1D341	TETRAGRAM FOR ACCUMULATION		
1D342	TETRAGRAM FOR EMBELLISHMENT		
1D343	TETRAGRAM FOR DOUBT		
1D344	TETRAGRAM FOR WATCH		
1D345	TETRAGRAM FOR SINKING		
1D346	TETRAGRAM FOR INNER		
1D347	TETRAGRAM FOR DEPARTURE		
1D348	TETRAGRAM FOR DARKENING		
1D349	TETRAGRAM FOR DIMMING		
1D34A	TETRAGRAM FOR EXHAUSTION		
1D34B	TETRAGRAM FOR SEVERANCE		
1D34C	TETRAGRAM FOR STOPPAGE		
1D34D	TETRAGRAM FOR HARDNESS		
1D34E	TETRAGRAM FOR COMPLETION		
1D34F	TETRAGRAM FOR CLOSURE		
1D350	TETRAGRAM FOR FAILURE		
1D351	TETRAGRAM FOR AGGRAVATION		
1D352	TETRAGRAM FOR COMPLIANCE		
1D353	TETRAGRAM FOR ON THE VERGE		
1D354	TETRAGRAM FOR DIFFICULTIES		
1D355	TETRAGRAM FOR LABOURING		
1D356	TETRAGRAM FOR FOSTERING		
1D357	(This position shall not be used)		
1D358	(This position shall not be used)		
1D359	(This position shall not be used)		
1D35A	(This position shall not be used)		
1D35B	(This position shall not be used)		
1D35C	(This position shall not be used)		

Group 00

Plane 01

Row D3

Table 203 - Row D6: Mathematical Alphanumeric Symbols

	1D61	1D62	1D63	1D64	1D65	1D66	1D67	1D68	1D69	1D6A	1D6B
0	<i>I</i> 1D610	<i>Y</i> 1D620	<i>o</i> 1D630	E 1D640	U 1D650	k 1D660	A 1D670	Q 1D680	g 1D690	w 1D6A0	I 1D6B0
1	J 1D611	Z 1D621	<i>p</i> 1D631	F 1D641	V 1D651	I 1D661	B 1D671	R 1D681	h 1D691	x 1D6A1	K 1D6B1
2	K 1D612	<i>a</i> 1D622	<i>q</i> 1D632	G 1D642	W 1D652	m 1D662	C 1D672	S 1D682	<i>i</i> 1D692	<i>y</i> 1D6A2	Λ 1D6B2
3	L 1D613	<i>b</i> 1D623	<i>r</i> 1D633	H 1D643	X 1D653	<i>n</i> 1D663	D 1D673	T 1D683	<i>j</i> 1D693	<i>z</i> 1D6A3	M 1D6B3
4	M 1D614	<i>c</i> 1D624	<i>s</i> 1D634	I 1D644	Y 1D654	<i>o</i> 1D664	E 1D674	U 1D684	k 1D694	<i>ι</i> 1D6A4	N 1D6B4
5	N 1D615	<i>d</i> 1D625	<i>t</i> 1D635	J 1D645	Z 1D655	<i>p</i> 1D665	F 1D675	V 1D685	l 1D695	<i>ℓ</i> 1D6A5	Ξ 1D6B5
6	O 1D616	<i>e</i> 1D626	<i>u</i> 1D636	K 1D646	<i>a</i> 1D656	<i>q</i> 1D666	G 1D676	W 1D686	m 1D696		O 1D6B6
7	P 1D617	<i>f</i> 1D627	<i>v</i> 1D637	L 1D647	<i>b</i> 1D657	<i>r</i> 1D667	H 1D677	X 1D687	n 1D697		Π 1D6B7
8	Q 1D618	<i>g</i> 1D628	<i>w</i> 1D638	M 1D648	c 1D658	s 1D668	I 1D678	Y 1D688	<i>o</i> 1D698	A 1D6A8	P 1D6B8
9	R 1D619	<i>h</i> 1D629	<i>x</i> 1D639	N 1D649	<i>d</i> 1D659	<i>t</i> 1D669	J 1D679	Z 1D689	<i>p</i> 1D699	B 1D6A9	Θ 1D6B9
A	S 1D61A	<i>i</i> 1D62A	<i>y</i> 1D63A	O 1D64A	<i>e</i> 1D65A	<i>u</i> 1D66A	K 1D67A	<i>a</i> 1D68A	<i>q</i> 1D69A	Γ 1D6AA	Σ 1D6BA
B	T 1D61B	<i>j</i> 1D62B	<i>z</i> 1D63B	P 1D64B	<i>f</i> 1D65B	<i>v</i> 1D66B	L 1D67B	<i>b</i> 1D68B	<i>r</i> 1D69B	Δ 1D6AB	Τ 1D6BB
C	U 1D61C	k 1D62C	A 1D63C	Q 1D64C	<i>g</i> 1D65C	<i>w</i> 1D66C	M 1D67C	c 1D68C	s 1D69C	E 1D6AC	Υ 1D6BC
D	V 1D61D	I 1D62D	B 1D63D	R 1D64D	<i>h</i> 1D65D	x 1D66D	N 1D67D	<i>d</i> 1D68D	<i>t</i> 1D69D	Z 1D6AD	Φ 1D6BD
E	W 1D61E	<i>m</i> 1D62E	C 1D63E	S 1D64E	<i>i</i> 1D65E	<i>y</i> 1D66E	O 1D67E	<i>e</i> 1D68E	<i>u</i> 1D69E	H 1D6AE	X 1D6BE
F	X 1D61F	<i>n</i> 1D62F	D 1D63F	T 1D64F	<i>j</i> 1D65F	z 1D66F	P 1D67F	<i>f</i> 1D68F	<i>v</i> 1D69F	Θ 1D6AF	Ψ 1D6BF

G = 00
P = 01

Table 203 - Row D6: Mathematical Alphanumeric Symbols

HEX	NAME	HEX	NAME
1D610	MATHEMATICAL SANS-SERIF ITALIC CAPITAL I	1D66D	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL X
1D611	MATHEMATICAL SANS-SERIF ITALIC CAPITAL J	1D66E	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL Y
1D612	MATHEMATICAL SANS-SERIF ITALIC CAPITAL K	1D66F	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL Z
1D613	MATHEMATICAL SANS-SERIF ITALIC CAPITAL L	1D670	MATHEMATICAL MONOSPACE CAPITAL A
1D614	MATHEMATICAL SANS-SERIF ITALIC CAPITAL M	1D671	MATHEMATICAL MONOSPACE CAPITAL B
1D615	MATHEMATICAL SANS-SERIF ITALIC CAPITAL N	1D672	MATHEMATICAL MONOSPACE CAPITAL C
1D616	MATHEMATICAL SANS-SERIF ITALIC CAPITAL O	1D673	MATHEMATICAL MONOSPACE CAPITAL D
1D617	MATHEMATICAL SANS-SERIF ITALIC CAPITAL P	1D674	MATHEMATICAL MONOSPACE CAPITAL E
1D618	MATHEMATICAL SANS-SERIF ITALIC CAPITAL Q	1D675	MATHEMATICAL MONOSPACE CAPITAL F
1D619	MATHEMATICAL SANS-SERIF ITALIC CAPITAL R	1D676	MATHEMATICAL MONOSPACE CAPITAL G
1D61A	MATHEMATICAL SANS-SERIF ITALIC CAPITAL S	1D677	MATHEMATICAL MONOSPACE CAPITAL H
1D61B	MATHEMATICAL SANS-SERIF ITALIC CAPITAL T	1D678	MATHEMATICAL MONOSPACE CAPITAL I
1D61C	MATHEMATICAL SANS-SERIF ITALIC CAPITAL U	1D679	MATHEMATICAL MONOSPACE CAPITAL J
1D61D	MATHEMATICAL SANS-SERIF ITALIC CAPITAL V	1D67A	MATHEMATICAL MONOSPACE CAPITAL K
1D61E	MATHEMATICAL SANS-SERIF ITALIC CAPITAL W	1D67B	MATHEMATICAL MONOSPACE CAPITAL L
1D61F	MATHEMATICAL SANS-SERIF ITALIC CAPITAL X	1D67C	MATHEMATICAL MONOSPACE CAPITAL M
1D620	MATHEMATICAL SANS-SERIF ITALIC CAPITAL Y	1D67D	MATHEMATICAL MONOSPACE CAPITAL N
1D621	MATHEMATICAL SANS-SERIF ITALIC CAPITAL Z	1D67E	MATHEMATICAL MONOSPACE CAPITAL O
1D622	MATHEMATICAL SANS-SERIF ITALIC SMALL A	1D67F	MATHEMATICAL MONOSPACE CAPITAL P
1D623	MATHEMATICAL SANS-SERIF ITALIC SMALL B	1D680	MATHEMATICAL MONOSPACE CAPITAL Q
1D624	MATHEMATICAL SANS-SERIF ITALIC SMALL C	1D681	MATHEMATICAL MONOSPACE CAPITAL R
1D625	MATHEMATICAL SANS-SERIF ITALIC SMALL D	1D682	MATHEMATICAL MONOSPACE CAPITAL S
1D626	MATHEMATICAL SANS-SERIF ITALIC SMALL E	1D683	MATHEMATICAL MONOSPACE CAPITAL T
1D627	MATHEMATICAL SANS-SERIF ITALIC SMALL F	1D684	MATHEMATICAL MONOSPACE CAPITAL U
1D628	MATHEMATICAL SANS-SERIF ITALIC SMALL G	1D685	MATHEMATICAL MONOSPACE CAPITAL V
1D629	MATHEMATICAL SANS-SERIF ITALIC SMALL H	1D686	MATHEMATICAL MONOSPACE CAPITAL W
1D62A	MATHEMATICAL SANS-SERIF ITALIC SMALL I	1D687	MATHEMATICAL MONOSPACE CAPITAL X
1D62B	MATHEMATICAL SANS-SERIF ITALIC SMALL J	1D688	MATHEMATICAL MONOSPACE CAPITAL Y
1D62C	MATHEMATICAL SANS-SERIF ITALIC SMALL K	1D689	MATHEMATICAL MONOSPACE CAPITAL Z
1D62D	MATHEMATICAL SANS-SERIF ITALIC SMALL L	1D68A	MATHEMATICAL MONOSPACE SMALL A
1D62E	MATHEMATICAL SANS-SERIF ITALIC SMALL M	1D68B	MATHEMATICAL MONOSPACE SMALL B
1D62F	MATHEMATICAL SANS-SERIF ITALIC SMALL N	1D68C	MATHEMATICAL MONOSPACE SMALL C
1D630	MATHEMATICAL SANS-SERIF ITALIC SMALL O	1D68D	MATHEMATICAL MONOSPACE SMALL D
1D631	MATHEMATICAL SANS-SERIF ITALIC SMALL P	1D68E	MATHEMATICAL MONOSPACE SMALL E
1D632	MATHEMATICAL SANS-SERIF ITALIC SMALL Q	1D68F	MATHEMATICAL MONOSPACE SMALL F
1D633	MATHEMATICAL SANS-SERIF ITALIC SMALL R	1D690	MATHEMATICAL MONOSPACE SMALL G
1D634	MATHEMATICAL SANS-SERIF ITALIC SMALL S	1D691	MATHEMATICAL MONOSPACE SMALL H
1D635	MATHEMATICAL SANS-SERIF ITALIC SMALL T	1D692	MATHEMATICAL MONOSPACE SMALL I
1D636	MATHEMATICAL SANS-SERIF ITALIC SMALL U	1D693	MATHEMATICAL MONOSPACE SMALL J
1D637	MATHEMATICAL SANS-SERIF ITALIC SMALL V	1D694	MATHEMATICAL MONOSPACE SMALL K
1D638	MATHEMATICAL SANS-SERIF ITALIC SMALL W	1D695	MATHEMATICAL MONOSPACE SMALL L
1D639	MATHEMATICAL SANS-SERIF ITALIC SMALL X	1D696	MATHEMATICAL MONOSPACE SMALL M
1D63A	MATHEMATICAL SANS-SERIF ITALIC SMALL Y	1D697	MATHEMATICAL MONOSPACE SMALL N
1D63B	MATHEMATICAL SANS-SERIF ITALIC SMALL Z	1D698	MATHEMATICAL MONOSPACE SMALL O
1D63C	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL A	1D699	MATHEMATICAL MONOSPACE SMALL P
1D63D	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL B	1D69A	MATHEMATICAL MONOSPACE SMALL Q
1D63E	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL C	1D69B	MATHEMATICAL MONOSPACE SMALL R
1D63F	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL D	1D69C	MATHEMATICAL MONOSPACE SMALL S
1D640	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL E	1D69D	MATHEMATICAL MONOSPACE SMALL T
1D641	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL F	1D69E	MATHEMATICAL MONOSPACE SMALL U
1D642	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL G	1D69F	MATHEMATICAL MONOSPACE SMALL V
1D643	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL H	1D6A0	MATHEMATICAL MONOSPACE SMALL W
1D644	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL I	1D6A1	MATHEMATICAL MONOSPACE SMALL X
1D645	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL J	1D6A2	MATHEMATICAL MONOSPACE SMALL Y
1D646	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL K	1D6A3	MATHEMATICAL MONOSPACE SMALL Z
1D647	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL L	1D6A4	MATHEMATICAL ITALIC SMALL DOTLESS I
1D648	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL M	1D6A5	MATHEMATICAL ITALIC SMALL DOTLESS J
1D649	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL N	1D6A6	(This position shall not be used)
1D64A	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL O	1D6A7	(This position shall not be used)
1D64B	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL P	1D6A8	MATHEMATICAL BOLD CAPITAL ALPHA
1D64C	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL Q	1D6A9	MATHEMATICAL BOLD CAPITAL BETA
1D64D	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL R	1D6AA	MATHEMATICAL BOLD CAPITAL GAMMA
1D64E	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL S	1D6AB	MATHEMATICAL BOLD CAPITAL DELTA
1D64F	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL T	1D6AC	MATHEMATICAL BOLD CAPITAL EPSILON
1D650	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL U	1D6AD	MATHEMATICAL BOLD CAPITAL ZETA
1D651	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL V	1D6AE	MATHEMATICAL BOLD CAPITAL ETA
1D652	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL W	1D6AF	MATHEMATICAL BOLD CAPITAL THETA
1D653	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL X	1D6B0	MATHEMATICAL BOLD CAPITAL IOTA
1D654	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL Y	1D6B1	MATHEMATICAL BOLD CAPITAL KAPPA
1D655	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL Z	1D6B2	MATHEMATICAL BOLD CAPITAL LAMDA
1D656	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL A	1D6B3	MATHEMATICAL BOLD CAPITAL MU
1D657	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL B	1D6B4	MATHEMATICAL BOLD CAPITAL NU
1D658	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL C	1D6B5	MATHEMATICAL BOLD CAPITAL XI
1D659	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL D	1D6B6	MATHEMATICAL BOLD CAPITAL OMICRON
1D65A	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL E	1D6B7	MATHEMATICAL BOLD CAPITAL PI
1D65B	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL F	1D6B8	MATHEMATICAL BOLD CAPITAL RHO
1D65C	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL G	1D6B9	MATHEMATICAL BOLD CAPITAL THETA SYMBOL
1D65D	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL H	1D6BA	MATHEMATICAL BOLD CAPITAL SIGMA
1D65E	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL I	1D6BB	MATHEMATICAL BOLD CAPITAL TAU
1D65F	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL J	1D6BC	MATHEMATICAL BOLD CAPITAL UPSILON
1D660	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL K	1D6BD	MATHEMATICAL BOLD CAPITAL PHI
1D661	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL L	1D6BE	MATHEMATICAL BOLD CAPITAL CHI
1D662	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL M	1D6BF	MATHEMATICAL BOLD CAPITAL PSI
1D663	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL N		
1D664	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL O		
1D665	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL P		
1D666	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL Q		
1D667	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL R		
1D668	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL S		
1D669	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL T		
1D66A	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL U		
1D66B	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL V		
1D66C	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL W		

Table 256 - Row 1E: CJK Unified Ideographs Extension B

	21E0	21E1	21E2	21E3	21E4	21E5	21E6	21E7
0	峒 21E00	峒 21E10	峒 21E20	峒 21E30	峻 21E40	雌 21E50	嶺 21E60	嶺 21E70
1	垂 21E01	崑 21E11	屈 21E21	脊 21E31	垂 21E41	崑 21E51	崑 21E61	崑 21E71
2	崑 21E02	崑 21E12	崑 21E22	崑 21E32	崑 21E42	崑 21E52	崑 21E62	崑 21E72
3	崑 21E03	崑 21E13	崑 21E23	崑 21E33	崑 21E43	崑 21E53	崑 21E63	崑 21E73
4	崑 21E04	崑 21E14	崑 21E24	崑 21E34	崑 21E44	崑 21E54	崑 21E64	崑 21E74
5	崑 21E05	崑 21E15	崑 21E25	崑 21E35	崑 21E45	崑 21E55	崑 21E65	崑 21E75
6	崑 21E06	崑 21E16	崑 21E26	崑 21E36	崑 21E46	崑 21E56	崑 21E66	崑 21E76
7	崑 21E07	崑 21E17	崑 21E27	崑 21E37	崑 21E47	崑 21E57	崑 21E67	崑 21E77
8	崑 21E08	崑 21E18	崑 21E28	崑 21E38	崑 21E48	崑 21E58	崑 21E68	崑 21E78
9	崑 21E09	崑 21E19	崑 21E29	崑 21E39	崑 21E49	崑 21E59	崑 21E69	崑 21E79
A	崑 21E0A	崑 21E1A	崑 21E2A	崑 21E3A	崑 21E4A	崑 21E5A	崑 21E6A	崑 21E7A
B	崑 21E0B	崑 21E1B	崑 21E2B	崑 21E3B	崑 21E4B	崑 21E5B	崑 21E6B	崑 21E7B
C	崑 21E0C	崑 21E1C	崑 21E2C	崑 21E3C	崑 21E4C	崑 21E5C	崑 21E6C	崑 21E7C
D	崑 21E0D	崑 21E1D	崑 21E2D	崑 21E3D	崑 21E4D	崑 21E5D	崑 21E6D	崑 21E7D
E	崑 21E0E	崑 21E1E	崑 21E2E	崑 21E3E	崑 21E4E	崑 21E5E	崑 21E6E	崑 21E7E
F	崑 21E0F	崑 21E1F	崑 21E2F	崑 21E3F	崑 21E4F	崑 21E5F	崑 21E6F	崑 21E7F

G = 00
P = 02