



ISO/IEC JTC 1/SC 2
CODED CHARACTER SETS
SECRETARIAT: JAPAN (JISC)

DOC TYPE: Summary of Voting/Table of Replies

TITLE: Summary of Voting on SC 2 N 3311, ISO/IEC 10646-1/FPDAM 15, Universal Multiple-Octet Coded Character Set (UCS) -- Part 1: Architecture and Basic Multilingual Plane -- AMENDMENT 15: Kang Xi radicals and CJK radicals supplement

SOURCE: Secretariat, ISO/IEC JTC 1/SC 2

PROJECT: JTC 1.02.18.01.15

STATUS: This voting summary is forwarded to WG 2 for consideration. WG 2 is requested to prepare a disposition of comments report, revised text and a recommendation for further processing.

ACTION ID: ACT

DUE DATE:

DISTRIBUTION: P, O and L Members of ISO/IEC JTC 1/SC 2
WG Conveners and Secretariats
Secretariat, ISO/IEC JTC 1
ISO/IEC ITTF

NO. OF PAGES: 3

ACCESS LEVEL: Def

WEB ISSUE #: 060

Contact: Secretariat ISO/IEC JTC 1/SC 2 - Toshiko KIMURA
IPSJ/ITSCJ (Information Processing Society of Japan/Information Technology Standards Commission of Japan)*
Room 308-3, Kikai-Shinko-Kaikan Bldg., 3-5-8, Shiba-Koen, Minato-ku, Tokyo 105-0011 JAPAN
Tel: +81 3 3431 2808; Fax: +81 3 3431 6493; E-mail: kimura@itscj.ipsj.or.jp
*A Standard Organization accredited by JISC

Summary of Voting on SC 2 N 3311

P-member	Approve	Approve with Comments	Disapprove	Abstain	Comment
Armenia					
Australia				X	No technical expertise
Austria					
Belgium					
Brazil	X				
Canada	X				
China	X				
Denmark	X				
Egypt	X				
Finland	X				
France	X				
Germany	X				
Greece	X				
Iceland					
India					
Iran, Islamic Republic of					
Ireland	X				
Israel	X				
Italy					
Japan		X			Attachment 1
Korea, Rep. of	X				
Morocco					
Netherlands	X				
Norway	X				
Poland	X				
Romania	X				
Russian Federation	X				
Singapore					
Slovenia					
Sweden	X				
Thailand					
Tunisia					
Turkey					
UK		X			Attachment 2
USA	X				
Viet Nam					
Yugoslavia					
	19	2	0	1	
Total	21		0	1	
Others					
Portugal (0)	X				
Mongolia	X				

Attachment 1 - Japan

The character at 2EA9 in PDAM is removed according to the WG2 resolution M36.7. The WG2 discussion on the character was to ask IRG for the expansion of two similar characters at 2EA9 and 2F46 before deletion of the character at 2EA9. The reason of this deletion should be clarified.

Attachment 2 - UK

UK COMMENTS ACCOMPANYING VOTE OF APPROVAL ON ISO/IEC 10646-1: 1993/FPDAM.15 (SC 2 N3311)

The changes for Figure 4 do not correspond exactly to the ranges of the new blocks listed. They should read:

- " insert a part-row 2E80 to 2EFF containing the words ..."
- " and another part-row 2F00 to 2FDF containing the words ..."